
Japanese Pharmacopoeia and OTC medicines at the 130th Anniversary

Japan Self-Medication Industry
President
Tatsuo KUROKAWA, Ph.D.

Q. S. E. of Pharmaceuticals

Role of Pharmacopoeia



From in the era of Alchemists

 Among others, quality and its assurance has been the first priority when people talk about drugs.







Pharmaceuticals vs. Commodities

- On the Foodstuff, Commodities, consumer can manage to judge whether they are good or bad from its flavor, color or other appearance.
- On the medicines, it is not so easy to be judged by consumer because it looks like just water or small tablet.
- Consumer rely on the pharmacy, pharmacist and OTC suppliers in confidence. Practically there is no other way for people.
- Basement is the confidence on the "good management of pharmaceutical manufacturers".
 The JP is the reliable measure of the base.

Globalization and Japanese Pharmacopoeia

- Recent bursting purchase of OTC medicines by visitors is found in Japanese market.
- OTC medicines in Japan have been lauded for their quality and reliability, thanks to Japanese Pharmacopoeia.
- Based on the native feature of medicines, every national health regulatory authority assesses the Q. S. E. of proposed medicines.
- Pharmacopoeia is the basement of quality control of medicines. It's not easy to establish own national pharmacopoeia. It requires many resources.


Feature of OTC medicines

- OTC medicines are acquired by consumers at the pharmacies or drugstores without prescription with the supports by pharmacists or other stakeholders, and used by consumers at their decision.
- OTC medicines contain the active ingredient(s) of which are well established their safety and efficacy, are produced in the dosage form in convenience for consumers, and their usages are well recognized.
- OTC medicines are in good quality with enough stability in home and expected time span of distribution.

OTC medicines and Pharmacopoeia

- Consumers are NOT responsible to test or triage the OTC medicines by themselves.
- Supporting scheme for the quality of OTC medicines, including the recipe, stable quality, and packaging to protect the contents.
- National standards of distinguishing measure for the API, Excipients, and Final Preparation, and also testing methods are defined in the Pharmacopoeia.

National Formulary 2nd Ed.



More than 100 compounded medicines, and crude herbal medicines are defined in 1955.

The National Formulary were integrated into the Japanese Pharmacopoeia.

Ingredients of OTC medicines are mostly defined in JP.

*:2016年3月 (使用上の注意改訂)

使用前にこの説明文書を必ずお読み下さい。 また、必要な時に読めるよう大切に保管して下さい。 09

解熱鎮痛薬

第1類医薬

日本薬局方

ロキソプロフェンナトリウム錠

痛みに速く効く

頭痛・生理痛

Lots of Newly Rxto-OTC Switched medicines are defined in

●痛みに速ぐ 解熱鎮痛成 ンジン)を

●胃への負担 からだにや ※プロドラッ

●眠くなる点 のみやすし

要指導医薬品

この添付文書は本剤とともに保管し、服用の際には、よくお

エバスチン錠

Japanese

セルフメディケーションをサポートします

HEALTHCARE INNOVATION

Pharmacopoeia

アレルギー専用鼻炎薬

アレルギー性鼻炎の症状は、花粉やハウスダストなどを吸い込んだときに、アレルギー誘発物質(ヒスタミン等)

が体のなかで放出される その放出を元から抑える

エバステルALは、1日ダ 個々の生活習慣や生活 しづらいのが現状です。

エバステルALは、この

※花粉などの季節性の 効果的です。

医薬品

ご使用に際して、この説明文書を必ずお読みください。 また、必要な時読めるよう大切に保管してください。

ペミロラストカリウム点眼液

Jアール Pガード点眼液

花粉などによる目のアレルギー症状に

ノアールPガード点眼液は…

●抗アレルギー剤「ペミロラストカリウム」を配合した「目のアレルギー症状の緩和」に効果 を発揮する目薬です。

花粉シーズン中の症状軽減を目的とした場合、症状があらわれていなくても花粉飛散開 始の1~2週間前からの使用をおすすめします。

⋈ してはい

- 1. 次の人は服
- (1) 本剤 又はオ
- (2) 本剤又は他 (3) 15歳未満
- (4) 医療機関で (5) 医師からず
- 白血球数な (6) 出産予定E
- 2. 本剤を服用し 他の解熱鍵
- 3. 服用前後は飽
- 4. 長期連続し (3~5日間 を受けて



- 1. 次の人は服
- (1) 医師又は様
- (2) 妊婦又は好 (3) 授乳中の人
- (4) 高齢者
- (5)薬などによ
- (6) 次の診断を

してはいけないこと

(守らないと現在の症状) 1.次の人は服用しないて (1) 本剤又は本剤の成・ (2)15歳未満の小児。

- 2.本剤を服用している間 他のアレルギー用薬 乗物酔い薬、催眠鎮制
- 4. 授乳中の人は本剤を肌
- (動物試験で薬剤の乳 5.服用前後は飲酒しない

9

相談すること

OTC medicines are essentials for healthy life. JP is a key-element for the QA of medicines.

Thank you for your cooperation and supports on Self-Medication.

Thank you for your attention

