


Hypromellose Phthalate (200731)




Hypromellose Phthalate (220824)






The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Ibuprofen



Ibuprofen Piconol




Ifenprodil Tartrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Imidapril Hydrochloride




Imipenem Hydrate




Indapamide




Indenolol Hydrochloride



Indometacin




Iohexol




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Iopamidol


2126




Iotalamic Acid




Iotroxic Acid




Ipratropium Bromide Hydrate



Ipriflavone





Irbesartan




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Irsogladine Maleate







The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


0.0

4000.0

3000.0


1000.0


500.0



1500.0

2000.0







The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

2130






Itraconazole




Ketamine Hydrochloride




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)






Ketoprofen




Ketotifen Fumarate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Kitasamycin Acetate


2132




Kitasamycin Tartrate




Labetalol Hydrochloride








Lactose Hydrate




Lafutidine




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)







Latamoxef Sodium




Lenampicillin Hydrochloride




L-Leucine



Leuprorelin Acetate




Levallorphan Tartrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Levofloxacin Hydrate



Lidocaine




Lincomycin Hydrochloride Hydrate





The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Lisinopril Hydrate




Lobenzarit Sodium






The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Losartan Potassium




Loxoprofen Sodium Hydrate




L-Lysine Acetate




L-Lysine Hydrochloride




Manidipine Hydrochloride







The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Maprotiline Hydrochloride









The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Mefloquine Hydrochloride



Mefruside




Menatetrenone




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Mepitiostane




Mepivacaine Hydrochloride




Mequitazine




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)




Metenolone Acetate 100.0 75.0 50.0 25.0 4000.0 3000.0 2000.0 1500.0 1000.0 500.0




L-Methionine




Methotrexate




Methyldopa Hydrate




dl-Methylephedrine Hydrochloride




Methyl Parahydroxybenzoate





Methylprednisolone Succinate













The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Metoprolol Tartrate




Metronidazole




Mexiletine Hydrochloride








Midecamycin




Midecamycin Acetate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Miglitol



Minocycline Hydrochloride




Mitiglinide Calcium Hydrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)






Mizoribine




Montelukast Sodium




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Morphine Hydrochloride Hydrate




Morphine Sulfate Hydrate





Mosapride Citrate Hydrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)










Nalidixic Acid




Naloxone Hydrochloride










Neostigmine Methylsulfate




Nicardipine Hydrochloride











The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)






Nifedipine




Nilvadipine




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Nitrendipine



Nizatidine



Noradrenaline




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

500.0

3000.0

0.0


4000.0




1500.0

1000.0

2000.0






The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)



3000.0

4000.0




Noscapine 100.0 75.0 50.0 25.0 0.0

1500.0

1000.0


500.0

2000.0





The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Olmesartan Medoxomil




Olopatadine Hydrochloride







Oxapium Iodide



Oxaprozin




Oxethazaine




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Oxprenolol Hydrochloride



Oxycodone Hydrochloride Hydrate









The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Ozagrel Sodium



Pancuronium Bromide




Panipenem




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Paroxetine Hydrochloride Hydrate



Pemirolast Potassium




Penbutolol Sulfate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Pentobarbital Calcium



Pentoxyverine Citrate




Peplomycin Sulfate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Pethidine Hydrochloride




Phenethicillin Potassium




Phenobarbital




L-Phenylalanine



Phytonadione




Pilsicainide Hydrochloride Hydrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)






Pindolol




Pioglitazone Hydrochloride




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Pipemidic Acid Hydrate




Piperacillin Hydrate




Piperacillin Sodium




Piperazine Adipate



Piperazine Phosphate Hydrate









The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Pirenzepine Hydrochloride Hydrate



Piroxicam




Pivmecillinam Hydrochloride




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Potassium Canrenoate



Potassium Clavulanate




Povidone




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Pranlukast Hydrate



Pranoprofen





Prasterone Sodium Sulfate Hydrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Pravastatin Sodium









Prednisolone



Prednisolone Acetate





Prednisolone Sodium Phosphate




Prednisolone Succinate

2176







Procainamide Hydrochloride




Procaine Hydrochloride



Procarbazine Hydrochloride




Procaterol Hydrochloride Hydrate




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)






Proglumide




L-Proline




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)


Promethazine Hydrochloride




Propafenone Hydrochloride



Propiverine Hydrochloride



Propranolol Hydrochloride




Propyl Parahydroxybenzoate


Protirelin

0.0

4000.0

3000.0






1500.0

1000.0


500.0

2000.0


Purified Sodium Hyaluronate



Pyrantel Pamoate




Pyrazinamide




The JP Drugs are to be tested according to the provisions given in the pertinent monographs, General Notices, General Rules for Crude Drugs, General Rules for Preparations, and General Tests for their conformity to the Japanese Pharmacopoeia. (See the General Notices 5.)

Pyridoxine Hydrochloride



Pyrrolnitrin



Quetiapine Fumarate

