Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	悪心	20[redacted]	2	7	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	嘔吐	20[redacted]	2	7	N	Grade 3	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	悪心	20[redacted]	35	27	N	Grade 3	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	嘔吐	20[redacted]	35	27	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃炎	20[redacted]	117	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胸部損傷	20[redacted]	423	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	治癒不良	20[redacted]	.	123	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	臍ヘルニア	20[redacted]	613	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	疲労	20[redacted]	16	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	46	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	浮動性めまい	20[redacted]	274	413	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	291	3	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	絞扼性単径ヘルニア	20[redacted]	483	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	513	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	眼球内黒色腫	20[redacted]	708	41	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	.	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	転倒	20[redacted]	19	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	顎痛	20[redacted]	81	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	917	94	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	975	36	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脱毛症	20[redacted]	64	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	膀胱炎	20[redacted]	89	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	158	488	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	聴力低下	20[redacted]	445	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	458	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	584	119	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血小板減少症	20[redacted]	732	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	遠隔転移を伴う気管支癌	20[redacted]	795	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	371	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GERMANY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	出血性膀胱炎	20[redacted]	372	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	27	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	トランスアミナーゼ上昇	20[redacted]	100	772	N	Grade 2	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	366	506	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腓骨骨折	20[redacted]	529	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脛骨骨折	20[redacted]	529	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎すべり症	20[redacted]	677	195	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	733	139	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	食道腺癌	20[redacted]	799	73	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GERMANY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	食道腺癌	20[redacted]	871	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腹痛	20[redacted]	3	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胆石症	20[redacted]	125	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位発疹	20[redacted]	125	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺腫	20[redacted]	198	4	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	会話障害	20[redacted]	200	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格系胸痛	20[redacted]	269	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	438	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	1	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	神経痛	20[redacted]	90	150	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	平衡障害	20[redacted]	152	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	245	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	299	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	412	91	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	468	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	504	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	650	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	749	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	951	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1443	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	43	234	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腹痛	20[redacted]	237	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨折痛	20[redacted]	29	72	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹部不快感	20[redacted]	.	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頻尿	20[redacted]	51	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	表在性血栓性静脈炎	20[redacted]	92	21	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨折痛	20[redacted]	151	151	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	インフルエンザ	20[redacted]	303	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	表在性血栓性静脈炎	20[redacted]	317	79	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	487	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上部消化管出血	20[redacted]	1002	5	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋肉痛	20[redacted]	123	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	204	95	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	２型糖尿病	20[redacted]	901	105	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	1005	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	204	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下部消化管出血	20[redacted]	804	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	1002	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	49	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	255	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GREECE	ALN 70 MG PO QW		8[redacted]	F	WHITE	転倒	20[redacted]	753	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肛門失禁	20[redacted]	520	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	520	26	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	失見当識	20[redacted]	520	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿失禁	20[redacted]	520	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	521	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	446	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	458	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血糖	20[redacted]	32	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GREECE	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	861	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GREECE	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心肺不全	20[redacted]	220	2	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	GREECE	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肺炎	20[redacted]	220	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	外骨腫	20[redacted]	714	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	780	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	手骨折	20[redacted]	780	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GREECE	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	橈骨骨折	20[redacted]	780	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	嘔吐	20[redacted]	5	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	靭帯捻挫	20[redacted]	19	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	29	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋肉痛	20[redacted]	30	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位内出血	20[redacted]	92	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	白内障	20[redacted]	141	527	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	163	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃腸炎	20[redacted]	183	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性関節症	20[redacted]	189	988	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	239	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	白内障	20[redacted]	294	913	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	375	681	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頚部痛	20[redacted]	506	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	595	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	687	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	781	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肺腫瘤	20[redacted]	781	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心窩部不快感	20[redacted]	805	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔咽頭痛	20[redacted]	1022	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	坐骨神経痛	20[redacted]	1086	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	1182	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹痛	20[redacted]	1443	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	心窩部不快感	20[redacted]	3	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	5	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血圧変動	20[redacted]	42	201	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	56	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ウイルス性上気道感染	20[redacted]	87	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	160	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	291	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	注射部位内出血	20[redacted]	308	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	324	267	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	324	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	603	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋痙縮	20[redacted]	687	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃腸炎	20[redacted]	698	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	爪真菌症	20[redacted]	747	731	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃腸炎	20[redacted]	760	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	790	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	痛風性関節炎	20[redacted]	812	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	812	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	消化不良	20[redacted]	911	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	徐脈	20[redacted]	934	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1033	259	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	坐骨神経痛	20[redacted]	1102	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1177	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	臍ヘルニア	20[redacted]	1194	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1321	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ウイルス性胃炎	20[redacted]	1431	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1435	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1453	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	10	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	67	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発疹	20[redacted]	67	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	71	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	蛋白尿	20[redacted]	243	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高脂血症	20[redacted]	483	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高尿酸血症	20[redacted]	483	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	658	82	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸痛	20[redacted]	676	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	狭心症	20[redacted]	700	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	730	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔内潰瘍形成	20[redacted]	749	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	821	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	徐脈	20[redacted]	918	41	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	記憶障害	20[redacted]	1005	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	ウイルス性結膜炎	20[redacted]	1065	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	網膜剥離	20[redacted]	1140	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼部不快感	20[redacted]	1180	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1240	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	1404	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1404	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節痛	20[redacted]	3	237	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	便秘	20[redacted]	26	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	発疹	20[redacted]	26	14	N	Grade 1	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	胃腸炎	20[redacted]	43	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	変形性関節症	20[redacted]	71	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	消化不良	20[redacted]	83	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	背部痛	20[redacted]	87	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	胸痛	20[redacted]	224	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	318	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	労作性呼吸困難	20[redacted]	346	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	癜風	20[redacted]	421	808	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	転倒	20[redacted]	593	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	四肢損傷	20[redacted]	593	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節痛	20[redacted]	698	196	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	700	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	皮膚腫瘤	20[redacted]	801	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	膝蓋骨骨折	20[redacted]	838	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	907	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	靭帯捻挫	20[redacted]	943	334	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	挫傷	20[redacted]	961	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	転倒	20[redacted]	961	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	転倒	20[redacted]	969	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節損傷	20[redacted]	969	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	1015	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	鼻出血	20[redacted]	1046	245	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	1080	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	喉頭炎	20[redacted]	1108	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	1131	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	そう痒性皮疹	20[redacted]	1293	120	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	挫傷	20[redacted]	1330	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	挫傷	20[redacted]	1330	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	転倒	20[redacted]	1330	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	挫傷	20[redacted]	1368	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	挫傷	20[redacted]	1368	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	転倒	20[redacted]	1368	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	1422	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	13	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	107	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	758	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	弾発指	20[redacted]	804	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	998	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1031	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腕骨骨折	20[redacted]	1031	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	橈骨骨折	20[redacted]	1031	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尺骨骨折	20[redacted]	1031	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	骨障害	20[redacted]	1100	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1405	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	変形性関節症	20[redacted]	111	54	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	168	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	223	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	238	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	615	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	634	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	757	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	996	72	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	1015	79	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	記憶障害	20[redacted]	1032	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃腸炎	20[redacted]	1048	29	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	糖尿病	20[redacted]	1108	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1303	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ビタミンＢ１２欠乏	20[redacted]	1364	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	21	14	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚乳頭腫	20[redacted]	31	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	358	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	383	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	低カリウム血症	20[redacted]	547	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	614	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	850	71	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	872	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1085	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	1085	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	1146	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	16	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃腸炎	20[redacted]	82	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位感染	20[redacted]	155	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	188	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	266	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	移植片合併症	20[redacted]	281	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	281	1035	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	606	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	921	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1025	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	そう痒症	20[redacted]	1073	243	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1306	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	149	185	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	239	117	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胸部損傷	20[redacted]	251	98	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	251	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	348	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	洞結節機能不全	20[redacted]	411	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	461	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	464	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高カリウム血症	20[redacted]	464	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	468	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	516	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	623	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	695	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高カリウム血症	20[redacted]	716	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	871	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	987	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	987	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1084	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	霧視	20[redacted]	1094	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	便秘	20[redacted]	15	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	上気道感染	20[redacted]	92	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	胃腸炎	20[redacted]	96	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	そう痒性皮疹	20[redacted]	142	147	N	Grade 2	RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	背部痛	20[redacted]	173	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	転倒	20[redacted]	177	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	頭部損傷	20[redacted]	177	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	198	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	鼻咽頭炎	20[redacted]	222	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	弾発指	20[redacted]	264	411	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	消化不良	20[redacted]	320	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	四肢痛	20[redacted]	474	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	上気道感染	20[redacted]	502	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	転倒	20[redacted]	571	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	大腿骨頚部骨折	20[redacted]	571	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	末梢性ニューロパチー	20[redacted]	577	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	胃腸炎	20[redacted]	784	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	上気道感染	20[redacted]	809	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	弾発指	20[redacted]	827	97	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1035	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	上気道感染	20[redacted]	1061	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	裂肛	20[redacted]	1071	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	貧血	20[redacted]	1099	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	帯状疱疹	20[redacted]	1118	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	上気道感染	20[redacted]	1215	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位紅斑	20[redacted]	1	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位紅斑	20[redacted]	32	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼乾燥	20[redacted]	49	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸痛	20[redacted]	71	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口内乾燥	20[redacted]	88	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	108	164	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	163	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低ナトリウム血症	20[redacted]	166	18	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肺炎	20[redacted]	166	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腓骨骨折	20[redacted]	231	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脛骨骨折	20[redacted]	231	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	385	566	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腎線維症	20[redacted]	516	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腎嚢胞	20[redacted]	516	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	逆流性胃炎	20[redacted]	522	176	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	575	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	632	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	717	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	759	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	779	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	779	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	動悸	20[redacted]	824	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	老人性食道	20[redacted]	991	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1001	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	動悸	20[redacted]	1001	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼乾燥	20[redacted]	1040	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1092	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	不眠症	20[redacted]	1093	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	記憶障害	20[redacted]	1093	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼乾燥	20[redacted]	1098	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	1133	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	聴力低下	20[redacted]	1145	69	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	1151	94	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	耳垢栓塞	20[redacted]	1154	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	外耳道損傷	20[redacted]	1154	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	聴力低下	20[redacted]	1214	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1214	157	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1250	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1259	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1282	236	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	聴力低下	20[redacted]	1283	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1303	150	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1371	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1442	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1452	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	そう痒性皮疹	20[redacted]	21	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	発疹	20[redacted]	97	36	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格痛	20[redacted]	109	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	180	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	241	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	283	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	311	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	創傷感染	20[redacted]	323	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	403	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	歯膿瘍	20[redacted]	516	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	527	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	527	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	挫傷	20[redacted]	544	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	594	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頚部痛	20[redacted]	636	69	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	709	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	830	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格痛	20[redacted]	830	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	949	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頚部痛	20[redacted]	971	162	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	咳嗽	20[redacted]	1048	85	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	非心臓性胸痛	20[redacted]	1048	85	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	肺新生物	20[redacted]	1061	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	肉芽腫性肝疾患	20[redacted]	1077	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	甲状腺腫瘤	20[redacted]	1077	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胆管拡張	20[redacted]	1108	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	咳嗽	20[redacted]	1189	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	脂肪肝	20[redacted]	1216	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上顎炎	20[redacted]	1275	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1452	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	糖尿病	20[redacted]	1475	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	帯状疱疹	20[redacted]	413	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	536	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	556	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	588	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	693	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	1089	115	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	大腸潰瘍	20[redacted]	1110	62	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	1118	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胃炎	20[redacted]	1133	39	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	脳微小血管症	20[redacted]	1141	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胃ポリープ	20[redacted]	1142	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1160	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹部膨満	20[redacted]	1173	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	1271	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	1271	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	高血圧	20[redacted]	1281	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	1363	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	1363	69	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	1363	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	橈骨骨折	20[redacted]	1363	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1436	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頚部痛	20[redacted]	13	726	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	19	490	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	便秘	20[redacted]	124	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	145	107	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	259	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	259	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	303	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	303	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	342	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	342	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	342	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	366	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	366	553	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	463	504	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	668	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	認知症	20[redacted]	693	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	693	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	693	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼瞼感染	20[redacted]	716	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	781	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	781	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	創傷感染	20[redacted]	863	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	864	134	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	864	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	891	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	891	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	894	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	916	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	916	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	大腿骨骨折	20[redacted]	916	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	967	256	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	967	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1135	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1135	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	1313	65	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	顔面痛	20[redacted]	1313	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1313	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1492	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1493	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1494	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭部損傷	20[redacted]	1494	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	靭帯捻挫	20[redacted]	1494	20	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性関節症	20[redacted]	4	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	84	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	122	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	147	85	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	304	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	411	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	595	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	670	79	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	776	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	848	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	膀胱炎	20[redacted]	974	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	膀胱炎	20[redacted]	1005	5	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血尿	20[redacted]	1005	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腎嚢胞	20[redacted]	1039	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1049	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1127	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1203	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1234	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	1332	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	1332	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋力低下	20[redacted]	1387	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1418	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部不快感	20[redacted]	1426	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	乗物酔い	20[redacted]	1460	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	490	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	変形性関節症	20[redacted]	490	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	足骨折	20[redacted]	938	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1147	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	74	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脳血管発作	20[redacted]	145	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭部コンピュータ断層撮影異常	20[redacted]	145	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ラクナ梗塞	20[redacted]	145	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	264	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	284	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血腫	20[redacted]	284	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	裂傷	20[redacted]	284	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	橈骨骨折	20[redacted]	284	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	低血圧	20[redacted]	285	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	発熱	20[redacted]	285	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下滲出液	20[redacted]	285	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	521	67	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	521	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭部損傷	20[redacted]	521	63	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜外出血	20[redacted]	525	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	低ナトリウム血症	20[redacted]	525	8	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下血腫	20[redacted]	526	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	認知症	20[redacted]	529	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下血腫	20[redacted]	529	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	敗血症	20[redacted]	532	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	抗利尿ホルモン不適合分泌	20[redacted]	559	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	心筋虚血	20[redacted]	560	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下血腫	20[redacted]	605	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	252	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	弛緩歯	20[redacted]	269	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	303	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	341	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	587	90	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	結膜炎	20[redacted]	678	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	白内障	20[redacted]	699	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	白内障	20[redacted]	699	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	832	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1031	44	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1031	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頚部痛	20[redacted]	1031	90	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	側弯症	20[redacted]	1031	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脊椎圧迫骨折	20[redacted]	1031	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性脊椎症	20[redacted]	1031	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脊椎すべり症	20[redacted]	1031	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼乾燥	20[redacted]	1032	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節周囲炎	20[redacted]	1151	193	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	疲労	20[redacted]	2	102	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	手根管症候群	20[redacted]	107	220	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	弾発指	20[redacted]	217	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格不快感	20[redacted]	224	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	血圧上昇	20[redacted]	243	226	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	415	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胸部不快感	20[redacted]	431	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	460	161	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	便秘	20[redacted]	460	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	挫傷	20[redacted]	460	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	眼挫傷	20[redacted]	460	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	460	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	461	14	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	嘔吐	20[redacted]	461	14	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	低ナトリウム血症	20[redacted]	468	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	咳嗽	20[redacted]	651	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	三叉神経痛	20[redacted]	765	175	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	体重減少	20[redacted]	765	318	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	939	133	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	1107	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頭痛	20[redacted]	1107	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	1107	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	緑内障	20[redacted]	1108	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹部膨満	20[redacted]	1114	207	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頚部痛	20[redacted]	1167	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	眼窩周囲浮腫	20[redacted]	1233	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	発疹	20[redacted]	1233	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	アレルギー性皮膚炎	20[redacted]	1260	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胃炎	20[redacted]	1267	79	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1335	72	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	鼻咽頭炎	20[redacted]	1336	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	1376	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	2	14	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	網膜血管閉塞	20[redacted]	87	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋力低下	20[redacted]	233	85	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	エンプティセラ症候群	20[redacted]	247	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	細気管支炎	20[redacted]	337	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	535	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	副鼻腔炎	20[redacted]	672	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	神経痛	20[redacted]	676	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	大腸炎	20[redacted]	679	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	帯状疱疹	20[redacted]	743	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	ヘルペス後神経痛	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	悪性貧血	20[redacted]	1039	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	121	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	手骨折	20[redacted]	240	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性関節症	20[redacted]	446	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	451	79	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	695	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	748	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	753	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉痛	20[redacted]	902	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	973	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1247	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1291	76	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1305	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1369	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低血圧	20[redacted]	1373	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	意識消失	20[redacted]	1373	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1395	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1419	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1419	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1458	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	102	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	齲歯	20[redacted]	156	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	237	64	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯肉痛	20[redacted]	243	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	272	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	293	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	331	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	349	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	361	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	384	84	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯痛	20[redacted]	421	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯感染	20[redacted]	436	185	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	437	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	472	113	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	倦怠感	20[redacted]	497	93	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	顎骨壊死	20[redacted]	652	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	顎骨壊死	20[redacted]	652	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	顎骨壊死	20[redacted]	652	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	771	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	貧血	20[redacted]	918	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	創傷	20[redacted]	1091	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高血圧	20[redacted]	1126	89	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血尿	20[redacted]	1149	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	肛門潰瘍	20[redacted]	1152	292	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便潜血陽性	20[redacted]	1152	292	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腎腫大	20[redacted]	1183	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腎症	20[redacted]	1183	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	22	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	34	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	167	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	うつ病	20[redacted]	361	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	鼻咽頭炎	20[redacted]	364	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	鼻漏	20[redacted]	386	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頚部痛	20[redacted]	442	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	498	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	510	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	認知症	20[redacted]	535	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	551	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腹痛	20[redacted]	602	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	613	117	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	620	219	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯痛	20[redacted]	714	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節周囲炎	20[redacted]	748	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頚部痛	20[redacted]	790	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	839	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯痛	20[redacted]	924	197	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1053	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	1058	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1096	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	食欲減退	20[redacted]	1106	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	1156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	1183	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	1183	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	大脳萎縮	20[redacted]	1183	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脳虚血	20[redacted]	1183	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1183	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭部損傷	20[redacted]	1183	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	裂傷	20[redacted]	1183	8	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ラクナ梗塞	20[redacted]	1183	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	1218	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1218	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1254	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	1254	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	1281	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1281	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	アレルギー性鼻炎	20[redacted]	1296	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	変形性関節症	20[redacted]	1319	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	1422	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1422	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血腫	20[redacted]	1459	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭部損傷	20[redacted]	1459	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	1459	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	143	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	倦怠感	20[redacted]	379	107	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	435	179	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低カリウム血症	20[redacted]	478	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	774	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	僧帽弁閉鎖不全症	20[redacted]	904	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	三尖弁閉鎖不全症	20[redacted]	904	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	動脈損傷	20[redacted]	997	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	冠動脈疾患	20[redacted]	997	65	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	冠動脈疾患	20[redacted]	997	65	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	1313	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	注射部位紅斑	20[redacted]	59	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	59	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	歯痛	20[redacted]	258	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	そう痒性皮疹	20[redacted]	375	102	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹痛	20[redacted]	402	75	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	下痢	20[redacted]	402	75	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹痛	20[redacted]	488	20	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	下痢	20[redacted]	498	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹痛	20[redacted]	520	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	646	248	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	804	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	804	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	877	48	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	884	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	脳血管発作	20[redacted]	885	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	微小血管症	20[redacted]	885	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	複視	20[redacted]	889	229	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋力低下	20[redacted]	892	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋力低下	20[redacted]	892	124	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋力低下	20[redacted]	1016	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1037	17	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	心室拡張	20[redacted]	1041	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	ラクナ梗塞	20[redacted]	1041	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	髄膜腫	20[redacted]	1041	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	1132	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	1148	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1175	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	脳梗塞	20[redacted]	1176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1228	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	食欲減退	20[redacted]	1273	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	空腹時血中ブドウ糖不良	20[redacted]	1273	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高血圧	20[redacted]	369	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	肩回旋筋腱板症候群	20[redacted]	386	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脳血管発作	20[redacted]	389	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高脂血症	20[redacted]	389	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	記憶障害	20[redacted]	389	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	15	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	食欲減退	20[redacted]	23	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	72	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	134	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	180	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	207	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	273	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	308	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肋骨骨折	20[redacted]	308	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	374	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性脊椎症	20[redacted]	489	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	513	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	609	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	669	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	691	158	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	724	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1002	110	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1002	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	湿疹	20[redacted]	124	205	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	アレルギー性皮膚炎	20[redacted]	153	130	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋力低下	20[redacted]	194	204	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	アレルギー性皮膚炎	20[redacted]	206	78	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高脂血症	20[redacted]	243	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	湿疹	20[redacted]	404	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	714	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	856	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	湿疹	20[redacted]	873	175	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	眼瞼下垂	20[redacted]	922	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	非心臓性胸痛	20[redacted]	922	197	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高血圧	20[redacted]	1047	93	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1050	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1063	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1195	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	1195	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	1273	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1273	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血腫	20[redacted]	1273	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	意識消失	20[redacted]	1273	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	1273	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	湿疹	20[redacted]	1317	108	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	1337	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節周囲炎	20[redacted]	8	1403	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	48	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	扁桃炎	20[redacted]	137	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	239	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	239	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	肋骨骨折	20[redacted]	239	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頚部痛	20[redacted]	328	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯肉炎	20[redacted]	357	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	口腔咽頭痛	20[redacted]	357	240	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	373	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	回転性めまい	20[redacted]	446	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	470	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	膝蓋骨骨折	20[redacted]	470	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	470	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	変形性関節症	20[redacted]	576	835	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	爪真菌症	20[redacted]	587	196	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	708	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	気管支炎	20[redacted]	738	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	扁平上皮癌	20[redacted]	922	178	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	968	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	喘息	20[redacted]	1088	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	弛緩歯	20[redacted]	1089	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	光線角化症	20[redacted]	1099	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	肥厚性瘢痕	20[redacted]	1108	303	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脂漏性角化症	20[redacted]	1108	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	肥厚性瘢痕	20[redacted]	1128	283	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	1154	86	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭痛	20[redacted]	1210	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭痛	20[redacted]	1283	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	1425	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	1434	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腹痛	20[redacted]	1449	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	嘔吐	20[redacted]	1449	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	45	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	47	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	114	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	137	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	208	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	333	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腹部膨満	20[redacted]	374	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胆管狭窄	20[redacted]	402	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胆管細胞癌	20[redacted]	402	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胆管炎	20[redacted]	402	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	膵炎	20[redacted]	403	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	急性胆管炎	20[redacted]	469	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胆管狭窄	20[redacted]	482	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	処置後胆汁漏出	20[redacted]	510	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	敗血症	20[redacted]	510	75	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	弾発指	20[redacted]	46	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	51	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	159	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	314	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	349	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	554	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	730	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	心窩部不快感	20[redacted]	1152	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ヘリコバクター感染	20[redacted]	1153	137	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	1233	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高血圧	20[redacted]	1279	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高血圧	20[redacted]	1414	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上腹部痛	20[redacted]	1445	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	181	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	大腿骨骨折	20[redacted]	181	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	聴力低下	20[redacted]	546	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	骨痛	20[redacted]	637	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	666	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1330	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	335	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	575	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭部損傷	20[redacted]	575	235	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下血腫	20[redacted]	575	43	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下血腫	20[redacted]	618	192	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	662	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	大脳萎縮	20[redacted]	809	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	虚血性脳小血管疾患	20[redacted]	809	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	809	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	鼻出血	20[redacted]	809	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	809	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血腫	20[redacted]	809	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	809	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭蓋骨骨折	20[redacted]	809	.	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	譫妄	20[redacted]	833	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	インフルエンザ	20[redacted]	833	6	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	認知障害	20[redacted]	906	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	1076	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	31	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	変形性関節症	20[redacted]	101	589	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	144	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	176	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格痛	20[redacted]	176	75	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹圧性尿失禁	20[redacted]	189	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	273	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	281	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	尿路感染	20[redacted]	397	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	末梢腫脹	20[redacted]	413	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胸部不快感	20[redacted]	417	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	三尖弁閉鎖不全症	20[redacted]	420	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	耳帯状疱疹	20[redacted]	430	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	爪真菌症	20[redacted]	553	306	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	蜂巣炎	20[redacted]	737	44	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	足部白癬	20[redacted]	744	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	薬物過敏症	20[redacted]	766	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	擦過傷	20[redacted]	919	153	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	943	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	医療機器関連感染	20[redacted]	947	168	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	構語障害	20[redacted]	950	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	ブドウ球菌性敗血症	20[redacted]	954	15	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	うっ血性心不全	20[redacted]	957	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	水分過負荷	20[redacted]	957	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	マイコバクテリウム・アブセサス感染	20[redacted]	959	177	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	脳血管発作	20[redacted]	962	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胃腸出血	20[redacted]	965	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	十二指腸潰瘍	20[redacted]	966	60	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胃潰瘍	20[redacted]	966	60	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	創傷感染	20[redacted]	980	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	咳嗽	20[redacted]	1042	197	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	1077	131	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	1077	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	1077	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	錯乱状態	20[redacted]	1172	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	高アンモニア血症	20[redacted]	1175	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	代謝性アシドーシス	20[redacted]	1175	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	微小血管症	20[redacted]	1175	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	嘔吐	20[redacted]	1175	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	十二指腸炎	20[redacted]	1178	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	尿路感染	20[redacted]	1183	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	そう痒症	20[redacted]	1287	106	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血尿	20[redacted]	259	109	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腎癌	20[redacted]	361	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	631	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	689	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	833	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性関節症	20[redacted]	1036	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1057	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	足底筋膜炎	20[redacted]	1093	154	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1296	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	16	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	体部白癬	20[redacted]	91	451	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	257	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腎機能検査異常	20[redacted]	364	192	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	456	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	486	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭部損傷	20[redacted]	486	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血糖	20[redacted]	486	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	意識消失	20[redacted]	486	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	486	129	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	486	129	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	607	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	637	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	692	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	下痢	20[redacted]	729	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	糸球体濾過率減少	20[redacted]	729	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	760	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血尿	20[redacted]	807	229	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	糸球体濾過率減少	20[redacted]	854	61	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1033	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1033	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1269	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1269	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脂漏性角化症	20[redacted]	5	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	呼吸困難	20[redacted]	40	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	373	791	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	493	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭部損傷	20[redacted]	493	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腕骨骨折	20[redacted]	493	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尺骨神経炎	20[redacted]	495	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頚部痛	20[redacted]	523	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	676	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1009	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1092	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	1164	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1179	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	1265	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯痛	20[redacted]	1335	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	1348	91	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹痛	20[redacted]	71	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	93	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	膀胱炎	20[redacted]	132	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹痛	20[redacted]	156	7	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	動物咬傷	20[redacted]	165	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	接触皮膚炎	20[redacted]	169	25	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	注射部位紅斑	20[redacted]	219	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	便秘	20[redacted]	409	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	513	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	靭帯捻挫	20[redacted]	513	167	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	尿路感染	20[redacted]	588	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	608	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	下腹部痛	20[redacted]	662	567	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	695	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	999	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1075	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	尿路感染	20[redacted]	1158	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1267	85	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	94	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	156	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	217	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	230	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	425	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	530	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	569	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	627	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	676	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	676	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	793	275	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	基底細胞癌	20[redacted]	863	32	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	SURGICAL INTERVENTION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯牙破折	20[redacted]	868	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	929	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	振戦	20[redacted]	950	122	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	1006	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1241	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1265	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1295	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1360	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	大腿骨骨折	20[redacted]	1360	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1360	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	軟部組織損傷	20[redacted]	1360	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	361	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	493	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	716	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	898	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1124	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高脂血症	20[redacted]	1256	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	靭帯捻挫	20[redacted]	1274	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	1311	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血腫	20[redacted]	1311	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低血糖	20[redacted]	1311	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	注射部位内出血	20[redacted]	1	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	29	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	36	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	68	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋肉痛	20[redacted]	84	103	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	184	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	243	100	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	下痢	20[redacted]	250	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	303	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格痛	20[redacted]	318	138	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	白内障	20[redacted]	359	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	後嚢部混濁	20[redacted]	359	183	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	睫毛乱生	20[redacted]	359	183	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	368	522	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	骨痛	20[redacted]	419	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	476	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	485	619	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	495	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	睫毛乱生	20[redacted]	542	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頚部痛	20[redacted]	573	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	584	215	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	挫傷	20[redacted]	634	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	634	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	硬膜下出血	20[redacted]	634	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	硬膜下出血	20[redacted]	634	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	大脳萎縮	20[redacted]	641	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	微小血管症	20[redacted]	641	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	887	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	睫毛乱生	20[redacted]	911	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頚部痛	20[redacted]	918	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	不眠症	20[redacted]	1033	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1056	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	1157	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	虫垂炎	20[redacted]	1166	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胆石症	20[redacted]	1166	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	高カリウム血症	20[redacted]	1166	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腎結石症	20[redacted]	1166	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	1167	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	小結節	20[redacted]	1184	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	1240	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	2	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	56	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	69	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	90	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	せつ	20[redacted]	200	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	アレルギー性皮膚炎	20[redacted]	294	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	434	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	737	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	793	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃腸炎	20[redacted]	802	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	創傷	20[redacted]	853	113	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	891	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	994	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	1010	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1010	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頚部痛	20[redacted]	1010	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	気管支炎	20[redacted]	1060	23	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃腸炎	20[redacted]	1060	18	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1070	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	甲状腺機能亢進症	20[redacted]	1074	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	低ナトリウム血症	20[redacted]	1074	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下痢	20[redacted]	1207	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	切迫性尿失禁	20[redacted]	81	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	199	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	199	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	199	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	309	535	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頚部痛	20[redacted]	309	535	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	392	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	392	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	392	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉痛	20[redacted]	601	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	784	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	坐骨神経痛	20[redacted]	811	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	坐骨神経痛	20[redacted]	839	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	844	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	体重減少	20[redacted]	845	257	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	30	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	34	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	40	60	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血中アルカリホスファターゼ増加	20[redacted]	54	256	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血小板減少症	20[redacted]	92	275	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	129	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸部不快感	20[redacted]	152	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	179	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸痛	20[redacted]	368	4	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	多汗症	20[redacted]	368	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	389	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	547	87	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血小板減少症	20[redacted]	548	196	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	684	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	740	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	785	86	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉炎	20[redacted]	891	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血小板減少症	20[redacted]	914	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	953	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	1009	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	1054	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃炎	20[redacted]	26	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	癌胎児性抗原増加	20[redacted]	71	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	坐骨神経痛	20[redacted]	132	715	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	大腸ポリープ	20[redacted]	150	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	373	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	直腸出血	20[redacted]	386	7	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃炎	20[redacted]	387	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	食欲減退	20[redacted]	392	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部不快感	20[redacted]	626	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	662	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	665	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	709	362	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	940	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	1068	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	1068	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1068	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1102	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	234	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	625	34	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	778	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	833	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	883	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	931	64	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚嚢腫	20[redacted]	978	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心拡大	20[redacted]	1028	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1038	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1068	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低カリウム血症	20[redacted]	1073	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸部不快感	20[redacted]	203	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	275	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	足底筋膜炎	20[redacted]	287	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	298	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	377	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性脊椎症	20[redacted]	378	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼外傷	20[redacted]	386	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性関節症	20[redacted]	387	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	406	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	413	17	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔障害	20[redacted]	418	154	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低ナトリウム血症	20[redacted]	419	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肝機能検査異常	20[redacted]	419	33	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	嘔吐	20[redacted]	420	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腸憩室	20[redacted]	421	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	下痢	20[redacted]	424	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胆管拡張	20[redacted]	446	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	嘔吐	20[redacted]	531	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃炎	20[redacted]	542	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔障害	20[redacted]	584	205	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	615	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	676	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	気管支炎	20[redacted]	82	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	450	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	気管支炎	20[redacted]	454	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脂肪肝	20[redacted]	458	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腎嚢胞	20[redacted]	458	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	子宮平滑筋腫	20[redacted]	458	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	618	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	原発性副甲状腺機能亢進症	20[redacted]	624	270	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	良性副甲状腺腫瘍	20[redacted]	724	170	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	甲状腺腫瘤	20[redacted]	724	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	骨痛	20[redacted]	2	2	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	骨痛	20[redacted]	9	1	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	42	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節炎	20[redacted]	106	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	199	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	注射部位紅斑	20[redacted]	213	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上顎炎	20[redacted]	218	549	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	歯肉痛	20[redacted]	339	290	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	451	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	477	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	乳癌	20[redacted]	536	90	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	空腹時血中ブドウ糖不良	20[redacted]	553	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	乳房血腫	20[redacted]	571	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	歯牙破折	20[redacted]	640	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	帯状疱疹	20[redacted]	657	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	ヘルペス後神経痛	20[redacted]	666	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	55	276	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	白内障	20[redacted]	96	153	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腹痛	20[redacted]	145	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上腹部痛	20[redacted]	145	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	体重減少	20[redacted]	147	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	挫傷	20[redacted]	179	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	179	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	179	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上腹部痛	20[redacted]	244	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	329	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	329	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	369	67	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	513	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	骨痛	20[redacted]	587	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	614	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	633	78	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	食欲減退	20[redacted]	696	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	食欲減退	20[redacted]	898	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	1016	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節損傷	20[redacted]	1016	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯肉痛	20[redacted]	86	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	216	471	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	216	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	216	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	体重減少	20[redacted]	216	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	456	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	495	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	495	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便潜血	20[redacted]	526	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	689	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	777	159	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	帯状疱疹	20[redacted]	843	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	905	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	380	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心筋梗塞	20[redacted]	518	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	下痢	20[redacted]	23	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	58	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	記憶障害	20[redacted]	70	649	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	117	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肋軟骨炎	20[redacted]	177	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	215	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	269	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯痛	20[redacted]	285	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	299	543	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	327	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	358	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	坐骨神経痛	20[redacted]	480	241	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	580	131	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸部不快感	20[redacted]	581	179	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉痛	20[redacted]	693	68	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	719	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	認知症	20[redacted]	719	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	719	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	724	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	790	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯肉痛	20[redacted]	801	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	801	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	810	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	810	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脳スキャン異常	20[redacted]	810	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	810	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口唇損傷	20[redacted]	810	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	失神	20[redacted]	810	1	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯痛	20[redacted]	810	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	814	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯痛	20[redacted]	863	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	回転性めまい	20[redacted]	134	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	体重減少	20[redacted]	182	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	367	129	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	過角化	20[redacted]	447	199	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高カリウム血症	20[redacted]	461	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	499	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	678	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	678	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	鉄欠乏性貧血	20[redacted]	789	134	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	鉄欠乏性貧血	20[redacted]	789	134	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上部消化管出血	20[redacted]	789	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃炎	20[redacted]	790	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	消化管間質性腫瘍	20[redacted]	790	51	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	便習慣変化	20[redacted]	810	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃腸出血	20[redacted]	810	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肛門失禁	20[redacted]	811	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃潰瘍	20[redacted]	813	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肝嚢胞	20[redacted]	827	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	憩室	20[redacted]	830	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	874	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	上腹部痛	20[redacted]	3	5	Y	Grade 2	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	上腹部痛	20[redacted]	3	5	Y	Grade 2	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	貧血	20[redacted]	3	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	心房細動	20[redacted]	3	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	下痢	20[redacted]	5	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	胃腸炎	20[redacted]	8	8	Y	Grade 2	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	変形性脊椎症	20[redacted]	16	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	発熱	20[redacted]	17	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	上気道感染	20[redacted]	53	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	胃炎	20[redacted]	54	82	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	上腹部痛	20[redacted]	74	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹痛	20[redacted]	2	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	下痢	20[redacted]	2	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	66	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	足骨折	20[redacted]	66	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	186	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	四肢痛	20[redacted]	237	249	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	咳嗽	20[redacted]	323	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	動悸	20[redacted]	435	395	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胸部不快感	20[redacted]	571	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	歯肉痛	20[redacted]	762	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	筋骨格痛	20[redacted]	968	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	筋痙縮	20[redacted]	1	46	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節痛	20[redacted]	3	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節痛	20[redacted]	10	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上腹部痛	20[redacted]	31	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	口腔咽頭痛	20[redacted]	59	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	倦怠感	20[redacted]	81	182	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	変形性脊椎症	20[redacted]	95	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	弾発指	20[redacted]	151	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節腫脹	20[redacted]	156	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	呼吸困難	20[redacted]	191	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	213	81	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	234	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	狭心症	20[redacted]	262	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上気道感染	20[redacted]	283	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	急性心筋梗塞	20[redacted]	319	9	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上室性頻脈	20[redacted]	319	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	関節痛	20[redacted]	394	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	持続性抑うつ障害	20[redacted]	637	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	変形性関節症	20[redacted]	726	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	口腔咽頭痛	20[redacted]	871	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	上腹部痛	20[redacted]	889	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	889	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW		7[redacted]	F	ASIAN	尿路感染	20[redacted]	889	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	175	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	齲歯	20[redacted]	215	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	222	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	背部痛	20[redacted]	337	367	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	白内障	20[redacted]	359	416	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	390	87	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	白内障	20[redacted]	775	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	971	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	膝蓋骨骨折	20[redacted]	971	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	971	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腱炎	20[redacted]	40	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部不快感	20[redacted]	58	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	弾発指	20[redacted]	160	124	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	225	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	277	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	橈骨骨折	20[redacted]	277	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尺骨骨折	20[redacted]	277	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	創傷	20[redacted]	278	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	283	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	317	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	485	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	574	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	691	203	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	897	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯感染	20[redacted]	897	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	2	15	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発疹	20[redacted]	4	37	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	8	218	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口の感覚鈍麻	20[redacted]	22	187	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	28	181	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	アフタ性潰瘍	20[redacted]	78	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	164	210	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	169	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	おくび	20[redacted]	172	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	194	334	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	284	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肺の悪性新生物	20[redacted]	336	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	382	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部不快感	20[redacted]	391	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肉芽腫性肝疾患	20[redacted]	401	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	293	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	366	21	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	食欲減退	20[redacted]	366	21	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹痛	20[redacted]	373	14	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	373	14	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	倦怠感	20[redacted]	373	14	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋肉痛	20[redacted]	373	14	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	397	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節損傷	20[redacted]	397	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	506	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	506	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	538	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	538	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	582	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	692	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚擦過傷	20[redacted]	692	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	過角化	20[redacted]	705	229	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	1	4	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	2	43	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	15	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	29	4	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脳血管発作	20[redacted]	55	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	弾発指	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	57	4	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	92	4	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	119	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	鉄欠乏性貧血	20[redacted]	148	299	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃ポリープ	20[redacted]	149	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃炎	20[redacted]	149	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	便秘	20[redacted]	150	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節周囲炎	20[redacted]	151	351	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	243	17	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	白内障	20[redacted]	319	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	感覚鈍麻	20[redacted]	354	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	385	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	423	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	423	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	423	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	487	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	516	123	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	564	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	685	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	718	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	777	181	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	777	137	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋肉痛	20[redacted]	900	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性脊椎症	20[redacted]	11	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	79	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	142	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	155	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	260	469	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	419	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	嵌入爪	20[redacted]	423	517	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	464	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	464	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	526	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	546	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	546	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	546	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	足変形	20[redacted]	566	374	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	湿疹	20[redacted]	742	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	耳痛	20[redacted]	767	93	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	挫傷	20[redacted]	869	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	869	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	869	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	145	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	結膜炎	20[redacted]	245	185	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	裂傷	20[redacted]	296	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	急性心筋梗塞	20[redacted]	395	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	フューム吸引性呼吸障害	20[redacted]	395	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	大動脈弁閉鎖不全症	20[redacted]	446	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心房拡張	20[redacted]	446	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	虚血	20[redacted]	446	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	727	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	837	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	837	44	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	節足動物咬傷	20[redacted]	27	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	27	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	105	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	105	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭部コンピュータ断層撮影異常	20[redacted]	108	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	高血圧	20[redacted]	108	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	低カルシウム血症	20[redacted]	108	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	低ナトリウム血症	20[redacted]	108	26	Y	Grade 4	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	多尿	20[redacted]	108	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿閉	20[redacted]	108	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	542	243	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下痢	20[redacted]	725	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	872	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	接触皮膚炎	20[redacted]	334	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	挫傷	20[redacted]	427	35	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	427	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	咳嗽	20[redacted]	577	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	上気道感染	20[redacted]	830	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部膨満	20[redacted]	2	8	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	223	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	388	18	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	弾発指	20[redacted]	422	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	533	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	569	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	635	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	696	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	705	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	736	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	766	111	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節周囲炎	20[redacted]	18	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	弾発指	20[redacted]	83	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	挫傷	20[redacted]	149	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	149	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	167	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	167	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	167	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腰椎骨折	20[redacted]	167	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	257	214	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	転倒	20[redacted]	307	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	頭部損傷	20[redacted]	307	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	関節痛	20[redacted]	687	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	頭痛	20[redacted]	2	65	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	脱毛症	20[redacted]	41	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	64	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	気管支炎	20[redacted]	77	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	注射部位疼痛	20[redacted]	120	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	上気道感染	20[redacted]	176	52	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	便習慣変化	20[redacted]	301	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	直腸出血	20[redacted]	301	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	腹痛	20[redacted]	302	81	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胃ポリープ	20[redacted]	340	230	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胃炎	20[redacted]	340	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	大腸ポリープ	20[redacted]	340	201	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胃潰瘍	20[redacted]	351	219	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	食道ポリープ	20[redacted]	351	219	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	咳嗽	20[redacted]	401	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	骨痛	20[redacted]	452	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	筋骨格系胸痛	20[redacted]	453	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	倦怠感	20[redacted]	477	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	腹痛	20[redacted]	508	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	心房細動	20[redacted]	552	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	徐脈	20[redacted]	552	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	便秘	20[redacted]	553	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	徐脈	20[redacted]	554	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	下痢	20[redacted]	556	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	心房細動	20[redacted]	654	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胸痛	20[redacted]	654	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	呼吸困難	20[redacted]	654	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	高血圧	20[redacted]	654	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	高血圧	20[redacted]	654	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	低血圧	20[redacted]	654	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胸部不快感	20[redacted]	665	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	665	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胸部不快感	20[redacted]	684	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	高脂血症	20[redacted]	735	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW		6[redacted]	F	ASIAN	肝機能検査異常	20[redacted]	745	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	齲歯	20[redacted]	94	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	背部痛	20[redacted]	308	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	骨痛	20[redacted]	373	6	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	胸痛	20[redacted]	481	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	緊張性頭痛	20[redacted]	483	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	大腸ポリープ	20[redacted]	488	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	尿路感染	20[redacted]	601	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腹部膨満	20[redacted]	634	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	40	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	鼻炎	20[redacted]	120	87	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	三叉神経痛	20[redacted]	207	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	335	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	359	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	428	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	464	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心窩部不快感	20[redacted]	511	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	539	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心房細動	20[redacted]	631	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	654	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	694	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	15	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	食欲減退	20[redacted]	38	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	体重減少	20[redacted]	38	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯感染	20[redacted]	40	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	77	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	78	229	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	88	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	121	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋肉痛	20[redacted]	127	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	170	559	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	過角化	20[redacted]	204	89	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	創傷感染	20[redacted]	214	51	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	237	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肺腫瘤	20[redacted]	259	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋肉痛	20[redacted]	281	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	316	413	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	323	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	358	147	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	358	162	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	447	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	虚血性脳卒中	20[redacted]	539	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高脂血症	20[redacted]	540	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	630	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸部不快感	20[redacted]	643	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	副鼻腔炎	20[redacted]	659	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	692	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	虚血	20[redacted]	698	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		6[redacted]	F	ASIAN	甲状腺の良性新生物	20[redacted]	92	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		6[redacted]	F	ASIAN	肺腺癌第０期	20[redacted]	111	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM		6[redacted]	F	ASIAN	耳鳴	20[redacted]	208	60	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		6[redacted]	F	ASIAN	喀血	20[redacted]	209	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		6[redacted]	F	ASIAN	浮動性めまい	20[redacted]	267	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM		6[redacted]	F	ASIAN	咳嗽	20[redacted]	279	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	静脈瘤	20[redacted]	90	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	123	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	271	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	285	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下気道感染	20[redacted]	607	20	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	756	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	便秘	20[redacted]	29	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	記憶障害	20[redacted]	211	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	背部痛	20[redacted]	319	230	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	尿路感染	20[redacted]	373	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	転倒	20[redacted]	391	8	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	肋骨骨折	20[redacted]	391	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW		8[redacted]	F	ASIAN	多形紅斑	20[redacted]	952	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯肉痛	20[redacted]	2	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	30	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	湿疹	20[redacted]	121	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節炎	20[redacted]	664	25	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	歯肉痛	20[redacted]	2	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	35	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	64	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浸潤性乳癌	20[redacted]	777	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	痔出血	20[redacted]	870	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	873	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔内潰瘍形成	20[redacted]	86	35	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	高血圧	20[redacted]	347	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	呼吸困難	20[redacted]	376	34	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	720	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	722	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	83	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹部不快感	20[redacted]	115	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	下痢	20[redacted]	115	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	197	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	265	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発熱	20[redacted]	451	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	インフルエンザ	20[redacted]	510	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	喘息	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	527	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	634	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	722	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	772	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	841	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腹痛	20[redacted]	877	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	直腸出血	20[redacted]	883	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	958	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	979	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	体内異物	20[redacted]	1062	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頚部痛	20[redacted]	1153	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	1382	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	22	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	糸球体濾過率減少	20[redacted]	29	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔内潰瘍形成	20[redacted]	61	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	92	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	糸球体濾過率減少	20[redacted]	96	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発疹	20[redacted]	145	36	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	嵌入爪	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	290	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	アフタ性潰瘍	20[redacted]	308	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔ヘルペス	20[redacted]	308	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	便秘	20[redacted]	329	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃腸炎	20[redacted]	363	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	426	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	594	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	607	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	眼乾燥	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胃潰瘍	20[redacted]	754	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	985	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	986	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	失神	20[redacted]	1059	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚潰瘍	20[redacted]	1069	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	インフルエンザ	20[redacted]	1160	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1308	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発疹	20[redacted]	1342	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1346	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肝嚢胞	20[redacted]	1414	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HONG KONG	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	1423	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	黄斑症	20[redacted]	5	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	アルツハイマー型認知症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	発疹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	196	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	細菌性尿路感染	20[redacted]	202	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	皮膚乳頭腫	20[redacted]	211	54	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	265	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	451	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	457	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	614	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	甲状腺腫	20[redacted]	715	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	インフルエンザ	20[redacted]	740	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1024	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1069	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	関節痛	20[redacted]	1070	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	1093	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	大脳萎縮	20[redacted]	1098	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	ラクナ梗塞	20[redacted]	1098	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	424	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	インフルエンザ	20[redacted]	462	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発熱	20[redacted]	489	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	消化管間質性腫瘍	20[redacted]	501	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	334	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	齲歯	20[redacted]	511	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	569	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発疹	20[redacted]	707	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	756	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	皮膚炎	20[redacted]	894	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	898	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	898	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	皮膚乾燥	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	発疹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	AMG 785 210 MG SC QM		8[redacted]	F	ASIAN	直腸腺癌	20[redacted]	140	54	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上腹部痛	20[redacted]	9	45	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	骨痛	20[redacted]	9	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	下痢	20[redacted]	9	735	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	浮動性めまい	20[redacted]	9	556	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	鼓腸	20[redacted]	9	117	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	頭痛	20[redacted]	9	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	151	554	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	234	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	緑内障	20[redacted]	383	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	そう痒症	20[redacted]	441	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋痙縮	20[redacted]	456	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	背部痛	20[redacted]	517	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	歯痛	20[redacted]	530	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	578	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	転倒	20[redacted]	705	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	腰椎骨折	20[redacted]	705	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	705	50	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	732	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	嘔吐	20[redacted]	740	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HONG KONG	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	下痢	20[redacted]	744	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	5	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	70	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	25	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	357	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性下痢	20[redacted]	400	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	顔面骨骨折	20[redacted]	531	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈瘤破裂	20[redacted]	631	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	754	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	心房細動	20[redacted]	911	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	動脈硬化症	20[redacted]	914	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	低マグネシウム血症	20[redacted]	938	159	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	てんかん	20[redacted]	89	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨膜炎	20[redacted]	225	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺の悪性新生物	20[redacted]	908	.	Y	Grade 2	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	532	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性気道感染	20[redacted]	886	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	1343	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈硬化症	20[redacted]	1345	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	右脚ブロック	20[redacted]	1345	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腸憩室	20[redacted]	1385	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	卵巣嚢胞	20[redacted]	1385	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	大動脈弁狭窄	20[redacted]	20	193	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	消化管感染	20[redacted]	195	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	膀胱炎	20[redacted]	197	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸管閉塞	20[redacted]	197	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃潰瘍	20[redacted]	212	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性腎臓病	20[redacted]	238	.	N	Grade 2	NOT RELATED		DRUG WITHDRAWN	MULTIPLE	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	緊張	20[redacted]	347	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	齲歯	20[redacted]	351	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	753	42	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	753	203	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	近視	20[redacted]	753	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿道ポリープ	20[redacted]	753	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑線維症	20[redacted]	994	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疼痛	20[redacted]	1099	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血圧変動	20[redacted]	1114	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	気管支炎	20[redacted]	162	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	下痢	20[redacted]	170	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	腸炎	20[redacted]	180	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	直腸ポリープ	20[redacted]	180	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	肺高血圧症	20[redacted]	187	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	慢性胃炎	20[redacted]	188	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	188	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	腎盂腎杯拡張症	20[redacted]	188	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	無気肺	20[redacted]	189	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	肝嚢胞	20[redacted]	189	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	腎嚢胞	20[redacted]	189	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	後腹膜癌	20[redacted]	189	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW		8[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	207	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	37	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚新生物切除	20[redacted]	395	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膵腺癌	20[redacted]	506	.	Y	Grade 4	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆嚢炎	20[redacted]	541	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	146	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	261	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	298	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	298	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	633	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脱水	20[redacted]	1009	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	34	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	副鼻腔炎	20[redacted]	175	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	認知症	20[redacted]	525	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	525	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板障害	20[redacted]	525	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	神経根障害	20[redacted]	525	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性副鼻腔炎	20[redacted]	725	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	11	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	腓骨骨折	20[redacted]	63	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	脛骨骨折	20[redacted]	63	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	腎不全	20[redacted]	97	.	N	Grade 2	NOT RELATED		DRUG WITHDRAWN	REMOVED FROM STUDY	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎間板突出	20[redacted]	139	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎間板障害	20[redacted]	347	19	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	椎間板突出	20[redacted]	17	184	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	17	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	白内障	20[redacted]	28	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	高血圧性血管障害	20[redacted]	28	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	高血圧	20[redacted]	45	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	椎間板障害	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	黄斑線維症	20[redacted]	231	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	886	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	骨壊死	20[redacted]	.	365	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	368	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	687	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	699	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	699	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血小板減少症	20[redacted]	1473	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	250	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	475	4	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	顔面骨骨折	20[redacted]	475	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	477	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心停止	20[redacted]	478	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	脳硬化症	20[redacted]	3	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	62	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心不全	20[redacted]	127	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	30	73	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	.	75	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	逆流性胃炎	20[redacted]	17	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	135	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	158	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肋骨骨折	20[redacted]	584	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	咽頭膿瘍	20[redacted]	618	37	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肋骨骨折	20[redacted]	638	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	帽状腱膜下血腫	20[redacted]	638	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	多発性関節炎	20[redacted]	38	27	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	52	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	53	12	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無力症	20[redacted]	70	5	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	271	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	189	287	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	黄斑線維症	20[redacted]	189	23	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	178	84	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	血管性脳症	20[redacted]	231	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	232	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上室性期外収縮	20[redacted]	238	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	薬物過敏症	20[redacted]	241	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	253	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	274	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腓骨骨折	20[redacted]	454	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	足骨折	20[redacted]	458	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	パーキンソン病	20[redacted]	791	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹部膨満	20[redacted]	169	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性胆嚢炎	20[redacted]	219	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	感覚鈍麻	20[redacted]	310	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高尿酸血症	20[redacted]	463	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	洞結節機能不全	20[redacted]	576	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	51	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	直腸腺癌	20[redacted]	508	.	Y	Grade 4	RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	筋力低下	20[redacted]	92	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	うつ病	20[redacted]	225	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	パーキンソン病	20[redacted]	225	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	無力症	20[redacted]	232	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	246	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大脳萎縮	20[redacted]	246	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	高血圧	20[redacted]	247	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	虚血性脳梗塞	20[redacted]	247	19	Y	Grade 5	NOT RELATED	FATAL	DRUG WITHDRAWN	MULTIPLE	Y
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋肉痛	20[redacted]	176	58	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	急性胆嚢炎	20[redacted]	301	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腹膜炎	20[redacted]	301	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	331	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腹部痛	20[redacted]	333	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	333	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	537	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	624	162	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	光線角化症	20[redacted]	692	244	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	基底細胞癌	20[redacted]	854	82	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	不眠症	20[redacted]	932	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	光線角化症	20[redacted]	1016	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	不眠症	20[redacted]	1016	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脂漏性角化症	20[redacted]	1016	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高脂血症	20[redacted]	1139	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	糖尿病	20[redacted]	1201	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	近視	20[redacted]	1201	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	576	256	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	646	186	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大脳萎縮	20[redacted]	785	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	785	.	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	精神障害	20[redacted]	785	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	橈骨骨折	20[redacted]	785	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	サンバーン	20[redacted]	785	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尺骨骨折	20[redacted]	785	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿失禁	20[redacted]	813	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	343	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性肺炎	20[redacted]	465	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	1082	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	1082	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸痛	20[redacted]	1247	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	1275	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	狭心症	20[redacted]	307	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	高脂血症	20[redacted]	313	778	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	348	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	脳振盪	20[redacted]	535	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	顔面骨骨折	20[redacted]	535	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	失神	20[redacted]	535	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	535	77	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	椎間板障害	20[redacted]	1111	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	直腸癌	20[redacted]	75	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肝嚢胞	20[redacted]	201	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	気管支炎	20[redacted]	208	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	118	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	351	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大脳萎縮	20[redacted]	380	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	380	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	381	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	貧血	20[redacted]	29	288	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	動脈硬化症	20[redacted]	141	176	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	高血圧	20[redacted]	141	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	失神	20[redacted]	198	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	心房細動	20[redacted]	283	34	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	うつ病	20[redacted]	283	34	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	筋緊張低下	20[redacted]	283	34	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	倦怠感	20[redacted]	283	34	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW		7[redacted]	F	WHITE	循環虚脱	20[redacted]	309	8	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	爪真菌症	20[redacted]	8	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	121	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	244	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	創傷	20[redacted]	244	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血管性脳症	20[redacted]	407	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	角膜擦過傷	20[redacted]	431	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	466	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	493	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	硝子体脱出	20[redacted]	528	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腕骨骨折	20[redacted]	26	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	26	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脛骨骨折	20[redacted]	26	.	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	26	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	82	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	94	10	N	Grade 1			DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	134	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋梗塞	20[redacted]	1044	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肋骨骨折	20[redacted]	532	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心肺不全	20[redacted]	1142	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	HUNGARY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	副甲状腺機能亢進症	20[redacted]	1	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	網膜静脈閉塞	20[redacted]	682	.	N	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	864	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	865	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	978	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腕骨骨折	20[redacted]	31	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	636	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性リンパ性白血病	20[redacted]	103	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	439	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	597	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	背部痛	20[redacted]	111	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	高血圧	20[redacted]	182	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	HUNGARY	ALN 70 MG PO QW		6[redacted]	F	WHITE	浸潤性乳管癌	20[redacted]	256	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	REMOVED FROM STUDY	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	浮動性めまい	20[redacted]	183	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	転倒	20[redacted]	183	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	113	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	113	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	190	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	糖尿病	20[redacted]	190	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	190	39	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	902	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	232	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	232	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	232	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	232	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	321	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	905	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	HUNGARY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	905	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	心房細動	20[redacted]	86	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	HUNGARY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	突然死	20[redacted]	197	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	OTHER	Y
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	147	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	HUNGARY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	311	13	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	51	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	134	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	252	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	441	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	456	280	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	736	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	880	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	903	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	921	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	940	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	769	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	血栓性静脈炎	20[redacted]	286	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	1021	8	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	90	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	唾液腺結石	20[redacted]	171	112	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	唾液腺結石	20[redacted]	241	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	術後創感染	20[redacted]	270	20	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	891	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	704	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疼痛	20[redacted]	90	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	291	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	552	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性浮腫	20[redacted]	43	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	163	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	400	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神	20[redacted]	400	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脛骨骨折	20[redacted]	400	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	硝子体出血	20[redacted]	407	46	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	467	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	橈骨骨折	20[redacted]	467	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腸骨骨折	20[redacted]	576	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腺癌	20[redacted]	383	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚動脈狭窄	20[redacted]	.	147	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	32	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	147	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	745	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ヘルペス性皮膚炎	20[redacted]	275	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	452	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	1000	13	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	発熱	20[redacted]	58	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	坐骨骨折	20[redacted]	135	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	咳嗽	20[redacted]	211	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	関節痛	20[redacted]	318	132	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	骨壊死	20[redacted]	.	31	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	貧血	20[redacted]	449	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	関節痛	20[redacted]	449	77	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	処置後血腫	20[redacted]	465	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		7[redacted]	F	WHITE	尿路感染	20[redacted]	467	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	憩室炎	20[redacted]	463	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺扁平上皮癌	20[redacted]	957	47	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱脱	20[redacted]	279	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿失禁	20[redacted]	282	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	717	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		8[redacted]	F	WHITE	背部痛	20[redacted]	.	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		8[redacted]	F	WHITE	心房細動	20[redacted]	92	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW		8[redacted]	F	WHITE	上室性期外収縮	20[redacted]	112	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	ITALY	ALN 70 MG PO QW		8[redacted]	F	WHITE	背部痛	20[redacted]	254	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ITALY	ALN 70 MG PO QW		8[redacted]	F	WHITE	結膜出血	20[redacted]	264	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	ALN 70 MG PO QW		8[redacted]	F	WHITE	腸骨骨折	20[redacted]	287	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	口腔内扁平上皮癌	20[redacted]	877	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	子宮癌	20[redacted]	.	482	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨盤血腫	20[redacted]	877	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	子宮癌	20[redacted]	.	54	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	顔面骨骨折	20[redacted]	885	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂傷	20[redacted]	885	164	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎骨折	20[redacted]	885	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ストレス心筋症	20[redacted]	885	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	885	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺腫瘤	20[redacted]	898	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	.	51	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	951	28	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	988	23	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨折	20[redacted]	988	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	41	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ITALY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳出血	20[redacted]	703	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心室性不整脈	20[redacted]	200	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	204	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧性心疾患	20[redacted]	275	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	521	89	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	610	63	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	772	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	772	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	920	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	59	5	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	爪囲炎	20[redacted]	84	58	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	143	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼠径ヘルニア	20[redacted]	614	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1176	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1176	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	1376	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1498	51	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	359	159	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心不全	20[redacted]	365	153	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LATVIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	呼吸不全	20[redacted]	517	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節腫脹	20[redacted]	580	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚乾燥	20[redacted]	.	362	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	1065	298	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不全麻痺	20[redacted]	1248	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	1285	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	1382	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1408	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	25	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	35	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	35	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頻脈	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	264	16	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	452	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	543	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	544	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	614	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	614	18	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	614	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	632	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	1020	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LATVIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	意識消失	20[redacted]	1090	11	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	塞栓性脳卒中	20[redacted]	33	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	塞栓性脳卒中	20[redacted]	165	11	Y		NOT RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	LATVIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	541	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	117	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	442	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	545	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	633	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	641	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎結石症	20[redacted]	704	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯膿瘍	20[redacted]	705	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳虚血	20[redacted]	707	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	805	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	1259	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	1270	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	1662	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	虫垂膿瘍	20[redacted]	1665	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	穿孔性虫垂炎	20[redacted]	1665	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	54	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	149	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	184	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頻脈	20[redacted]	445	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	493	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼓腸	20[redacted]	520	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂肪肝	20[redacted]	526	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	十二指腸胃逆流	20[redacted]	535	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃障害	20[redacted]	535	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	癒痕	20[redacted]	535	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	838	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	歯膿瘍	20[redacted]	852	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	981	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	981	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	開放隅角緑内障	20[redacted]	981	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	1086	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	耐糖能障害	20[redacted]	1247	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肺炎	20[redacted]	4	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	胃粘膜紅斑	20[redacted]	65	48	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	胃粘膜紅斑	20[redacted]	65	48	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	鼠径ヘルニア	20[redacted]	141	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肺炎	20[redacted]	173	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	扁桃炎	20[redacted]	227	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	関節痛	20[redacted]	265	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	筋断裂	20[redacted]	290	269	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変形性関節症	20[redacted]	290	269	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	腱障害	20[redacted]	290	269	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	単径ヘルニア	20[redacted]	320	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	臍ヘルニア	20[redacted]	320	357	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	胃十二指腸炎	20[redacted]	353	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肩甲骨骨折	20[redacted]	.	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	うつ病	20[redacted]	363	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	481	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変形性関節症	20[redacted]	551	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	瘢痕ヘルニア	20[redacted]	677	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	術後創合併症	20[redacted]	693	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	正色素性正球性貧血	20[redacted]	730	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	縫合部離開	20[redacted]	771	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	医療機器のゆるみ	20[redacted]	852	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	うつ病	20[redacted]	958	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	1075	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	術後ヘルニア	20[redacted]	1124	107	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	腰仙部神経根障害	20[redacted]	1224	44	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	冠動脈疾患	20[redacted]	1231	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	瘢痕ヘルニア	20[redacted]	1231	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	腰仙部神経根障害	20[redacted]	1268	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	脊柱管狭窄症	20[redacted]	1268	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	17	18	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	17	18	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	白内障	20[redacted]	129	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	高血圧	20[redacted]	377	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	脳虚血	20[redacted]	410	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	発熱	20[redacted]	410	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腎嚢胞	20[redacted]	418	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	変形性関節症	20[redacted]	559	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	出血性貧血	20[redacted]	561	171	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	痔核	20[redacted]	714	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肛門癌	20[redacted]	755	46	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	放射線皮膚損傷	20[redacted]	756	129	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	過敏症	20[redacted]	968	134	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頭痛	20[redacted]	1009	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	脳挫傷	20[redacted]	1011	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下気道感染	20[redacted]	1042	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心房細動	20[redacted]	1044	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性心不全	20[redacted]	1044	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	第一度房室ブロック	20[redacted]	1128	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心不全	20[redacted]	1128	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	皮膚炎	20[redacted]	1128	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	高血圧性心筋症	20[redacted]	1128	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	大動脈弁逸脱	20[redacted]	1136	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心臓弁膜疾患	20[redacted]	1136	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	僧帽弁逸脱	20[redacted]	1136	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	三尖弁逸脱	20[redacted]	1136	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	2	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	108	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	87	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	148	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	洞結節機能不全	20[redacted]	148	2	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性心不全	20[redacted]	152	13	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	225	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性心不全	20[redacted]	225	.	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性脊椎症	20[redacted]	404	301	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	457	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎痛	20[redacted]	701	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腰髄神経根障害	20[redacted]	704	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腰部脊柱管狭窄症	20[redacted]	704	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腰椎骨折	20[redacted]	704	16	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	953	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	半月板損傷	20[redacted]	352	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	352	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	神経根障害	20[redacted]	480	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	.	69	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	526	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	半月板損傷	20[redacted]	586	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	586	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	1139	60	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	緑内障	20[redacted]	10	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ぶどう膜炎	20[redacted]	14	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	弱視	20[redacted]	21	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	斜視	20[redacted]	21	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	27	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎結石症	20[redacted]	589	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	599	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	607	512	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性胃炎	20[redacted]	638	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	びらん性胃炎	20[redacted]	638	72	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	638	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	638	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	705	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸ポリープ	20[redacted]	705	134	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸腺腫	20[redacted]	839	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂質異常症	20[redacted]	847	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	865	195	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	954	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	振戦	20[redacted]	1047	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	自己免疫性甲状腺炎	20[redacted]	1119	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	1252	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	卵巣嚢胞	20[redacted]	187	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性気道感染	20[redacted]	397	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性気道感染	20[redacted]	525	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性気道感染	20[redacted]	564	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	586	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	867	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸痛	20[redacted]	867	84	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂質異常症	20[redacted]	867	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	期外収縮	20[redacted]	867	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧性心筋症	20[redacted]	867	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	677	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	759	114	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	齲歯	20[redacted]	975	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	1184	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感情障害	20[redacted]	1208	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	虚血性ニューロパチー	20[redacted]	1208	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	創傷	20[redacted]	1208	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	1223	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	61	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	123	18	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺腫	20[redacted]	141	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	141	5	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胆管結石	20[redacted]	144	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肝嚢胞	20[redacted]	144	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腎嚢胞	20[redacted]	144	792	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	146	.	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	急性胆管炎	20[redacted]	204	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性胃炎	20[redacted]	205	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腎嚢胞	20[redacted]	205	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	上腹部痛	20[redacted]	1076	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	記憶障害	20[redacted]	1099	.	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胆管結石	20[redacted]	1124	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	急性胆管炎	20[redacted]	1128	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	215	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	直腸出血	20[redacted]	260	149	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	結腸癌	20[redacted]	408	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	177	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	びらん性胃炎	20[redacted]	281	120	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血中ブドウ糖増加	20[redacted]	370	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脂肪腫	20[redacted]	743	76	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	750	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脂肪腫	20[redacted]	819	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	三叉神経障害	20[redacted]	848	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	873	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	83	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	洞性頻脈	20[redacted]	202	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	260	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	260	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	260	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性胃炎	20[redacted]	286	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板突出	20[redacted]	357	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧性心筋症	20[redacted]	394	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腰髄神経根障害	20[redacted]	401	110	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	十二指腸ポリープ	20[redacted]	425	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腹部癒着	20[redacted]	446	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	卵巣嚢胞	20[redacted]	446	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	血管筋脂肪腫	20[redacted]	461	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	547	124	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	580	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	891	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板突出	20[redacted]	915	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	注射部位そう痒感	20[redacted]	1	2	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	注射部位発疹	20[redacted]	1	2	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	ヘモグロビン減少	20[redacted]	179	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	200	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	肝嚢胞	20[redacted]	206	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	腎嚢胞	20[redacted]	206	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼠径ヘルニア	20[redacted]	521	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼠径ヘルニア	20[redacted]	568	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	貧血	20[redacted]	722	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	パーキンソン病	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	706	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腰髄神経根障害	20[redacted]	798	481	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	副腎腺腫	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	左脚ブロック	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	卵巣嚢胞	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊柱管狭窄症	20[redacted]	802	477	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	各種物質毒性	20[redacted]	802	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	びらん性食道炎	20[redacted]	805	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	805	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	パーキンソン病	20[redacted]	1341	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	1437	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	食欲減退	20[redacted]	1585	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染による慢性閉塞性気道疾患の増悪	20[redacted]	79	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	190	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳虚血	20[redacted]	192	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	279	252	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂肪肝	20[redacted]	301	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	301	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	302	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	302	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	305	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染による慢性閉塞性気道疾患の増悪	20[redacted]	330	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨端症	20[redacted]	371	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	391	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	714	103	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	744	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	744	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	791	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染による慢性閉塞性気道疾患の増悪	20[redacted]	903	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	916	100	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	931	68	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	1018	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	1057	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	1073	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	臍ヘルニア	20[redacted]	1074	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染による慢性閉塞性気道疾患の増悪	20[redacted]	1095	44	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	1096	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1245	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	1258	101	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腕骨骨折	20[redacted]	1292	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	1348	78	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	1481	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	153	194	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	208	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋力低下	20[redacted]	208	221	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	274	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	294	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頻脈	20[redacted]	301	128	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	351	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔内不快感	20[redacted]	381	208	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	461	529	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋力低下	20[redacted]	593	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	635	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	640	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧性心疾患	20[redacted]	644	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	644	1	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	645	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨端症	20[redacted]	649	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	685	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	826	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	902	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	981	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ほてり	20[redacted]	1006	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口内乾燥	20[redacted]	1015	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	振戦	20[redacted]	1076	265	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	全身性そう痒症	20[redacted]	1126	215	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	構語障害	20[redacted]	1204	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	虚血性脳梗塞	20[redacted]	1204	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不全単麻痺	20[redacted]	1204	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1223	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1223	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧性網膜症	20[redacted]	1223	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1258	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	1433	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚乾燥	20[redacted]	1433	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	11	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	11	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	11	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	88	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	277	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	302	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	302	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	322	210	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	前庭性運動失調	20[redacted]	329	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳虚血	20[redacted]	332	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧クリーゼ	20[redacted]	401	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂質異常症	20[redacted]	403	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧性心疾患	20[redacted]	407	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	408	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃粘膜紅斑	20[redacted]	410	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	521	8	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	572	81	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	口内乾燥	20[redacted]	588	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚髄神経根障害	20[redacted]	600	144	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	604	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	613	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	613	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	672	316	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	703	243	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	703	243	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	708	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性前庭症候群	20[redacted]	861	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	運動失調	20[redacted]	861	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳梗塞	20[redacted]	868	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不全片麻痺	20[redacted]	868	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂肪肝	20[redacted]	872	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	873	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	873	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	身体疾患による気分障害	20[redacted]	884	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	948	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	1074	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1188	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性前庭症候群	20[redacted]	1251	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	運動失調	20[redacted]	1251	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳虚血	20[redacted]	1251	55	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	1251	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	1262	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肝嚢胞	20[redacted]	1262	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	1262	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性気管支炎	20[redacted]	1267	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	十二指腸胃逆流	20[redacted]	1290	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧クリーゼ	20[redacted]	1304	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	ストーマ閉塞	20[redacted]	123	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	尿路性敗血症	20[redacted]	123	8	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	昏睡	20[redacted]	129	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	出血性びらん性胃炎	20[redacted]	129	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	水腎症	20[redacted]	129	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	イレウス	20[redacted]	129	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	多臓器機能不全症候群	20[redacted]	129	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肺炎	20[redacted]	129	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	121	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	188	142	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	195	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	195	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	288	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気道感染	20[redacted]	330	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	344	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮下血腫	20[redacted]	345	46	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	379	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	386	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢腫脹	20[redacted]	410	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	522	58	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	手根管症候群	20[redacted]	532	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気道感染	20[redacted]	637	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	798	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	疲労	20[redacted]	875	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	883	57	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	発熱	20[redacted]	985	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	失語症	20[redacted]	994	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	不全片麻痺	20[redacted]	994	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳梗塞	20[redacted]	994	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	LITHUANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	997	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	89	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	不安定狭心症	20[redacted]	126	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副腎の良性新生物	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	冠動脈疾患	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸炎	20[redacted]	126	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝臓血管腫	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝嚢胞	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	血液量減少性ショック	20[redacted]	126	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	イレウス	20[redacted]	126	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎嚢胞	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性心不全	20[redacted]	127	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧性心疾患	20[redacted]	127	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳房の良性新生物	20[redacted]	259	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	不安	20[redacted]	352	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	472	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	回転性めまい	20[redacted]	722	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	便潜血陽性	20[redacted]	793	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	LITHUANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸ポリープ	20[redacted]	834	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	OTHER	コントロール不良の糖尿病	20[redacted]	35	320	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	OTHER	脳血管発作	20[redacted]	168	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	334	21	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	OTHER	脳血管発作	20[redacted]	334	21	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	OTHER	慢性腎臓病	20[redacted]	334	21	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	91	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気道感染	20[redacted]	517	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	93	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	190	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊椎痛	20[redacted]	685	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	股関節部骨折	20[redacted]	968	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	972	4	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	敗血症	20[redacted]	974	2	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	93	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭扁桃炎	20[redacted]	217	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	橈骨骨折	20[redacted]	275	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性下痢	20[redacted]	1083	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	気道感染	20[redacted]	1180	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	気道感染	20[redacted]	1332	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	174	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	263	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	400	9	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	400	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	539	372	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	543	202	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	602	108	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	272	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	733	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	741	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	745	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED		Y
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	WHITE	不安定狭心症	20[redacted]	14	11	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	WHITE	慢性腎臓病	20[redacted]	248	.	Y	Grade 3	RELATED	NOT RESOLVED	DRUG WITHDRAWN	REMOVED FROM STUDY	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨折痛	20[redacted]	747	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	1162	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸椎骨折	20[redacted]	743	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	897	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	200	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW		8[redacted]	F	WHITE	脳血管発作	20[redacted]	367	2	Y	Grade 5	RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肺炎	20[redacted]	28	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	第３度熱傷	20[redacted]	190	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋拘縮	20[redacted]	59	273	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	147	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋拘縮	20[redacted]	332	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	糖尿病	20[redacted]	897	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低血糖	20[redacted]	897	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	377	464	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	829	12	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	尿路性敗血症	20[redacted]	45	7	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MEDICATION TAKEN	Y
[redacted]	MEXICO	ALN 70 MG PO QW		7[redacted]	F	OTHER	心筋梗塞	20[redacted]	378	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	MEXICO	ALN 70 MG PO QW		9[redacted]	F	OTHER	呼吸性アシドーシス	20[redacted]	246	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	205	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	379	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	橈骨骨折	20[redacted]	379	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尺骨骨折	20[redacted]	379	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	729	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	743	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性咽頭炎	20[redacted]	118	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	539	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	611	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸炎	20[redacted]	689	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	750	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	831	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性肺水腫	20[redacted]	961	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	961	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	493	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	膀胱出血	20[redacted]	553	43	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	582	14	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心原性ショック	20[redacted]	595	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢血管障害	20[redacted]	103	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	咽頭扁桃炎	20[redacted]	254	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	丹毒	20[redacted]	550	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	627	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	569	330	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	899	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	52	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	249	40	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	505	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	アレルギー性鼻炎	20[redacted]	569	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	26	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	106	36	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	415	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	486	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	22	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	疲労	20[redacted]	101	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性咽頭炎	20[redacted]	168	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	狭心症	20[redacted]	198	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	205	162	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	294	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	326	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	356	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	565	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	692	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性浮腫	20[redacted]	98	467	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	糖尿病性足病変	20[redacted]	250	315	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	564	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	159	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	191	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	260	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	274	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	279	137	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腸閉塞	20[redacted]	342	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎骨折	20[redacted]	439	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	522	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	542	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	265	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	268	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	306	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	354	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	519	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	20	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	177	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	258	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	315	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	うつ病	20[redacted]	253	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	変形性関節症	20[redacted]	312	136	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	失神	20[redacted]	362	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	尿路感染	20[redacted]	362	16	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肺線維症	20[redacted]	372	76	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	偽膜性大腸炎	20[redacted]	407	41	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下咽頭癌	20[redacted]	535	142	Y	Grade 5	RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	神経炎	20[redacted]	20	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	小発作てんかん	20[redacted]	34	610	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	リンパ節症	20[redacted]	114	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	117	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	湿疹	20[redacted]	149	169	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心雑音	20[redacted]	157	487	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	246	110	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	骨挫傷	20[redacted]	290	76	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心因性結腸炎	20[redacted]	420	224	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	547	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	567	77	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	638	6	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	末梢動脈閉塞性疾患	20[redacted]	7	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	斑状出血	20[redacted]	22	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	上室性不整脈	20[redacted]	43	235	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	43	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	血液濃縮	20[redacted]	43	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	心室性不整脈	20[redacted]	43	235	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	115	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	静脈瘤	20[redacted]	234	132	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	下気道感染	20[redacted]	237	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性心不全	20[redacted]	277	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	上気道感染	20[redacted]	479	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	565	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	下気道感染	20[redacted]	659	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	下気道感染	20[redacted]	693	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	下気道感染	20[redacted]	785	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	上気道感染	20[redacted]	815	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	末梢血管障害	20[redacted]	926	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	不眠症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	下気道感染	20[redacted]	1056	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	抗コリン作動性症候群	20[redacted]	1060	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	健忘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	361	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腸骨骨折	20[redacted]	361	.	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	恥骨骨折	20[redacted]	361	.	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	420	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	420	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	MEXICO	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	484	69	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	限局性感染	20[redacted]	138	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	321	49	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	顎痛	20[redacted]	321	49	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性浮腫	20[redacted]	755	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	イレウス	20[redacted]	603	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	イレウス	20[redacted]	603	7	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	敗血症性ショック	20[redacted]	607	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	イレウス	20[redacted]	616	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	26	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	66	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	133	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	260	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼窩周囲血腫	20[redacted]	260	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	外傷後疼痛	20[redacted]	260	71	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	結節性硬化症	20[redacted]	260	203	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	264	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	齲歯	20[redacted]	296	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血管浮腫	20[redacted]	424	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性浮腫	20[redacted]	513	1014	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	低血糖	20[redacted]	662	64	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	倦怠感	20[redacted]	676	82	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	振戦	20[redacted]	757	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	910	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	956	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	963	103	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心障害	20[redacted]	975	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中ブドウ糖増加	20[redacted]	1128	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	1128	15	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚乳頭腫	20[redacted]	1177	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	1199	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	1297	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	滑膜断裂	20[redacted]	1388	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	1464	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	1554	59	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	199	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	239	870	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	581	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	690	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	781	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	1040	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1108	19	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血腫	20[redacted]	76	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血腫	20[redacted]	76	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	281	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	309	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳血管発作	20[redacted]	417	362	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肛門脱	20[redacted]	979	366	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	口腔ヘルペス	20[redacted]	36	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	労作性呼吸困難	20[redacted]	88	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	下痢	20[redacted]	98	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	158	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NETHERLANDS	ALN 70 MG PO QW		7[redacted]	F	WHITE	上強膜炎	20[redacted]	91	134	N	Grade 2	RELATED		DRUG WITHDRAWN	MULTIPLE	
[redacted]	NETHERLANDS	ALN 70 MG PO QW		7[redacted]	F	WHITE	上腹部痛	20[redacted]	333	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	ALN 70 MG PO QW		7[redacted]	F	WHITE	背部痛	20[redacted]	343	207	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NETHERLANDS	ALN 70 MG PO QW		7[redacted]	F	WHITE	形質細胞腫	20[redacted]	419	67	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NETHERLANDS	ALN 70 MG PO QW		7[redacted]	F	WHITE	形質細胞腫	20[redacted]	486	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	125	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	神経皮膚炎	20[redacted]	422	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	471	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咳嗽	20[redacted]	712	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NETHERLANDS	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢関節炎	20[redacted]	1029	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	69	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肉離れ	20[redacted]	207	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	691	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋痙縮	20[redacted]	739	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	824	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼡径部痛	20[redacted]	824	234	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	1368	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	1479	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	.	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	単径部痛	20[redacted]	48	324	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	48	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	283	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	傾眠	20[redacted]	.	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	7	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	90	279	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	錯感覚	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格硬直	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	起立性低血圧	20[redacted]	.	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NEW ZEALAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳梗塞	20[redacted]	562	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	便秘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心筋虚血	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心筋梗塞	20[redacted]	95	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下気道感染	20[redacted]	167	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	カンジダ感染	20[redacted]	177	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	208	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	269	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	331	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	370	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	中咽頭カンジダ症	20[redacted]	448	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	569	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚真菌感染	20[redacted]	.	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	裂傷	20[redacted]	604	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	685	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	限局性感染	20[redacted]	.	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	789	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	26	7	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	虚血性心筋症	20[redacted]	26	7	Y	Grade 4	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	心室性頻脈	20[redacted]	26	7	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	NEW ZEALAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	肝転移	20[redacted]	27	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋力低下	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	770	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	結腸癌	20[redacted]	858	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	悪心	20[redacted]	88	69	N	Grade 2	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	疲労	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	悪心	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	急性中耳炎	20[redacted]	857	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	背部痛	20[redacted]	907	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	頭位性回転性めまい	20[redacted]	919	4	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	尿路感染	20[redacted]	1129	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	倦怠感	20[redacted]	1254	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	背部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	耳感染	20[redacted]	.	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW		8[redacted]	F	WHITE	倦怠感	20[redacted]	71	.	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW		8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW		8[redacted]	F	WHITE	肺炎	20[redacted]	.	63	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	下痢	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	73	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	疲労	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腸炎	20[redacted]	191	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	.	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻炎	20[redacted]	.	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性気管支炎	20[redacted]	.	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	足変形	20[redacted]	949	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	感覚鈍麻	20[redacted]	1089	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	虫垂炎	20[redacted]	1130	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW		8[redacted]	F	WHITE	腹部膨満	2[redacted]	70	23	N	Grade 1	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW		8[redacted]	F	WHITE	突然死	20[redacted]	187	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染性皮膚潰瘍	20[redacted]	204	78	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腟出血	20[redacted]	257	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	904	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	1013	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中コレステロール増加	20[redacted]	1020	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性肺炎	20[redacted]	1094	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性肺炎	20[redacted]	1094	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸炎	20[redacted]	21	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	歯感染	20[redacted]	148	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸腺腫	20[redacted]	.	497	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	網膜剥離	20[redacted]	420	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	直腸出血	20[redacted]	.	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頚部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼のアレルギー	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	59	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	寝汗	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節損傷	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	262	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	外傷性血腫	20[redacted]	359	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	.	338	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	824	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	866	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚部痛	20[redacted]	866	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	寝汗	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腓骨骨折	20[redacted]	1060	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脛骨骨折	20[redacted]	1060	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	SURGICAL INTERVENTION	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染	20[redacted]	1076	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	創離開	20[redacted]	1076	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	97	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	家庭内事故	20[redacted]	106	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	起立性低血圧	20[redacted]	141	2	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変色歯	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	眼の炎症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	.	137	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	膵炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	胆石症	20[redacted]	421	20	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	無症候性細菌尿	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	背部痛	20[redacted]	736	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	足骨折	20[redacted]	782	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	咳嗽	20[redacted]	.	442	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	注射部位炎症	20[redacted]	118	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	軟部組織腫瘤	20[redacted]	118	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	疲労	20[redacted]	.	230	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	高血圧	20[redacted]	237	230	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	.	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	遠隔転移を伴う肺腺癌	20[redacted]	350	117	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚乾燥	20[redacted]	65	206	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	光線角化症	20[redacted]	148	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂漏	20[redacted]	148	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	634	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	2[redacted]	700	332	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腱炎	20[redacted]	740	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	間欠性跛行	20[redacted]	945	234	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢動脈瘤	20[redacted]	1178	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	間欠性跛行	20[redacted]	1259	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢損傷	20[redacted]	1262	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎盂腎炎	20[redacted]	1297	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	1325	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼感染	20[redacted]	1384	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1415	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	5	526	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪性黒色腫	20[redacted]	92	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	138	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈硬化症	20[redacted]	290	363	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋梗塞	20[redacted]	290	19	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	432	68	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸痛	20[redacted]	536	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	551	71	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	672	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1287	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	245	100	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	手根管症候群	20[redacted]	272	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	537	11	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	潰瘍性大腸炎	20[redacted]	1399	48	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	NORWAY	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ストーマ部出血	20[redacted]	1453	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	3	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性耳感染	20[redacted]	15	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	52	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	117	64	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋肉痛	20[redacted]	148	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	動物咬傷	20[redacted]	198	49	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢神経損傷	20[redacted]	198	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性咽頭炎	20[redacted]	238	13	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	702	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	悪心	20[redacted]	702	81	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胸痛	20[redacted]	1084	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	1084	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	1398	8	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	NORWAY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳虚血	20[redacted]	1461	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	3	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位そう痒感	20[redacted]	36	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	排尿困難	20[redacted]	103	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	111	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位血腫	20[redacted]	120	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	129	266	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	145	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	239	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	286	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位疼痛	20[redacted]	303	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	330	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	歯肉損傷	20[redacted]	339	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	379	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	397	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	397	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	413	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	414	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	415	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	502	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	拡張期血圧上昇	20[redacted]	583	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	619	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻炎	20[redacted]	663	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑変性	20[redacted]	706	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腟脱	20[redacted]	755	25	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	847	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	847	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	862	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔咽頭痛	20[redacted]	951	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1019	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	77	198	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	81	194	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	消化不良	20[redacted]	81	310	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	爪真菌症	20[redacted]	85	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	94	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈炎	20[redacted]	138	761	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	178	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性創感染	20[redacted]	181	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	233	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	246	54	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	274	625	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	滑液包炎	20[redacted]	299	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腹部痛	20[redacted]	326	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変色便	20[redacted]	326	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	滑液包炎	20[redacted]	328	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃潰瘍	20[redacted]	370	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	421	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	444	75	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	463	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃潰瘍	20[redacted]	469	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	514	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	緊張性頭痛	20[redacted]	539	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢腫脹	20[redacted]	610	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	610	126	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	623	57	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	動物咬傷	20[redacted]	633	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	642	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈炎	20[redacted]	642	257	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈炎	20[redacted]	662	100	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	717	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻出血	20[redacted]	724	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	751	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌感染	20[redacted]	845	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	血栓性静脈炎	20[redacted]	867	32	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	984	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	食中毒	20[redacted]	1019	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	1019	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	1020	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	1137	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	21	89	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肉離れ	20[redacted]	22	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	95	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	回転性めまい	20[redacted]	196	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	腟出血	20[redacted]	225	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支痙攣	20[redacted]	30	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	30	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	57	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管気管支炎	20[redacted]	89	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	151	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	169	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	169	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	237	105	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	249	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	277	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管気管支炎	20[redacted]	300	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	321	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	341	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	嘔吐	20[redacted]	341	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	534	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	726	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上室性不整脈	20[redacted]	740	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	851	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	887	66	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	900	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性気管支炎	20[redacted]	942	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	956	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	1049	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹痛	20[redacted]	15	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	注射部位疼痛	20[redacted]	54	2	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	体重減少	20[redacted]	54	225	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	73	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	134	728	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	187	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	280	80	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	喘息	20[redacted]	294	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	294	15	Y	Grade 4	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	418	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	723	139	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	723	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房細動	20[redacted]	794	24	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性気管支炎	20[redacted]	794	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	794	24	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	794	24	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	854	8	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	末梢性浮腫	20[redacted]	208	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	265	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	297	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	下痢	20[redacted]	328	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	330	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	545	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	611	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	702	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格痛	20[redacted]	728	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	750	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	910	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	上腕骨骨折	20[redacted]	931	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	935	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	不安	20[redacted]	936	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	945	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	3	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	そう痒症	20[redacted]	26	127	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	発疹	20[redacted]	26	34	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	79	64	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	聴力低下	20[redacted]	95	324	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	151	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	全身性そう痒症	20[redacted]	183	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	234	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	アレルギー性皮膚炎	20[redacted]	289	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不安	20[redacted]	304	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	発疹	20[redacted]	361	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	411	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	519	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路障害	20[redacted]	532	237	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	単径ヘルニア	20[redacted]	575	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	590	44	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	664	105	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	排尿困難	20[redacted]	667	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	667	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	そう痒症	20[redacted]	667	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹痛	20[redacted]	710	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	単径部痛	20[redacted]	710	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	762	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	爪真菌症	20[redacted]	848	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹痛	20[redacted]	854	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	880	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	食欲亢進	20[redacted]	.	218	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	体位性めまい	20[redacted]	21	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	挫傷	20[redacted]	36	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	リンパ腫	20[redacted]	.	196	N	Grade 3	NOT RELATED		DRUG WITHDRAWN	DEVICE/PROCEDURE INTERVENTION	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	皮膚炎	20[redacted]	120	114	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	120	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	処置による疼痛	20[redacted]	164	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	蜂巣炎	20[redacted]	200	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	非ホジキンリンパ腫	20[redacted]	200	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	消化不良	20[redacted]	205	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	帯状疱疹	20[redacted]	212	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	非ホジキンリンパ腫	20[redacted]	224	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	敗血症性ショック	20[redacted]	231	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	悪寒	20[redacted]	47	65	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	82	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	152	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腸炎	20[redacted]	200	130	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	食道潰瘍	20[redacted]	200	130	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	食道炎	20[redacted]	200	130	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭潰瘍	20[redacted]	271	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	358	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	426	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸部損傷	20[redacted]	429	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	432	60	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	感染性下痢	20[redacted]	571	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	失神	20[redacted]	652	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳血管発作	20[redacted]	684	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	730	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	858	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	上腹部痛	20[redacted]	3	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	消化不良	20[redacted]	91	148	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	トランスアミナーゼ上昇	20[redacted]	102	100	N	Grade 2	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	腹痛	20[redacted]	201	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	結膜出血	20[redacted]	233	7	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	大腸ポリープ	20[redacted]	323	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	335	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	頭痛	20[redacted]	395	464	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	454	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	軟部組織感染	20[redacted]	903	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	消化不良	20[redacted]	8	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	聴力低下	20[redacted]	8	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	回転性めまい	20[redacted]	8	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	筋肉痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	ウイルス性気道感染	20[redacted]	111	33	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	筋痙縮	20[redacted]	112	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	背部痛	20[redacted]	171	67	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	食欲減退	20[redacted]	.	64	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	腹痛	20[redacted]	298	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	慢性胃炎	20[redacted]	311	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	311	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺炎	20[redacted]	327	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺線維症	20[redacted]	340	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺線維症	20[redacted]	365	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	気管支炎	20[redacted]	410	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	438	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	感染性下痢	20[redacted]	527	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺線維症	20[redacted]	528	16	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺線維症	20[redacted]	573	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	心不全	20[redacted]	709	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	細菌性肺炎	20[redacted]	709	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺線維症	20[redacted]	776	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺線維症	20[redacted]	840	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	皮膚色素過剰	20[redacted]	890	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	30	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	湿性咳嗽	20[redacted]	80	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	発疹	20[redacted]	.	131	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	94	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	口唇血腫	20[redacted]	122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	動物アレルギー	20[redacted]	298	104	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	疲労	20[redacted]	426	275	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	疼痛	20[redacted]	426	275	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚有棘細胞癌	20[redacted]	564	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	外傷後疼痛	20[redacted]	576	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳痛	20[redacted]	727	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	187	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮膚腫瘤	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	274	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	327	145	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	689	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	13	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	消化不良	20[redacted]	13	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ビタミンＢ群欠乏	20[redacted]	.	222	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	79	32	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	視力低下	20[redacted]	122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	208	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	210	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	356	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腹部痛	20[redacted]	470	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	節足動物咬傷	20[redacted]	501	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	510	199	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	白内障	20[redacted]	610	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	SURGICAL INTERVENTION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	1	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂漏	20[redacted]	2	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	排尿困難	20[redacted]	60	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	外陰腟そう痒症	20[redacted]	62	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	排尿困難	20[redacted]	90	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	138	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	排尿困難	20[redacted]	149	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸炎	20[redacted]	200	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	205	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	排尿困難	20[redacted]	211	265	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽頭炎	20[redacted]	236	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	361	115	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	411	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	421	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	外傷後頭痛	20[redacted]	453	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽頭炎	20[redacted]	495	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽頭炎	20[redacted]	520	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	548	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺結核	20[redacted]	590	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	737	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	1	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	注射部位疼痛	20[redacted]	92	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	119	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋拘縮	20[redacted]	152	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	182	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	185	185	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	注射部位疼痛	20[redacted]	249	34	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧クリーゼ	20[redacted]	333	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	緊張性頭痛	20[redacted]	459	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	480	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	514	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	530	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	641	80	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	健忘	20[redacted]	766	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	萎縮性外陰腟炎	20[redacted]	53	213	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	性器脱	20[redacted]	53	213	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	食欲減退	20[redacted]	130	136	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	小腸癌	20[redacted]	130	136	Y	Grade 5	NOT RELATED	FATAL	DRUG WITHDRAWN	MULTIPLE	Y
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	先天性嚢胞性腎疾患	20[redacted]	173	93	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肝包虫症	20[redacted]	173	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	裂孔ヘルニア	20[redacted]	173	93	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	痔核	20[redacted]	183	83	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	貧血	20[redacted]	191	75	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	尿路感染	20[redacted]	195	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	十二指腸潰瘍	20[redacted]	198	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	胃炎	20[redacted]	198	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	腱炎	20[redacted]	83	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	89	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	脳新生物	20[redacted]	140	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	50	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	128	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	136	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	480	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	611	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	726	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	気管支炎	20[redacted]	24	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	右脚ブロック	20[redacted]	27	106	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	上室性期外収縮	20[redacted]	27	167	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	不眠症	20[redacted]	42	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	気管支炎	20[redacted]	91	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	下痢	20[redacted]	93	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	98	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肺感染	20[redacted]	190	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肺線維症	20[redacted]	190	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	48	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	80	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	112	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺動脈性肺高血圧症	20[redacted]	131	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	138	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	179	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	296	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	320	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	387	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	438	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	死亡	20[redacted]	699	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	70	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	106	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	136	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	146	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	183	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	挫傷	20[redacted]	199	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽頭炎	20[redacted]	248	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳動脈硬化症	20[redacted]	290	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	325	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽頭炎	20[redacted]	399	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	471	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	501	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	滑液包炎	20[redacted]	507	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	650	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	静脈瘤	20[redacted]	706	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	後腹膜新生物	20[redacted]	754	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	51	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	106	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性膵炎	20[redacted]	227	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]	281	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	処置後合併症	20[redacted]	300	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	451	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	522	70	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	637	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	消化不良	20[redacted]	638	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	640	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	709	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	49	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	手根管症候群	20[redacted]	70	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	164	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	243	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	262	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腱炎	20[redacted]	302	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	322	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	410	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肝胆道系癌	20[redacted]	492	36	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肝胆道系癌	20[redacted]	528	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	7	98	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	22	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	65	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	82	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	90	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	112	87	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	338	104	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮腫	20[redacted]	409	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺線維症	2[redacted]	441	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MEDICATION TAKEN	Y
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	16	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	67	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	123	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腱炎	20[redacted]	180	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	352	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	370	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	萎縮性外陰腟炎	20[redacted]	401	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	431	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	523	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	8	54	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	靭帯捻挫	20[redacted]	38	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	141	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	181	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	199	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	317	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	418	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	447	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	530	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	帯状疱疹	20[redacted]	38	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	ヘルペス後神経痛	20[redacted]	51	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	貧血	20[redacted]	141	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	虚血性脳卒中	20[redacted]	141	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	PERU	ALN 70 MG PO QW		8[redacted]	F	OTHER	誤嚥性肺炎	20[redacted]	147	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	91	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	91	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	123	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	152	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	236	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	268	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	321	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	PERU	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	397	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	15	73	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	121	88	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	695	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	蜂巣炎	20[redacted]	848	121	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高尿酸血症	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺腫	20[redacted]	1273	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	267	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	273	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	399	697	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	過敏症	20[redacted]	528	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	531	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	憩室	20[redacted]	561	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	562	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	痔核	20[redacted]	562	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肝嚢胞	20[redacted]	562	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肛門失禁	20[redacted]	714	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	1109	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	1163	83	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	1246	193	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	1292	306	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	アフタ性潰瘍	20[redacted]	1431	.	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	外骨腫	20[redacted]	1438	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	1438	160	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	1438	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	1584	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	1584	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	1584	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨粗鬆症	20[redacted]	136	36	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	545	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	1012	16	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うつ病	20[redacted]	1176	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	1211	57	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳梗塞	20[redacted]	1380	43	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不全片麻痺	20[redacted]	1380	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	記憶障害	20[redacted]	1380	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	1475	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	呼吸困難	20[redacted]	1552	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	上腹部痛	20[redacted]	7	16	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	痔核	20[redacted]	20	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	卵巣嚢胞	20[redacted]	21	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	過量投与	20[redacted]	75	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	十二指腸ポリープ	20[redacted]	237	30	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	237	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	上部消化管出血	20[redacted]	237	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼠径ヘルニア	20[redacted]	840	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大動脈雑音	20[redacted]	916	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	嘔吐	20[redacted]	977	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	上気道感染	20[redacted]	978	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	四肢損傷	20[redacted]	1068	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1077	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	発疹	20[redacted]	1253	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	心房細動	20[redacted]	1280	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	白内障	20[redacted]	1349	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	そう痒症	20[redacted]	1352	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	蕁麻疹	20[redacted]	1462	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	内出血発生の増加傾向	20[redacted]	1491	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	四肢痛	20[redacted]	1498	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	2	11	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	続発性副甲状腺機能亢進症	20[redacted]	22	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎結石症	20[redacted]	103	85	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎結石症	20[redacted]	188	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	子宮脱	20[redacted]	335	643	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	343	110	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	343	337	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋痙縮	20[redacted]	617	103	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	口腔咽頭痛	20[redacted]	678	42	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	680	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腟感染	20[redacted]	824	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	緑内障	20[redacted]	868	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肋間神経痛	20[redacted]	1069	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	滑液嚢腫	20[redacted]	1125	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	1181	198	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	霧視	20[redacted]	1226	153	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	そう痒症	20[redacted]	1315	86	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	1430	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咽頭炎	20[redacted]	1431	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耐糖能障害	20[redacted]	233	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	２型糖尿病	20[redacted]	261	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	276	16	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋肉痛	20[redacted]	276	16	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	594	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	594	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	957	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	1114	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢動脈瘤	20[redacted]	1230	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	薬物過敏症	20[redacted]	1	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	2	23	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	30	3	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	身体疾患による不安障害	20[redacted]	87	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	87	9	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	552	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	979	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋力低下	20[redacted]	1088	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1178	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	1257	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	真菌性上気道感染	20[redacted]	1275	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	86	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	聴力低下	20[redacted]	186	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	354	72	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	572	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	手根管症候群	20[redacted]	.	95	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肋骨骨折	20[redacted]	831	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	864	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	930	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	1084	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	寝汗	20[redacted]	4	447	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	上部消化管出血	20[redacted]	60	9	Y	Grade 3	RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	205	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	静脈瘤	20[redacted]	693	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	インフルエンザ	20[redacted]	811	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	白内障	20[redacted]	906	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	黄斑症	20[redacted]	906	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	静脈瘤	20[redacted]	997	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	インフルエンザ	20[redacted]	1123	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	1212	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	レイノー現象	20[redacted]	1212	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	感覚障害	20[redacted]	1212	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	10	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	53	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	558	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うつ病	20[redacted]	.	216	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	.	94	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	1162	2	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	空腹時血中ブドウ糖不良	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心室性頻脈	20[redacted]	78	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	基底細胞癌	20[redacted]	136	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コレステロール血症	20[redacted]	120	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸炎	20[redacted]	199	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腹痛	20[redacted]	238	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	266	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	急性呼吸不全	20[redacted]	282	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	291	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肉離れ	20[redacted]	582	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	941	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心不全	20[redacted]	244	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋力低下	20[redacted]	244	8	Y	Grade 2	RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	244	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性虚血	20[redacted]	610	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	貧血	20[redacted]	33	833	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	血尿	20[redacted]	33	833	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	腎盂の悪性新生物	20[redacted]	67	799	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	尿管癌	20[redacted]	.	719	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	膀胱癌第４期	20[redacted]	.	353	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	上気道感染	20[redacted]	642	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	死亡	20[redacted]	866	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	上気道感染	20[redacted]	55	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	高血圧	20[redacted]	76	16	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	左室不全	20[redacted]	76	45	Y	Grade 3	RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	筋肉痛	20[redacted]	76	.	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	リンパ腫	20[redacted]	180	.	Y	Grade 3	RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	36	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	肺の良性新生物	20[redacted]	139	245	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	161	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	うつ病	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	坐骨神経痛	20[redacted]	255	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	浮動性めまい	20[redacted]	50	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	心不全	20[redacted]	77	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢血管塞栓症	20[redacted]	90	16	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大動脈弁閉鎖不全症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	動脈硬化症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺腫	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎結石症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺高血圧症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	不全片麻痺	20[redacted]	107	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋肉痛	20[redacted]	269	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚癌	20[redacted]	.	460	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	54	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	259	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	.	1192	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	.	1192	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	794	90	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	884	61	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢壊死	20[redacted]	.	34	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	びらん性胃炎	20[redacted]	954	709	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化性潰瘍	20[redacted]	954	709	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1140	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1242	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1571	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1602	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	88	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	黄斑変性	20[redacted]	329	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	新生血管加齢黄斑変性	20[redacted]	.	27	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	黄斑変性	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1163	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	30	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪性黒色腫	20[redacted]	278	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	407	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃腸炎	20[redacted]	570	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	798	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	糖尿病性足病変	20[redacted]	.	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	糖尿病性代謝代償不全	20[redacted]	.	38	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	1164	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ビタミンＢ１２欠乏	20[redacted]	1204	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	.	39	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	1505	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1519	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	13	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	99	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	101	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	294	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	339	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	副鼻腔炎	20[redacted]	449	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿失禁	20[redacted]	590	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	686	10	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性肺炎	20[redacted]	686	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	724	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性肺炎	20[redacted]	724	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安障害	20[redacted]	740	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1021	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1046	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1445	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肥満	20[redacted]	547	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	782	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腕骨骨折	20[redacted]	807	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	.	57	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	841	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1014	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	1206	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	1206	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肥満	20[redacted]	182	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	649	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚炎	20[redacted]	.	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	859	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	585	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	801	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	862	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	862	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1037	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1207	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	320	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	直腸脱	20[redacted]	546	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	直腸ポリープ	20[redacted]	547	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	727	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	914	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1119	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	喉頭炎	20[redacted]	18	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	高血圧	20[redacted]	52	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	.	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	高尿酸血症	20[redacted]	186	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	40	589	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	362	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	392	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カリウム血症	20[redacted]	392	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	洞結節機能不全	20[redacted]	480	149	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心タンポナーデ	20[redacted]	628	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳血管障害	20[redacted]	58	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	58	646	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	58	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	64	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	動脈硬化症	20[redacted]	406	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頚動脈狭窄	20[redacted]	406	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	407	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	602	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	１型糖尿病	20[redacted]	.	204	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	653	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コレステロール血症	20[redacted]	702	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	703	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1055	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	20	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高尿酸血症	20[redacted]	64	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	218	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	244	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	541	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯周炎	20[redacted]	936	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	982	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	164	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	535	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	ヘリコバクター感染	20[redacted]	765	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	909	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	医学的観察正常	20[redacted]	932	7	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	933	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝嚢胞	20[redacted]	934	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	43	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	284	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	橈骨骨折	20[redacted]	359	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尺骨骨折	20[redacted]	359	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	597	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脛骨骨折	20[redacted]	768	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	291	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	774	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	尺骨骨折	20[redacted]	774	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	926	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	304	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	735	71	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	764	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	938	10	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	側弯症	20[redacted]	946	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	988	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不安定狭心症	20[redacted]	.	23	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血腫	20[redacted]	108	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節リウマチ	20[redacted]	194	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	198	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不正子宮出血	20[redacted]	252	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心不全	20[redacted]	.	52	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節脱臼	20[redacted]	603	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	728	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	729	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	側弯症	20[redacted]	729	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心不全	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	心不全	20[redacted]	520	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎結石症	20[redacted]	732	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎仙痛	20[redacted]	732	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	841	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	82	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎癌	20[redacted]	629	51	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	914	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脈絡膜黒色腫	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	悪性新生物	20[redacted]	65	202	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	肛門癌	20[redacted]	190	77	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MEDICATION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	慢性腎臓病	20[redacted]	228	39	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	185	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	404	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	556	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	561	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏	20[redacted]	562	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	562	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	562	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	手骨折	20[redacted]	350	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	559	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	洞結節機能不全	20[redacted]	733	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	742	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	771	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	771	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	845	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	28	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	257	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板障害	20[redacted]	515	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	.	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	死亡	20[redacted]	635	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	324	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	恥骨骨折	20[redacted]	96	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	17	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	529	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腰椎骨折	20[redacted]	824	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	うつ病	20[redacted]	96	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	高血圧	20[redacted]	96	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	気管支炎	20[redacted]	138	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	意識変容状態	20[redacted]	162	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	多発性硬化症再発	20[redacted]	534	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	緑内障	20[redacted]	580	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	てんかん	20[redacted]	589	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	上腕骨骨折	20[redacted]	2	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	33	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	バセドウ病	20[redacted]	82	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	内分泌性眼症	20[redacted]	82	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	腰髄神経根障害	20[redacted]	87	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	231	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	寛骨臼骨折	20[redacted]	496	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	坐骨骨折	20[redacted]	496	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	恥骨骨折	20[redacted]	496	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	貧血	20[redacted]	499	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	気管支炎	20[redacted]	733	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性腎障害	20[redacted]	28	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	30	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	55	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	323	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	464	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	464	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎結石症	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	731	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	740	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心不全	20[redacted]	5	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	大動脈弁閉鎖不全症	20[redacted]	7	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	高コレステロール血症	20[redacted]	7	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	7	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	7	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	耐糖能障害	20[redacted]	12	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	気管支炎	20[redacted]	391	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸炎	20[redacted]	656	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸炎	20[redacted]	699	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	712	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	786	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	膀胱炎	20[redacted]	797	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	機械的イレウス	20[redacted]	28	34	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	29	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	235	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	371	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	451	.	Y	Grade 3	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	511	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	591	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	754	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肥満	20[redacted]	358	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	538	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	538	9	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	後天性混合型高脂血症	20[redacted]	539	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	うつ病	20[redacted]	539	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	689	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	47	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血圧上昇	20[redacted]	187	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	360	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	436	16	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢膿瘍	20[redacted]	723	48	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	聴力低下	20[redacted]	728	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	外耳炎	20[redacted]	728	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈狭窄	20[redacted]	.	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈狭窄	20[redacted]	901	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	901	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	901	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	905	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈狭窄	20[redacted]	921	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	929	26	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸膜炎	20[redacted]	939	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎炎	20[redacted]	985	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	直腸出血	20[redacted]	1197	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	結腸癌	20[redacted]	1211	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	1348	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1360	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	肝胆道系癌	20[redacted]	268	.	Y	Grade 3	NOT RELATED	UNKNOWN	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	腸憩室	20[redacted]	275	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	胃酸過多	20[redacted]	275	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	大腸ポリープ	20[redacted]	275	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	末梢性浮腫	20[redacted]	275	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	貧血	20[redacted]	322	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	44	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢損傷	20[redacted]	427	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	1173	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心肺不全	20[redacted]	1176	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	2	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	66	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	149	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	401	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	653	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	6	48	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	23	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動悸	20[redacted]	34	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	36	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	85	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	87	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	128	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	144	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	144	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	歯髄炎	20[redacted]	188	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	209	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	216	70	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動悸	20[redacted]	350	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆道仙痛	20[redacted]	354	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化管感染	20[redacted]	354	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頻脈	20[redacted]	369	87	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	虫垂炎	20[redacted]	386	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	390	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	処置による疼痛	20[redacted]	390	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	結節性調律	20[redacted]	391	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	445	32	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	447	1	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	薬物不耐性	20[redacted]	447	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	結節性調律	20[redacted]	447	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房粗動	20[redacted]	455	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板障害	20[redacted]	502	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	574	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	650	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス感染	20[redacted]	650	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	節足動物咬傷アレルギー	20[redacted]	681	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	796	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	796	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1103	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	アデノウイルス性肺炎	20[redacted]	1159	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	33	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	58	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	299	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	453	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頻脈	20[redacted]	469	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	中耳炎	20[redacted]	483	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	発声障害	20[redacted]	559	218	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃酸過多	20[redacted]	570	9	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	727	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	季節性アレルギー	20[redacted]	799	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	1065	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1093	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	1121	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	全般性不安障害	20[redacted]	1272	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳癌	20[redacted]	1416	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌尿	20[redacted]	28	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路の炎症	20[redacted]	110	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	313	8	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	335	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	341	1	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	節足動物咬傷	20[redacted]	389	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血圧上昇	20[redacted]	1028	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	視力低下	20[redacted]	1048	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	1058	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1060	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血圧上昇	20[redacted]	.	91	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	.	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	1161	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	1208	4	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	1210	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳房の良性新生物	20[redacted]	174	90	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚嚢腫	20[redacted]	116	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	246	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	246	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	耳鳴	20[redacted]	269	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	536	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	690	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	髄膜腫	20[redacted]	728	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	抑うつ気分	20[redacted]	.	86	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うつ病	20[redacted]	985	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	全般性不安障害	20[redacted]	985	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	左室不全	20[redacted]	985	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	993	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	993	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不整脈	20[redacted]	1000	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	薬物乱用		.	427	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	32	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	136	.	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨骨折	20[redacted]	136	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	仙骨骨折	20[redacted]	136	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸骨骨折	20[redacted]	136	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸骨骨折	20[redacted]	136	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	191	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	191	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	191	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	191	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	191	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板障害	20[redacted]	191	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	過敏性腸症候群	20[redacted]	191	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁逸脱	20[redacted]	191	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎結石症	20[redacted]	191	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	191	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	191	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	272	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	328	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	口内乾燥	20[redacted]	349	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	アスパラギン酸アミノトランスフェラーゼ増加	20[redacted]	359	69	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中クレアチニン増加	20[redacted]	359	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中ブドウ糖増加	20[redacted]	359	69	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中尿素増加	20[redacted]	359	69	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	糸球体濾過率増加	20[redacted]	359	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	アルコール離脱症候群	20[redacted]	427	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	432	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	434	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	31	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	.	284	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	139	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢損傷	20[redacted]	208	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	爪萎縮	20[redacted]	208	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心室性期外収縮	20[redacted]	245	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	起立性低血圧	20[redacted]	247	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	静脈瘤	20[redacted]	269	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭位性回転性めまい	20[redacted]	330	396	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	352	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	352	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性腎臓病	20[redacted]	368	180	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	520	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	566	495	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯肉膿瘍	20[redacted]	575	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯膿瘍	20[redacted]	575	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	587	139	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	634	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	732	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肝酵素上昇	20[redacted]	732	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	807	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	809	52	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	809	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	809	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	夜間頻尿	20[redacted]	809	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神	20[redacted]	809	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	薬物過敏症	20[redacted]	815	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	.	93	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	夜間頻尿	20[redacted]	1068	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎間板手術	20[redacted]	1097	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性扁桃炎	20[redacted]	1098	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	1212	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨腫脹	20[redacted]	1212	245	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節腫脹	20[redacted]	1212	245	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	外骨腫	20[redacted]	1272	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	1272	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	1366	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿失禁	20[redacted]	1373	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	1380	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	体重減少	20[redacted]	1464	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	15	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	30	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	30	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	35	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高脂血症	20[redacted]	92	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	92	100	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	102	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	121	533	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肩回旋筋腱板症候群	20[redacted]	147	4	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	229	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	277	75	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	654	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑線維症	20[redacted]	1066	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑症	20[redacted]	1066	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	視力低下	20[redacted]	1082	392	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	1117	357	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1233	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1233	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	血腫	20[redacted]	22	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	四肢痛	20[redacted]	22	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	出血性胃潰瘍	20[redacted]	219	22	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	出血性胃潰瘍	20[redacted]	240	11	Y	Grade 3	RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	ヘリコバクター感染	20[redacted]	241	74	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	頻尿	20[redacted]	286	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	胃炎	20[redacted]	314	483	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	心筋虚血	20[redacted]	366	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	神経過敏	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	450	154	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	胃潰瘍	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	びらん性胃炎	20[redacted]	797	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	脊椎痛	20[redacted]	1386	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	無力症	20[redacted]	1441	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	静脈瘤	20[redacted]	1449	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	四肢痛	20[redacted]	8	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	回転性めまい	20[redacted]	20	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頚部痛	20[redacted]	56	26	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	貧血	20[redacted]	79	75	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性胃炎	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腸憩室	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腸憩室	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸出血	20[redacted]	79	6	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	痔核	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	99	210	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	白内障	20[redacted]	168	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	開放隅角緑内障	20[redacted]	168	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	309	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	カタル	20[redacted]	329	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	血圧上昇	20[redacted]	365	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	499	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸炎	20[redacted]	503	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	感覚障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	回転性めまい	20[redacted]	566	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	血管障害	20[redacted]	855	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頭部損傷	20[redacted]	855	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	血圧上昇	20[redacted]	856	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	副鼻腔炎	20[redacted]	923	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	関節リウマチ	20[redacted]	941	106	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	無力症	20[redacted]	1023	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	1023	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	回転性めまい	20[redacted]	1023	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	関節硬直	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	創傷	20[redacted]	1171	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	回転性めまい	20[redacted]	40	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胸部不快感	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	動悸	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	失語症	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	頚動脈硬化症	20[redacted]	55	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	55	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大脳萎縮	20[redacted]	55	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	高血圧	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	55	9	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	鼻炎	20[redacted]	4	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	糖尿病	20[redacted]	34	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	丘疹性皮疹	20[redacted]	.	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	245	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	尿路障害	20[redacted]	297	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	312	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肺炎	20[redacted]	312	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腹痛	20[redacted]	325	684	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腹部ヘルニア	20[redacted]	366	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	糸球体濾過率減少	20[redacted]	366	540	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	無力症	20[redacted]	371	104	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	高カリウム血症	20[redacted]	378	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	378	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性心不全	20[redacted]	432	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	432	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肺炎	20[redacted]	432	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	膵嚢胞	20[redacted]	435	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	無力症	20[redacted]	475	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	475	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	糖尿病	20[redacted]	475	431	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	抑うつ気分	20[redacted]	485	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	記憶障害	20[redacted]	494	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	気管支炎	20[redacted]	532	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頻尿	20[redacted]	550	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	足骨折	20[redacted]	574	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	四肢損傷	20[redacted]	574	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	気管支炎	20[redacted]	613	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頭部損傷	20[redacted]	642	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	642	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	四肢損傷	20[redacted]	642	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	尿路感染	20[redacted]	664	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	注意欠陥多動性障害	20[redacted]	.	204	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	糖尿病	20[redacted]	906	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腎機能障害	20[redacted]	906	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	急性腎前性腎不全	20[redacted]	1002	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	注意欠陥多動性障害	20[redacted]	1002	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1002	18	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	全身健康状態低下	20[redacted]	1002	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	REMOVED FROM STUDY	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1	72	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中コレステロール増加	20[redacted]	92	123	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中トリグリセリド増加	20[redacted]	92	123	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	低比重リポ蛋白増加	20[redacted]	92	123	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	128	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	134	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	134	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	中耳炎	20[redacted]	134	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	134	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ダニアレルギー	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻炎	20[redacted]	.	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	カタル	20[redacted]	285	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	カタル	20[redacted]	310	170	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	湿疹	20[redacted]	315	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	食物アレルギー	20[redacted]	458	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻中隔弯曲	20[redacted]	479	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	視力障害	20[redacted]	479	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	単径ヘルニア	20[redacted]	.	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	側弯症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	1018	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	アレルギー性鼻炎	20[redacted]	1018	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	1018	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	マイコプラズマ検査陽性	20[redacted]	1019	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	喉頭炎	20[redacted]	1020	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咽頭炎	20[redacted]	1020	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	1020	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性胃炎	20[redacted]	1023	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無気肺	20[redacted]	1024	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	1024	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸膜癒着	20[redacted]	1024	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺腫瘤	20[redacted]	1024	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	入院	20[redacted]	.	.	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	脱毛症	20[redacted]	1	.	N	Grade 1	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頭痛	20[redacted]	2	4	N	Grade 1	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	平衡障害	20[redacted]	4	13	N	Grade 2	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	48	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	48	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	53	161	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	舌不快感	20[redacted]	53	.	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	乳房障害	20[redacted]	63	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	神経過敏	20[redacted]	70	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耳鳴	20[redacted]	70	791	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	聴力低下	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性気管支炎	20[redacted]	122	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺気腫	20[redacted]	122	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	165	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈硬化症	20[redacted]	217	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	.	736	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱機能障害	20[redacted]	303	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	齲歯	20[redacted]	448	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	475	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管炎	20[redacted]	480	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	リンパ節痛	20[redacted]	566	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	抑うつ気分	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	623	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	706	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	拡張機能障害	20[redacted]	706	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	754	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耳鳴	20[redacted]	861	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	1084	122	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	寝汗	20[redacted]	1089	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	1146	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	1146	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	左脚ブロック	20[redacted]	1153	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸水	20[redacted]	1153	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	1160	66	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈狭窄	20[redacted]	1207	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性腎障害	20[redacted]	1210	4	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	1273	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	筋骨格痛	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	ヘリコバクター性胃炎	20[redacted]	86	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	気管支炎	20[redacted]	111	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	痔核	20[redacted]	119	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	血中ブドウ糖増加	20[redacted]	222	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	嘔吐	20[redacted]	299	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	骨痛	20[redacted]	309	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	323	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	関節痛	20[redacted]	535	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	703	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	857	137	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	994	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	術後貧血	20[redacted]	995	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	60	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	65	31	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	食欲減退	20[redacted]	103	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	213	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	.	476	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	419	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	視力低下	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	カタル	20[redacted]	.	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	694	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	カタル	20[redacted]	704	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	818	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	1047	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	1076	71	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	1162	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節腫脹	20[redacted]	1179	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肋骨骨折		.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	61	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	眼瞼浮腫	20[redacted]	111	1005	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	中毒性甲状腺腫	20[redacted]	135	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	カタル	20[redacted]	147	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	流涙増加	20[redacted]	147	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	骨腫	20[redacted]	150	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	湿性咳嗽	20[redacted]	154	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	眼乾燥	20[redacted]	240	883	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	250	115	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	297	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	食中毒	20[redacted]	351	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	低カリウム血症	20[redacted]	365	240	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	365	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	おくび	20[redacted]	379	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	517	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	視力低下	20[redacted]	.	523	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	532	86	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	穿孔性十二指腸潰瘍	20[redacted]	532	9	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝嚢胞	20[redacted]	532	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脂肪肝	20[redacted]	532	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎嚢胞	20[redacted]	532	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝超音波検査異常	20[redacted]	532	328	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	急性呼吸不全	20[redacted]	538	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸出血	20[redacted]	538	11	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	出血性ショック	20[redacted]	538	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	555	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢腫脹	20[redacted]	555	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	ヘルニア	20[redacted]	584	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸炎	20[redacted]	596	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸の炎症	20[redacted]	596	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	術後深部静脈血栓症	20[redacted]	613	119	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	静脈血栓症	20[redacted]	613	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	701	102	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	体重増加	20[redacted]	.	438	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	753	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	753	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	753	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	753	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	そう痒性皮疹	20[redacted]	776	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	803	111	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	潰瘍性出血	20[redacted]	803	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	804	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	血栓後症候群	20[redacted]	804	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	十二指腸炎	20[redacted]	807	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃炎	20[redacted]	807	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	消化性潰瘍	20[redacted]	807	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝病変	20[redacted]	808	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	808	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	消化性潰瘍	20[redacted]	858	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	ビタミンＢ１２欠乏	20[redacted]	859	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性胃炎	20[redacted]	863	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃炎	20[redacted]	863	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	食道炎	20[redacted]	863	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副腎腺腫	20[redacted]	864	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肝臓血管腫	20[redacted]	864	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	膵嚢胞	20[redacted]	864	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尾骨痛	20[redacted]	865	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	憩室炎	20[redacted]	865	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸ポリープ	20[redacted]	865	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高脂血症	20[redacted]	866	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変色便	20[redacted]	870	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	912	141	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	バセドウ病	20[redacted]	949	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	内分泌性眼症	20[redacted]	949	137	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コルチコイド症	20[redacted]	949	137	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	霧視	20[redacted]	1049	37	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢腫脹	20[redacted]	1080	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	内分泌性眼症	20[redacted]	1086	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コルチコイド症	20[redacted]	1086	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	斜視	20[redacted]	1086	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	先天性脳血管異常	20[redacted]	1095	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	外骨腫	20[redacted]	1095	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	眼変性障害	20[redacted]	1095	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板障害	20[redacted]	1115	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	硝子体障害	20[redacted]	1122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	1177	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変形性関節症	20[redacted]	31	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変形性関節症	20[redacted]	31	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	60	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	細菌性上気道感染	20[redacted]	89	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	皮膚真菌感染	20[redacted]	215	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	鼓腸	20[redacted]	.	248	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	結腸癌	20[redacted]	394	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	腹痛	20[redacted]	410	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肝転移	20[redacted]	436	25	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	閉塞性細気管支炎	20[redacted]	460	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	胃腸管閉塞	20[redacted]	534	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	気分変化	20[redacted]	534	120	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	小腸捻転	20[redacted]	534	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肛門失禁	20[redacted]	539	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	下痢	20[redacted]	539	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	マラスムス	20[redacted]	554	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	気胸	20[redacted]	558	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	穿刺部位感染	20[redacted]	569	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	貧血	20[redacted]	572	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	クレブシエラ検査陽性	20[redacted]	589	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	短腸症候群	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	気道感染	20[redacted]	755	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肝嚢胞	20[redacted]	781	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	腎嚢胞	20[redacted]	781	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	感覚鈍麻	20[redacted]	927	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	医療機器機能不良	20[redacted]	976	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	頭痛	20[redacted]	.	121	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	脳血管障害	20[redacted]	1091	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	咽頭炎	20[redacted]	1152	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎機能障害	20[redacted]	2	119	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	6	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	6	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	.	332	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	.	332	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	.	101	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	.	335	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	121	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	120	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	337	.	Y	Grade 3	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	錯感覚	20[redacted]	357	82	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	362	77	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	432	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	449	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈障害	20[redacted]	464	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋間神経痛	20[redacted]	464	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	464	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	464	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	464	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨挫傷	20[redacted]	471	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	471	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	471	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	663	199	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	753	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	753	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼変性障害	20[redacted]	784	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼変性障害	20[redacted]	784	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	833	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高カリウム血症	20[redacted]	860	126	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	術後貧血	20[redacted]	862	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	862	120	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	874	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	903	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	903	82	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	940	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	978	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	985	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	36	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃炎	20[redacted]	48	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	排尿困難	20[redacted]	77	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	107	763	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節腫脹	20[redacted]	155	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	フィブリンDダイマー増加	20[redacted]	188	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節腫脹	20[redacted]	243	566	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	261	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	316	51	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性呼吸不全	20[redacted]	329	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	469	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	夜間頻尿	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	595	275	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	平衡障害	20[redacted]	675	195	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貨幣状湿疹	20[redacted]	753	147	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性副鼻腔炎	20[redacted]	756	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心不全	20[redacted]	774	157	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	827	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	938	17	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸膜肥厚	20[redacted]	938	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無気肺	20[redacted]	941	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎盂腎杯拡張症	20[redacted]	948	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	外耳炎	20[redacted]	1079	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎間板障害	20[redacted]	1085	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	消化管感染	20[redacted]	1089	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	投与部位紅斑	20[redacted]	29	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	投与部位疼痛	20[redacted]	29	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	投与部位紅斑	20[redacted]	58	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	大動脈硬化症	20[redacted]	83	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	大動脈血栓症	20[redacted]	83	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	動脈硬化症	20[redacted]	83	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	83	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	末梢動脈血栓症	20[redacted]	83	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	脊椎痛	20[redacted]	134	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	上気道感染	20[redacted]	572	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	尿路感染	20[redacted]	666	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	脊椎痛	20[redacted]	718	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	貧血	20[redacted]	721	183	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	ビタミンＢ１２欠乏	20[redacted]	725	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	便秘	20[redacted]	743	295	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	食欲減退	20[redacted]	743	295	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	関節炎	20[redacted]	959	79	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	高血圧	20[redacted]	1062	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	肋間神経痛	20[redacted]	1062	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	心筋虚血	20[redacted]	1083	14	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	身長減少	20[redacted]	1085	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	不安定狭心症	20[redacted]	1097	4	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	２型糖尿病	20[redacted]	1098	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	細菌性膀胱炎	20[redacted]	32	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	歯周炎	20[redacted]	54	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	細菌性膀胱炎	20[redacted]	76	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	89	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	126	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	下腹部痛	20[redacted]	142	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	上腹部痛	20[redacted]	237	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃炎	20[redacted]	237	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	243	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃腸炎	20[redacted]	331	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	膀胱炎	20[redacted]	334	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	体重減少	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	脊椎痛	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	脊椎痛	20[redacted]	432	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	憩室炎	20[redacted]	453	8	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	びらん性胃炎	20[redacted]	453	8	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	脱水	20[redacted]	490	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃潰瘍	20[redacted]	490	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	下痢	20[redacted]	623	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	下痢	20[redacted]	625	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	腎嚢胞	20[redacted]	625	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	表在性静脈炎	20[redacted]	680	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	無力症	20[redacted]	727	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	歯周の炎症	20[redacted]	775	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃炎	20[redacted]	789	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	血圧上昇	20[redacted]	792	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	頻脈	20[redacted]	792	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	消化不良	20[redacted]	794	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃腸管閉塞	20[redacted]	969	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	980	1	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	静脈炎	20[redacted]	1037	26	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	30	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	30	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿失禁	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	117	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	138	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耐糖能障害	20[redacted]	139	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆管結石	20[redacted]	156	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆管線維症	20[redacted]	156	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆汁うっ滞性黄疸	20[redacted]	156	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肝嚢胞	20[redacted]	157	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	.	77	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	199	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性胆嚢炎	20[redacted]	234	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	707	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	722	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	870	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	936	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	17	163	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	62	93	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	62	93	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	62	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	62	.	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	92	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼痛	20[redacted]	104	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨折痛	20[redacted]	105	136	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	国際標準比増加	20[redacted]	223	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	240	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	霧視	20[redacted]	265	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	睡眠障害	20[redacted]	293	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	335	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	401	88	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	401	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	447	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上室性不整脈	20[redacted]	457	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	457	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	洞結節機能不全	20[redacted]	457	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心室性不整脈	20[redacted]	457	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	460	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨挫傷	20[redacted]	489	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	489	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	602	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	全身健康状態低下	20[redacted]	622	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	挫傷	20[redacted]	169	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	喀痰増加	20[redacted]	236	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	尿路感染	20[redacted]	258	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	心不全	20[redacted]	302	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	外骨腫	20[redacted]	64	216	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ポリープ	20[redacted]	116	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	120	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	120	42	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	155	186	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	164	90	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	201	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	212	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	254	26	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血糖	20[redacted]	257	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	309	188	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	444	34	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	振戦	20[redacted]	444	34	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	557	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	581	26	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	636	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	664	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	718	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低血糖	20[redacted]	57	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨嚢腫	20[redacted]	58	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	58	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	143	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	179	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎不全	20[redacted]	195	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高尿酸血症	20[redacted]	213	319	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	224	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎不全	20[redacted]	365	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高尿酸血症	20[redacted]	532	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	靭帯捻挫	20[redacted]	663	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	671	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	671	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	701	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	720	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎不全	20[redacted]	720	180	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	777	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	808	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎痛	20[redacted]	857	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス感染	20[redacted]	882	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸膜炎	20[redacted]	918	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	932	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	933	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺血管障害	20[redacted]	934	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	941	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	941	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	そう痒性皮疹	20[redacted]	65	21	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	そう痒性皮疹	20[redacted]	65	21	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	静脈瘤性潰瘍	20[redacted]	65	432	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	静脈瘤性静脈炎	20[redacted]	119	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	霰粒腫	20[redacted]	303	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	高血圧	20[redacted]	363	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	橈骨骨折	20[redacted]	395	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	動脈硬化症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	循環虚脱	20[redacted]	457	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	循環虚脱	20[redacted]	461	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	心筋虚血	20[redacted]	461	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	腎嚢胞	20[redacted]	462	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	463	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	貧血	20[redacted]	464	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	発疹	20[redacted]	497	224	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	497	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	気分変化	20[redacted]	528	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	528	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	体重減少	20[redacted]	542	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	静脈塞栓症	20[redacted]	588	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	肺塞栓症	20[redacted]	588	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	悪液質	20[redacted]	605	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	循環虚脱	20[redacted]	605	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	尿失禁	20[redacted]	605	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	肝嚢胞	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	肝病変	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	腎嚢胞	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	十二指腸炎	20[redacted]	612	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	びらん性胃炎	20[redacted]	612	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	子宮ポリープ	20[redacted]	617	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	骨盤静脈瘤	20[redacted]	617	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	骨粗鬆症	20[redacted]	720	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	無力症	20[redacted]	777	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	下部消化管出血	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪寒	20[redacted]	15	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	15	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	31	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	37	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下腹部痛	20[redacted]	38	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎痛	20[redacted]	48	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血圧異常	20[redacted]	50	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	66	302	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	泌尿生殖器感染	20[redacted]	.	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無力症	20[redacted]	241	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気分変化	20[redacted]	241	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	293	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	303	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	食欲減退	20[redacted]	338	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不安定狭心症	20[redacted]	339	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈硬化症	20[redacted]	339	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈弁閉鎖不全症	20[redacted]	339	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	冠動脈硬化症	20[redacted]	339	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性腎臓病	20[redacted]	339	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心臓損傷	20[redacted]	339	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	339	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋梗塞	20[redacted]	339	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性脊椎症	20[redacted]	339	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	339	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	340	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動悸	20[redacted]	437	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	483	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	517	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	818	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	54	9	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	63	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	191	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	浮動性めまい	20[redacted]	240	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咽頭炎	20[redacted]	267	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎すべり症	20[redacted]	271	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	聴力低下	20[redacted]	501	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大脳障害	20[redacted]	518	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	リンパ腫性乳頭状嚢胞腺腫	20[redacted]	518	61	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心房頻脈	20[redacted]	623	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	神経根痛	20[redacted]	678	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	悪心	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板障害	20[redacted]	720	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板障害	20[redacted]	720	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	791	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	877	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	感覚鈍麻	20[redacted]	882	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	39	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	83	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	爪囲炎	20[redacted]	142	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	177	50	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	177	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	耳鳴	20[redacted]	177	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	182	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺動脈弁閉鎖不全症	20[redacted]	200	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	200	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	460	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	517	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	749	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	786	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	786	21	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腹腔内出血	20[redacted]	795	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	805	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	845	26	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板障害	20[redacted]	852	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	852	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	852	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨溶解	20[redacted]	852	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸菌性肺炎	20[redacted]	852	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	静脈瘤	20[redacted]	854	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	癌胎児性抗原増加	20[redacted]	859	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節損傷	20[redacted]	898	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	骨痛	20[redacted]	3	118	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	上気道感染	20[redacted]	143	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	徐脈	20[redacted]	144	44	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	失神	20[redacted]	144	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	白内障	20[redacted]	212	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N