Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	心房細動	20[redacted]	241	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	筋骨格痛	20[redacted]	299	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	脊椎痛	20[redacted]	299	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	変形性関節症	20[redacted]	309	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	形質細胞性骨髄腫	20[redacted]	318	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	OTHER	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	体重減少	20[redacted]	.	361	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	神経痛	20[redacted]	432	74	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	上腹部痛	20[redacted]	465	101	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	嘔吐	20[redacted]	465	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	下痢	20[redacted]	519	194	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	悪心	20[redacted]	519	194	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	貧血	20[redacted]	541	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	低カリウム血症	20[redacted]	541	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	22	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	105	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	表在性静脈炎	20[redacted]	225	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	373	92	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	471	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	544	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊柱変形	20[redacted]	580	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	582	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	小細胞肺癌	20[redacted]	582	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	副腎転移	20[redacted]	584	125	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	膵転移	20[redacted]	584	125	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺腫	20[redacted]	589	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白血球数減少	20[redacted]	629	59	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	692	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血尿	20[redacted]	871	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	876	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	143	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	272	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	413	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	413	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腹痛	20[redacted]	565	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎結石症	20[redacted]	583	299	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	583	299	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耳感染	20[redacted]	822	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咽頭炎	20[redacted]	822	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	834	48	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪性新生物	20[redacted]	862	20	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋梗塞	20[redacted]	867	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	3	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性ストレス反応	20[redacted]	.	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節炎	20[redacted]	401	320	N	Grade 2	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	神経圧迫	20[redacted]	450	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	足変形	20[redacted]	475	1	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	無力症	20[redacted]	16	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腫脹	20[redacted]	16	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	105	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	感覚鈍麻	20[redacted]	249	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	感覚鈍麻	20[redacted]	249	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	錯感覚	20[redacted]	249	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	錯感覚	20[redacted]	249	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	287	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	扁桃炎	20[redacted]	352	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血圧上昇	20[redacted]	386	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	憩室	20[redacted]	423	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	痔核	20[redacted]	424	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	坐骨神経痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	うつ病	20[redacted]	699	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	14	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	14	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	手骨折	20[redacted]	14	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	14	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	14	34	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	15	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	30	28	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	薬物過敏症	20[redacted]	34	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸膜石灰化	20[redacted]	39	387	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	57	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	278	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	好酸球増加症	20[redacted]	278	199	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	413	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	側弯症	20[redacted]	423	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	側弯症	20[redacted]	423	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	426	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	426	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆管炎	20[redacted]	426	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性胃炎	20[redacted]	426	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱水	20[redacted]	426	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	電解質失調	20[redacted]	426	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性腸炎	20[redacted]	426	27	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃潰瘍	20[redacted]	426	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肝障害	20[redacted]	426	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	食道カンジダ症	20[redacted]	426	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸膜石灰化	20[redacted]	426	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血小板増加症	20[redacted]	426	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	Ｂ型肝炎	20[redacted]	427	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	正色素性正球性貧血	20[redacted]	431	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	432	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	453	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	453	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	595	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎すべり症	20[redacted]	720	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	39	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	期外収縮	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺腫瘤	20[redacted]	315	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	.	168	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	559	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨嚢腫	20[redacted]	624	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎間板障害	20[redacted]	720	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	720	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	38	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	60	182	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	63	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎結石症	20[redacted]	81	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耐糖能障害	20[redacted]	89	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性気道感染	20[redacted]	510	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	525	70	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈硬化症	20[redacted]	595	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚動脈硬化症	20[redacted]	595	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	595	29	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	結腸腺癌	20[redacted]	596	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	599	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	599	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	624	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血中カリウム異常	20[redacted]	627	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	745	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	62	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	胆石症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	心筋梗塞	20[redacted]	101	24	Y	Grade 4	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	肺新生物	20[redacted]	106	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	縦隔リンパ節腫脹	20[redacted]	108	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	胸水	20[redacted]	108	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	そう痒症	20[redacted]	96	4	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	209	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	209	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	317	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨骨折	20[redacted]	782	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	恥骨骨折	20[redacted]	782	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	呼吸困難	20[redacted]	978	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1407	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	.	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	静脈瘤	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	106	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	182	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	節足動物咬傷アレルギー	20[redacted]	298	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	342	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染性下痢	20[redacted]	471	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱水	20[redacted]	472	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎不全	20[redacted]	473	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	544	442	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	559	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	632	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	電解質失調	20[redacted]	634	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	634	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	797	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	851	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	前嚢収縮	20[redacted]	986	202	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1109	25	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	1230	50	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1366	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	1529	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染性下痢	20[redacted]	1555	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	87	1464	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性肺炎	20[redacted]	214	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	216	53	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	216	53	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	[redacted]	F	WHITE	筋骨格痛	20[redacted]	216	53	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔アレルギー症候群	20[redacted]	370	83	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔内不快感	20[redacted]	421	46	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性鼻炎	20[redacted]	515	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	755	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	826	60	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	956	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	1007	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺障害	20[redacted]	1048	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	.	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性気管支炎	20[redacted]	1130	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	1155	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	1155	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚障害	20[redacted]	1155	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚障害	20[redacted]	1155	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	セリアック病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	1425	126	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	64	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	82	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	182	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腱障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚真菌感染	20[redacted]	281	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚動脈硬化症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	冠動脈疾患	20[redacted]	931	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	940	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	聴力低下	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1020	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気道感染	20[redacted]	1209	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	1224	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	1346	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	第二度房室ブロック	20[redacted]	1358	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	1546	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	87	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	87	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋梗塞	20[redacted]	87	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋虚血	20[redacted]	87	949	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	87	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	137	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	老人性難聴	20[redacted]	183	853	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	338	50	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	食欲減退	20[redacted]	609	427	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	1035	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	上腹部痛	20[redacted]	40	23	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	四肢痛	20[redacted]	46	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MEDICATION TAKEN	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	46	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	64	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	348	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性耳感染	20[redacted]	370	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚動脈瘤破裂	20[redacted]	812	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸痛	20[redacted]	813	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	816	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	低カリウム血症	20[redacted]	816	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	817	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	817	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳浮腫	20[redacted]	824	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ブドウ球菌感染	20[redacted]	843	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	844	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血管穿刺部位出血	20[redacted]	844	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	869	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	869	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	1204	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	79	169	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢損傷	20[redacted]	86	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢損傷	20[redacted]	369	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腹部痛	20[redacted]	400	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胆石症	20[redacted]	412	240	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎結石症	20[redacted]	412	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎嚢胞	20[redacted]	412	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	622	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胆石症	20[redacted]	651	58	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	1257	11	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	1432	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腕骨骨折	20[redacted]	1432	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	57	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	268	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	548	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	乳癌	20[redacted]	1008	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	1074	303	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	1094	188	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1116	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1266	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	1282	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	1298	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1379	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	1379	87	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	落屑緑内障	20[redacted]	1465	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑線維症	20[redacted]	1465	76	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	1496	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼠径ヘルニア	20[redacted]	1513	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	128	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	128	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	128	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	128	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨挫傷	20[redacted]	391	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	391	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	靭帯捻挫	20[redacted]	723	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	737	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	体重減少	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	1342	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈硬化症	20[redacted]	1484	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	430	1067	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白血球増加症	20[redacted]	545	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	54	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	82	141	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	210	27	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	265	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	300	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	321	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	337	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	448	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	904	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	網膜剥離	20[redacted]	.	319	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	534	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	601	828	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	膀胱炎	20[redacted]	629	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	674	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	748	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	758	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心嚢液貯留	20[redacted]	791	464	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	813	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	867	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	不眠症	20[redacted]	874	48	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳頭障害	20[redacted]	1043	386	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	1066	27	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	1122	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	1187	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	1204	4	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1249	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	靭帯捻挫	20[redacted]	1289	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1323	6	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1360	7	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸不全	20[redacted]	1395	33	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心不全	20[redacted]	1408	20	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	血尿	20[redacted]	1411	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心原性ショック	20[redacted]	1427	1	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心不全	20[redacted]	1428	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	心原性ショック	20[redacted]	1428	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸不全	20[redacted]	1428	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	30	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	30	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	232	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血腫	20[redacted]	232	32	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	454	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	454	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	575	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	634	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	.	.	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性下痢	20[redacted]	76	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス感染	20[redacted]	76	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	946	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	975	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高マグネシウム血症	20[redacted]	1094	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	53	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	227	114	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	298	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	298	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血腫	20[redacted]	298	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	331	736	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯の障害	20[redacted]	686	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	眼瞼内反	20[redacted]	.	183	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	1222	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頻尿	20[redacted]	1222	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	93	77	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路結石	20[redacted]	106	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胆石症	20[redacted]	123	235	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	330	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	894	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸炎	20[redacted]	966	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	966	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	381	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節損傷	20[redacted]	381	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢損傷	20[redacted]	381	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	9	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	41	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	41	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	爪真菌症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神	20[redacted]	129	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神	20[redacted]	129	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脱毛症	20[redacted]	150	120	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂傷	20[redacted]	321	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	冠動脈疾患	20[redacted]	536	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋虚血	20[redacted]	641	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	771	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋虚血	20[redacted]	920	16	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	意識消失	20[redacted]	1065	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢血管障害	20[redacted]	1073	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	出血性卒中	20[redacted]	112	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼部腫脹	20[redacted]	161	487	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	295	158	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	食欲減退	20[redacted]	295	49	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	295	49	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	302	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	緑内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	642	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	725	320	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	891	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	891	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	891	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	891	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ビタミンＢ１２欠乏	20[redacted]	.	103	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	990	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	十二指腸ポリープ	20[redacted]	990	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	138	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性咽頭炎	20[redacted]	209	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	251	183	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膣出血	20[redacted]	323	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	咽頭炎	20[redacted]	411	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔咽頭痛	20[redacted]	492	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	.	126	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	508	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節炎	20[redacted]	620	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	982	73	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	手根管症候群	20[redacted]	1054	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	手根管症候群	20[redacted]	1054	56	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	180	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上室性不整脈	20[redacted]	189	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血尿	20[redacted]	196	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	消化不良	20[redacted]	385	90	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	帯状疱疹	20[redacted]	540	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	睡眠障害	20[redacted]	709	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	体重減少	20[redacted]	730	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	778	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	弱視	20[redacted]	875	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	網膜出血	20[redacted]	875	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	加齢黄斑変性	20[redacted]	935	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	1054	41	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	234	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔ヘルペス	20[redacted]	725	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	836	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	836	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	844	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋症	20[redacted]	844	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	921	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下腹部痛	20[redacted]	73	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	212	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血腫	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	恥骨骨折	20[redacted]	411	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	414	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	556	143	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	感覚鈍麻	20[redacted]	130	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	睡眠時無呼吸症候群	20[redacted]	158	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	245	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	290	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	353	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	355	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	417	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	491	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	608	82	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	624	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	62	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	投与部位反応	20[redacted]	65	58	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性気管支炎	20[redacted]	177	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	190	55	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腹痛	20[redacted]	553	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸ポリープ	20[redacted]	629	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性上気道感染	20[redacted]	913	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	92	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	痛風	20[redacted]	239	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性虚血	20[redacted]	774	126	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	900	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	914	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	168	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	214	260	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭部損傷	20[redacted]	246	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	246	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	246	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	656	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	657	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	886	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腹部膨満	20[redacted]	3	63	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	3	61	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	アレルギー性そう痒症	20[redacted]	3	61	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	転倒	20[redacted]	59	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	筋骨格痛	20[redacted]	59	68	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	65	102	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	アレルギー性そう痒症	20[redacted]	65	102	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	認知症	20[redacted]	.	143	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	薬物依存	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	狭心症	20[redacted]	266	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	心筋梗塞	20[redacted]	267	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	高尿酸血症	20[redacted]	271	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	空腹時血中ブドウ糖不良	20[redacted]	271	280	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	尿路感染	20[redacted]	272	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	気管支炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	281	35	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	消化不良	20[redacted]	281	35	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	嘔吐	20[redacted]	281	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	急性腎障害	20[redacted]	291	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胆管炎	20[redacted]	291	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	消化管壁肥厚	20[redacted]	294	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	頭痛	20[redacted]	296	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	痔核	20[redacted]	301	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	クロストリジウム・ディフィシレ感染	20[redacted]	305	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	直腸出血	20[redacted]	399	31	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	無力症	20[redacted]	418	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	急性腎障害	20[redacted]	429	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	小球性貧血	20[redacted]	429	74	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	びらん性胃炎	20[redacted]	439	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	斑状出血	20[redacted]	441	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	不安	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	107	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	180	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	310	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	387	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	492	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	意識消失	20[redacted]	492	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	創傷	20[redacted]	492	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	顎関節症候群	20[redacted]	615	194	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	891	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	良性髄膜腫	20[redacted]	49	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	OTHER	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白質病変	20[redacted]	49	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	手骨折	20[redacted]	273	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腸脛靱帯症候群	20[redacted]	426	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	53	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺腫	20[redacted]	63	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	157	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳血腫	20[redacted]	497	40	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳癌	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	挫傷	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	転倒	20[redacted]	55	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	爪真菌症	20[redacted]	211	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	無力症	20[redacted]	274	52	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	大動脈障害	20[redacted]	355	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	肺扁平上皮癌	20[redacted]	366	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	頭部損傷	20[redacted]	662	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	心嚢液貯留	20[redacted]	772	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	気胸	20[redacted]	772	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	32	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	178	23	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	274	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	274	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性腎障害	20[redacted]	293	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱水	20[redacted]	293	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	295	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼓腸	20[redacted]	347	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染による慢性閉塞性気道疾患の増悪	20[redacted]	414	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	462	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下腹部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	706	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性副鼻腔炎	20[redacted]	815	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カリウム血症	20[redacted]	31	60	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	233	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血圧上昇	20[redacted]	732	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	732	26	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カリウム血症	20[redacted]	732	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	732	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	734	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	735	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈硬化症	20[redacted]	738	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	738	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	783	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	93	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	97	1	N	Grade 3	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	145	65	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	体内異物	20[redacted]	378	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	462	56	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	足変形	20[redacted]	630	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	654	19	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	729	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	176	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白血球減少症	20[redacted]	272	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	446	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脾腫	20[redacted]	446	197	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	516	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	631	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血小板減少症	20[redacted]	636	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺の良性新生物	20[redacted]	642	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支拡張症	20[redacted]	642	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	642	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺気腫	20[redacted]	642	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	貧血	20[redacted]	65	254	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	下腹部痛	20[redacted]	73	54	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	筋骨格痛	20[redacted]	120	199	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	結腸腺癌	20[redacted]	264	54	Y	Grade 4	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	腹膜出血	20[redacted]	304	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	肺炎	20[redacted]	309	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃腸吻合部漏出	20[redacted]	310	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	腹膜炎	20[redacted]	314	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	結腸腺癌	20[redacted]	318	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	足骨折	20[redacted]	237	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ライム病	20[redacted]	337	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	497	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	624	3	Y	Grade 2	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	過量投与	20[redacted]	639	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	1277	184	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	中毒性甲状腺腫	20[redacted]	.	98	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	741	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸炎	20[redacted]	813	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	1009	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	1010	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1061	.	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	排尿困難	20[redacted]	1214	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	1246	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	痛風	20[redacted]	1330	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	神経痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	283	46	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性中耳炎	20[redacted]	566	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腹部痛	20[redacted]	987	16	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性胃炎	20[redacted]	1065	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	体重減少	20[redacted]	1107	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腹部不快感	20[redacted]	66	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	自己免疫性甲状腺炎	20[redacted]	101	.	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	350	8	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	喉頭炎	20[redacted]	577	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	左脚ブロック	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	虚血性心筋症	20[redacted]	813	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	虚血性心筋症	20[redacted]	882	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	980	42	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	.	134	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	.	134	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	1197	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸痛	20[redacted]	1220	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	134	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	458	39	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	743	166	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	815	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1083	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1106	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1132	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	肺炎	20[redacted]	54	13	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	尿路感染	20[redacted]	54	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	国際標準比減少	20[redacted]	.	180	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭蓋内動脈瘤	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	適応障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	薬物乱用	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	531	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	533	.	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	体重減少	20[redacted]	557	355	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	584	30	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	974	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	458	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	.	267	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	750	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	87	8	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	158	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	548	184	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咽頭炎	20[redacted]	663	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ヘリコバクター感染	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	818	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	899	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	899	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	記憶障害	20[redacted]	899	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	硬膜下血腫	20[redacted]	159	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	心拍数減少	20[redacted]	173	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	心室性不整脈	20[redacted]	184	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	慢性心不全	20[redacted]	199	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	222	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	549	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	腸管腫瘤	20[redacted]	837	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	尿路感染	20[redacted]	838	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	高脂血症	20[redacted]	915	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	52	24	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	185	182	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]-[redacted]-[redacted]	216	.	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]-[redacted]-[redacted]	237	27	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]-[redacted]-[redacted]	356	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	限局性感染	20[redacted]-[redacted]-[redacted]	425	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	創傷	20[redacted]-[redacted]-[redacted]	425	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]-[redacted]-[redacted]	452	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]-[redacted]-[redacted]	460	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]-[redacted]-[redacted]	460	4	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]-[redacted]-[redacted]	465	6	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]-[redacted]-[redacted]	542	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]-[redacted]-[redacted]	567	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性左室不全	20[redacted]-[redacted]-[redacted]	673	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	類上皮性中皮腫	20[redacted]-[redacted]-[redacted]	706	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]-[redacted]-[redacted]	870	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	死亡	20[redacted]-[redacted]-[redacted]	899	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨痛	20[redacted]-[redacted]-[redacted]	156	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	体重減少	20[redacted]-[redacted]-[redacted]	182	185	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	血尿	20[redacted]-[redacted]-[redacted]	302	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚腫瘤	20[redacted]-[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腸憩室	20[redacted]-[redacted]-[redacted]	580	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	Ｈ１Ｎ１インフルエンザ	20[redacted]	580	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	痔核	20[redacted]	580	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	蛋白尿	20[redacted]	580	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肝臓血管腫	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	下気道感染	20[redacted]	629	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	体重減少	20[redacted]	738	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢冷感	20[redacted]	771	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	737	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	188	184	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	206	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	顔面腫脹	20[redacted]	206	3	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	.	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	耳鳴	20[redacted]	720	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂質異常症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ボディ・マス・インデックス増加	20[redacted]	728	192	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不整脈	20[redacted]	733	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	742	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	70	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	虹彩炎	20[redacted]	336	87	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	754	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	819	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	2	15	N	Grade 3	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	関節腫脹	20[redacted]	131	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	単クローン性免疫グロブリン血症	20[redacted]	.	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	頭痛	20[redacted]	394	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	頭痛	20[redacted]	396	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	高血圧	20[redacted]	660	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腓骨骨折	20[redacted]	62	.	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脛骨骨折	20[redacted]	62	.	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	咽頭炎	20[redacted]	243	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	手根管症候群	20[redacted]	599	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	体温上昇	20[redacted]	783	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	783	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	832	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	852	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	467	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	784	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腹腔内出血	20[redacted]	785	1	Y	Grade 3	RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	OTHER	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	29	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	振戦	20[redacted]	53	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管障害	20[redacted]	112	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性鼻炎	20[redacted]	145	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道の炎症	20[redacted]	446	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	729	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺の悪性新生物	20[redacted]	785	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	809	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨折		.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	2	8	N	Grade 3	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	発疹	20[redacted]	2	8	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節炎	20[redacted]	219	67	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	口唇炎	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚障害	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	湿疹	20[redacted]	496	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	547	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	547	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	596	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化管感染	20[redacted]	596	2	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板変性症	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節腫脹	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	顔面腫脹	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肛門そう痒症	20[redacted]	26	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	外骨腫	20[redacted]	264	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	帯状疱疹	20[redacted]	359	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	冠動脈疾患	20[redacted]	412	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	446	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	492	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	体重減少	20[redacted]	555	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	729	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	心タンポナーデ	20[redacted]	.	23	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	.	31	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	完全房室ブロック	20[redacted]	329	10	Y	Grade 4	RELATED	RESOLVED		HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	循環虚脱	20[redacted]	335	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	貧血	20[redacted]	338	5	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	347	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	肺炎	20[redacted]	348	5	Y	Grade 5	RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	N		RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	頻脈	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	胆石症	20[redacted]	144	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	無力症	20[redacted]	595	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	脊椎痛	20[redacted]	595	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	末梢腫脹	20[redacted]	629	113	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	筋痙縮	20[redacted]	690	82	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	高脂血症	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	下腹部痛	20[redacted]	.	640	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	上腹部痛	20[redacted]	.	640	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	55	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	胃障害	20[redacted]	208	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	胃十二指腸潰瘍	20[redacted]	208	.	N	Grade 2	RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	胃腸管瘻	20[redacted]	208	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	２型糖尿病	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	上気道感染	20[redacted]	369	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	下痢	20[redacted]	.	305	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	嘔吐	20[redacted]	.	305	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	腸憩室	20[redacted]	416	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	体重減少	20[redacted]	.	274	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	脊椎痛	20[redacted]	522	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	白内障	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	高カリウム血症	20[redacted]	584	8	Y	Grade 2	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	584	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	正色素性正球性貧血	20[redacted]	584	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	腎嚢胞	20[redacted]	584	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	尿路感染	20[redacted]	586	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	そう痒症	20[redacted]	587	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	発疹	20[redacted]	587	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	背部痛	20[redacted]	711	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	体重減少	20[redacted]	723	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	176	434	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	176	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	事故	20[redacted]	399	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	擦過傷	20[redacted]	399	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	裂傷	20[redacted]	399	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳癌	20[redacted]	823	8	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	916	188	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白血球減少症	20[redacted]	916	188	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	術後膿瘍	20[redacted]	1113	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	178	19	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼓腸	20[redacted]	.	805	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	681	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	726	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	882	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼓腸	20[redacted]	987	.	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	1051	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1051	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性呼吸不全	20[redacted]	1051	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	1051	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	1051	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	静脈瘤	20[redacted]	1051	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	副腎新生物	20[redacted]	1061	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	斜視	20[redacted]	1096	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	1225	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	418	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	456	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	骨腫	20[redacted]	610	.	N	Grade 3	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	888	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳血管障害	20[redacted]	1340	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	1340	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	1340	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	90	6	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	肺の悪性新生物	20[redacted]	118	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	60	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	60	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	浮動性めまい	20[redacted]	161	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	288	15	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脱毛症	20[redacted]	319	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	坐骨神経痛	20[redacted]	388	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	960	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	960	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	処置による疼痛	20[redacted]	964	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	胃障害	20[redacted]	4	6	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	慢性心不全	20[redacted]	72	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	脳血管障害	20[redacted]	72	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	アルツハイマー型認知症	20[redacted]	72	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	72	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	72	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	腎嚢胞	20[redacted]	72	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	無酸素性発作	20[redacted]	72	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	72	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	血行不全	20[redacted]	72	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	薬物不耐性	20[redacted]	2	1	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	薬物不耐性	20[redacted]	9	1	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	咽頭炎	20[redacted]	25	7	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	薬物不耐性	20[redacted]	32	1	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	上腹部痛	20[redacted]	35	.	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	靭帯捻挫	20[redacted]	546	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	四肢痛	20[redacted]	567	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	低カリウム血症	20[redacted]	685	119	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	意識消失	20[redacted]	685	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	嘔吐	20[redacted]	740	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	高尿酸血症	20[redacted]	803	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	尿路感染	20[redacted]	803	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	肝嚢胞	20[redacted]	806	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大腸炎	20[redacted]	868	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃炎	20[redacted]	868	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	大腸潰瘍	20[redacted]	868	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	尿路感染	20[redacted]	868	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	ヘリコバクター感染	20[redacted]	873	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	腸憩室	20[redacted]	875	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	痔核	20[redacted]	875	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	頭痛	20[redacted]	1049	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	高血圧	20[redacted]	1049	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	死亡	20[redacted]	646	1	Y	Grade 5	RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	29	8	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	90	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	創傷	20[redacted]	90	179	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	213	8	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	543	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	543	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪性新生物	20[redacted]	543	14	Y	Grade 5	RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	22	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	そう痒症	20[redacted]	50	60	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	爪破損	20[redacted]	129	212	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	440	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	嚥下障害	20[redacted]	855	64	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	有害事象	20[redacted]	918	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性虚血	20[redacted]	299	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	612	91	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	612	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	620	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	246	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	耐糖能障害	20[redacted]	264	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上室性期外収縮	20[redacted]	264	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	264	63	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	271	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	823	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	側弯症	20[redacted]	823	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	829	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	24	16	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	筋痙縮	20[redacted]	79	34	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	脱毛症	20[redacted]	133	335	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	下痢	20[redacted]	268	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	下部消化管出血	20[redacted]	281	187	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	子宮頚部癌第４期	20[redacted]	336	132	Y	Grade 5	RELATED	FATAL	DOSE ALTERED OR WITHHELD	MULTIPLE	Y
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	腸憩室	20[redacted]	358	110	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	上室性期外収縮	20[redacted]	358	110	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	胆石症	20[redacted]	359	109	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板変性症	20[redacted]	321	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	外傷後てんかん	20[redacted]	565	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	帯状疱疹	20[redacted]	821	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	368	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	368	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性虚血	20[redacted]	368	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	58	7	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	58	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	炭水化物不耐症	20[redacted]	254	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸潰瘍	20[redacted]	254	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	254	11	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸狭窄	20[redacted]	254	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈硬化症	20[redacted]	257	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	子宮平滑筋腫	20[redacted]	257	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	せつ	20[redacted]	544	189	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性虚血	20[redacted]	694	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	譫妄	20[redacted]	699	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	心停止	20[redacted]	630	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪性黒色腫	20[redacted]	511	392	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	553	350	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	.	217	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心停止	20[redacted]	902	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	急性胆嚢炎	20[redacted]	237	6	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	897	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	心不全	20[redacted]	226	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	171	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	空腹時血中ブドウ糖不良	20[redacted]	179	84	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	関節痛	20[redacted]	240	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	関節痛	20[redacted]	240	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	背部痛	20[redacted]	347	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	冠動脈疾患	20[redacted]	347	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	胃腸の炎症	20[redacted]	347	5	Y	Grade 3	RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW		6[redacted]	F	WHITE	高血圧	20[redacted]	347	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	循環虚脱	20[redacted]	11	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	150	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	副腎障害	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈弁閉鎖不全症	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	156	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	156	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	156	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肥大型心筋症	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	156	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺動脈弁閉鎖不全症	20[redacted]	156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	156	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	518	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	52	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	463	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	533	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	90	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性膵炎	20[redacted]	99	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	108	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	108	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	175	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	328	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	688	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	956	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	1017	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	1079	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1084	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	1139	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	1205	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	外骨腫	20[redacted]	1266	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	1450	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	476	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	939	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	987	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	1055	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	42	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	525	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	647	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	697	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	960	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	1053	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	1088	119	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高コレステロール血症	20[redacted]	1092	115	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	1206	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	759	83	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	872	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	993	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	1085	138	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	1222	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	175	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	540	145	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	595	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	684	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	108	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	550	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	手骨折	20[redacted]	796	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	909	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	536	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	550	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無力症	20[redacted]	567	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	583	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	183	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	217	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	334	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	509	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	544	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	717	225	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	900	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	946	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	474	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	発疹	20[redacted]	638	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	673	41	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	死亡	20[redacted]	856	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	18	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	95	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	284	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	534	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	710	179	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	751	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	780	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	19	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腹部痛	20[redacted]	74	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頚部痛	20[redacted]	100	80	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	210	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	足骨折	20[redacted]	249	.	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	急性膵炎	20[redacted]	352	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	523	130	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胆管炎	20[redacted]	528	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	601	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	ALN 70 MG PO QW		8[redacted]	F	WHITE	死亡	20[redacted]	221	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	期外収縮	20[redacted]	71	55	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	記憶障害	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下気道感染	20[redacted]	177	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	194	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈硬化症	20[redacted]	197	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸部X線異常	20[redacted]	197	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚病変	20[redacted]	199	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	湿性咳嗽	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	アルツハイマー型認知症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	1051	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無力症	20[redacted]	.	.	Y	Grade 3	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性心不全	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋虚血	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	.	30	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	1245	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨盤内臓器損傷	20[redacted]	1245	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊柱損傷	20[redacted]	1245	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低アルブミン血症	20[redacted]	1253	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カルシウム血症	20[redacted]	1253	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節腫脹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈瘤	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈弁閉鎖不全症	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈硬化症	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性心不全	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋症	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性腎臓病	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腸憩室	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃炎	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	正色素性正球性貧血	20[redacted]	176	190	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	176	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	176	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うつ病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安定高血圧	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	35	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安定高血圧	20[redacted]	.	47	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性脊椎症	20[redacted]	220	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	後天性混合型高脂血症	20[redacted]	221	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈拡張	20[redacted]	224	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺の良性新生物	20[redacted]	224	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	224	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	正色素性正球性貧血	20[redacted]	280	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼出血	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	労作性呼吸困難	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	61	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	倦怠感	20[redacted]	.	317	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	141	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心筋虚血	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	倦怠感	20[redacted]	403	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	特発性肺線維症	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性胃炎	20[redacted]	769	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	769	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	769	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺新生物	20[redacted]	769	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	769	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	骨病変	20[redacted]	8	860	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢損傷	20[redacted]	8	860	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	8	860	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	8	860	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	8	860	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	8	860	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	52	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尺骨骨折	20[redacted]	52	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白血球増加症	20[redacted]	69	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	好中球増加症	20[redacted]	69	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	355	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	454	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	足骨折	20[redacted]	591	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	不全対麻痺	20[redacted]	.	147	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	727	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎嚢胞	20[redacted]	749	119	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	33	88	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	127	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	150	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	滑液嚢腫	20[redacted]	150	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸ポリープ	20[redacted]	175	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	循環虚脱	20[redacted]	428	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	高血圧	20[redacted]	217	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW		7[redacted]	F	WHITE	心肺不全	20[redacted]	226	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性下痢	20[redacted]	34	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無力症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	アレルギー性皮膚炎	20[redacted]	184	.	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	節足動物咬傷	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	322	13	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	.	63	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	子宮腟脱	20[redacted]	.	66	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動悸	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	742	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高マグネシウム血症	20[redacted]	742	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎痛	20[redacted]	835	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	回転性めまい	20[redacted]	860	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	発疹	20[redacted]	1068	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸球菌性尿路感染	20[redacted]	39	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	204	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	279	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	427	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	427	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動脈硬化症	20[redacted]	431	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	431	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	431	76	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	431	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	431	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	431	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	431	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	712	22	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	1076	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	突然死	20[redacted]	.	.	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	多汗症	20[redacted]	21	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	嘔吐	20[redacted]	56	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	嘔吐	20[redacted]	59	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	80	180	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性腎障害	20[redacted]	92	9	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能亢進症	20[redacted]	122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	薬物不耐性	20[redacted]	132	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高カリウム血症	20[redacted]	148	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	418	20	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	418	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	左脚ブロック	20[redacted]	418	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	418	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高尿酸血症	20[redacted]	418	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	418	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	493	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	493	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	493	14	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	521	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	1	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	4	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	4	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	276	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	334	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	手骨折	20[redacted]	718	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	763	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上室性不整脈	20[redacted]	864	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	過量投与	20[redacted]	865	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈拡張	20[redacted]	869	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	869	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心臓弁閉鎖不全	20[redacted]	869	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	869	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	静脈瘤	20[redacted]	869	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	84	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	不安障害	20[redacted]	106	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	259	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	282	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	パーキンソン病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	単径ヘルニア	20[redacted]	.	216	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	134	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	190	65	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	216	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	736	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	55	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	115	2	Y	Grade 1	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	117	22	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	139	76	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	耐糖能障害	20[redacted]	144	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺障害	20[redacted]	241	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	355	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	多汗症	20[redacted]	409	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	.	72	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	454	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	504	48	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	610	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	654	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化管感染	20[redacted]	732	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	異常体重減少	20[redacted]	760	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	799	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	104	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	104	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	106	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	106	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	111	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	111	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	118	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	118	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脊椎痛	20[redacted]	184	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上室性不整脈	20[redacted]	208	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	330	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血管腫	20[redacted]	397	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	691	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胆石症	20[redacted]	757	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	36	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腕骨骨折	20[redacted]	41	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	コントロール不良の血圧	20[redacted]	126	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	173	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	181	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	半月板損傷	20[redacted]	280	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	317	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	半月板損傷	20[redacted]	373	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	排尿困難	20[redacted]	419	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	網膜出血	20[redacted]	545	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	667	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	6	730	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺水腫	20[redacted]	6	8	Y	Grade 4	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	意識消失	20[redacted]	31	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	意識消失	20[redacted]	71	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	713	22	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	735	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	30	15	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	58	15	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	86	7	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎痛	20[redacted]	121	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	318	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	狭心症	20[redacted]	376	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	534	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感覚鈍麻	20[redacted]	21	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	707	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	コントロール不良の血圧	20[redacted]	707	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	737	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高脂血症	20[redacted]	737	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	POLAND	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	740	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	310	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上腹部痛	20[redacted]	900	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳新生物	20[redacted]	923	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	全身性強直性間代性発作	20[redacted]	923	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不全片麻痺	20[redacted]	923	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸菌性尿路感染	20[redacted]	.	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	1175	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋症	20[redacted]	70	926	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	.	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	992	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性心不全	20[redacted]	27	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	27	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	917	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	回転性めまい	20[redacted]	74	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	先天性嚢胞性腎疾患	20[redacted]	81	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	81	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	蜂巣炎	20[redacted]	180	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腕骨骨折	20[redacted]	679	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	異常行動	20[redacted]	921	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	ROMANIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	921	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	狭心症	20[redacted]	91	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	ROMANIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管気管支炎	20[redacted]	313	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	十二指腸潰瘍	20[redacted]	175	21	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	びらん性食道炎	20[redacted]	218	5	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上室性期外収縮	20[redacted]	159	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW		7[redacted]	F	WHITE	気管支炎	20[redacted]	327	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	進行性脳卒中	20[redacted]	35	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	43	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃ポリープ	20[redacted]	46	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃潰瘍	20[redacted]	284	13	Y	Grade 3	RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胃潰瘍	20[redacted]	298	20	Y	Grade 3	RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	186	.	N	Grade 1			DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈瘤	20[redacted]	247	444	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性胆嚢炎	20[redacted]	247	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肝嚢胞	20[redacted]	247	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性膵炎	20[redacted]	247	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	血腫	20[redacted]	399	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	狭心症	20[redacted]	703	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性心不全	20[redacted]	703	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃炎	20[redacted]	1319	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃潰瘍	20[redacted]	1351	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	447	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸憩室	20[redacted]	997	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	203	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	913	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈硬化症	20[redacted]	913	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管障害	20[redacted]	913	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性胆嚢炎	20[redacted]	913	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	痔核	20[redacted]	913	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋線維症	20[redacted]	913	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎盂腎炎	20[redacted]	913	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	913	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻炎	20[redacted]	920	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	乳癌	20[redacted]	456	22	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	出血性卒中	20[redacted]	97	18	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	98	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	狭心症	20[redacted]	98	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性腎盂腎炎	20[redacted]	98	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気道感染	20[redacted]	275	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	背部痛	20[redacted]	55	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	末梢動脈閉塞	20[redacted]	625	32	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	冠動脈硬化症	20[redacted]	626	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	慢性心不全	20[redacted]	626	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	慢性胆嚢炎	20[redacted]	626	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	慢性胃炎	20[redacted]	626	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	626	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	9[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	626	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	40	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	187	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	282	1028	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板突出	20[redacted]	497	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節可動域低下	20[redacted]	1304	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	治癒不良	20[redacted]	1369	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	抜歯	20[redacted]	1369	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	排尿困難	20[redacted]	29	413	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	309	23	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管発作	20[redacted]	437	5	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	73	29	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	102	730	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	102	730	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳症	20[redacted]	102	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	102	730	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	102	730	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	102	730	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁逸脱	20[redacted]	102	730	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	前庭性運動失調	20[redacted]	102	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	120	712	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	120	712	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	120	712	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	197	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	無力症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心拍数不整	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	253	579	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	近視	20[redacted]	253	579	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	347	485	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	静脈瘤	20[redacted]	347	485	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺腫	20[redacted]	350	482	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎盂腎炎	20[redacted]	350	482	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎嚢胞	20[redacted]	350	482	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	663	169	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸痛	20[redacted]	663	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脂質異常症	20[redacted]	663	169	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	左室肥大	20[redacted]	663	169	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨端症	20[redacted]	663	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	676	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	796	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	829	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	左室不全	20[redacted]	831	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢損傷	20[redacted]	827	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管障害	20[redacted]	837	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	837	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	血管性脳症	20[redacted]	837	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板突出	20[redacted]	38	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊柱管狭窄症	20[redacted]	38	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	38	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	坐骨神経痛	20[redacted]	47	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脂質異常症	20[redacted]	48	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢損傷	20[redacted]	247	32	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	697	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	滑膜炎	20[redacted]	697	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺腫	20[redacted]	149	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大動脈硬化症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	冠動脈硬化症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	自己免疫性甲状腺炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	静脈瘤	20[redacted]	.	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢静脈血栓症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔嚢胞	20[redacted]	728	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副腎新生物	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎新生物	20[redacted]	.	76	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性心不全	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コレステロール血症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	血栓後症候群	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	自律神経失調	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	126	28	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	子宮平滑筋腫	20[redacted]	126	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚部痛	20[redacted]	.	459	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	668	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	668	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	727	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	907	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳虚血	20[redacted]	953	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚腕症候群	20[redacted]	953	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	953	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢静脈疾患	20[redacted]	953	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	静脈瘤	20[redacted]	953	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	526	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性心不全	20[redacted]	636	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管障害	20[redacted]	636	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性胃炎	20[redacted]	636	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腸粘膜障害	20[redacted]	636	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	動脈不全	20[redacted]	706	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	706	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	基底細胞癌	20[redacted]	814	27	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	基底細胞癌	20[redacted]	916	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	106	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	120	368	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸障害	20[redacted]	127	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	錯感覚	20[redacted]	135	353	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	聴力低下	20[redacted]	148	340	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管障害	20[redacted]	162	326	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱炎	20[redacted]	162	18	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	パーキンソニズム	20[redacted]	162	326	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎盂腎炎	20[redacted]	162	326	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎骨脳底動脈不全	20[redacted]	162	326	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	前庭障害	20[redacted]	162	326	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性気道感染	20[redacted]	180	13	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	214	274	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	自己免疫性甲状腺炎	20[redacted]	246	242	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋力低下	20[redacted]	257	231	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸障害	20[redacted]	302	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	331	157	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳血管発作	20[redacted]	427	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳血管障害	20[redacted]	162	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性胆嚢炎	20[redacted]	162	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	162	.	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	Ｂ型肝炎	20[redacted]	162	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	162	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺線維症	20[redacted]	162	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	２型糖尿病	20[redacted]	162	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿閉	20[redacted]	181	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎盂腎炎	20[redacted]	186	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈石灰化	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	僧帽弁閉鎖不全症	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎硬化症	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性膵炎	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	三尖弁閉鎖不全症	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	開放隅角緑内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎盂腎炎	20[redacted]	239	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎盂腎炎	20[redacted]	706	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	137	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	糖尿病	20[redacted]	158	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	外陰部腟炎	20[redacted]	191	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	618	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安定狭心症	20[redacted]	168	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	低体温	20[redacted]	701	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	711	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢動脈閉塞性疾患	20[redacted]	745	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気道感染	20[redacted]	203	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	284	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気道感染	20[redacted]	363	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	血小板減少症	20[redacted]	373	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	546	40	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	パーキンソニズム	20[redacted]	569	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血糖	20[redacted]	186	553	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	989	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	989	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	1077	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	死亡	20[redacted]	959	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	177	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節腫脹	20[redacted]	177	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	213	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上腕骨骨折	20[redacted]	241	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	241	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚真菌感染	20[redacted]	39	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	116	614	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腓骨骨折	20[redacted]	175	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気道感染	20[redacted]	342	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	352	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	インフルエンザ	20[redacted]	727	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	OTHER	Y
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管気管支炎	20[redacted]	42	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性膵炎	20[redacted]	114	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	169	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肋骨骨折	20[redacted]	169	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膵炎	20[redacted]	618	11	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	914	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化不良	20[redacted]	922	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性膵炎	20[redacted]	937	12	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	臍ヘルニア修復	20[redacted]	1003	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血圧上昇	20[redacted]	744	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	892	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	892	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢動脈血栓症	20[redacted]	911	11	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	RUSSIAN FEDERATION	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	虚血性脳卒中	20[redacted]	467	20	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	48	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	咽頭炎	20[redacted]	182	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	656	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	656	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	処置による疼痛	20[redacted]	656	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	回転性めまい	20[redacted]	659	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	心嚢液貯留	20[redacted]	29	.	Y	Grade 2	NOT RELATED	UNKNOWN	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	胸水	20[redacted]	29	.	Y	Grade 2	NOT RELATED	UNKNOWN	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	食欲減退	20[redacted]	97	560	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	回転性めまい	20[redacted]	305	352	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節腫脹	20[redacted]	333	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	511	40	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	651	7	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SLOVAKIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脳虚血	20[redacted]	838	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	脊柱後弯症	20[redacted]	183	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	脊椎痛	20[redacted]	183	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	頚動脈硬化症	20[redacted]	281	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SLOVAKIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	5[redacted]	F	WHITE	嚥下障害	20[redacted]	658	12	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	帯状疱疹	20[redacted]	258	99	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚感染	20[redacted]	443	70	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	表在性血栓性静脈炎	20[redacted]	691	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	橈骨骨折	20[redacted]	770	.	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腸炎	20[redacted]	889	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脂肪腫	20[redacted]	1163	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚新生物切除	20[redacted]	1163	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚新生物切除	20[redacted]	1163	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	1167	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	軟部組織損傷	20[redacted]	26	79	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	緊張性膀胱	20[redacted]	110	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	169	.	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腓骨骨折	20[redacted]	169	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脛骨骨折	20[redacted]	169	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	170	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	387	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔炎	20[redacted]	436	12	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	634	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	663	430	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	812	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	軟部組織損傷	20[redacted]	1198	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	1202	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膝蓋骨骨折	20[redacted]	1225	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性上気道感染	20[redacted]	28	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	71	24	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	動悸	20[redacted]	71	24	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	279	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性心不全	20[redacted]	136	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	閉塞性気道障害	20[redacted]	137	300	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	140	297	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	158	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈瘤破裂	20[redacted]	358	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大動脈瘤	20[redacted]	360	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	交通事故	20[redacted]	436	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	25	101	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚炎	20[redacted]	27	36	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	61	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	117	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	331	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	532	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	537	602	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	559	580	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	711	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	714	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	832	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	871	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	888	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	985	108	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	1178	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脳動脈硬化症	20[redacted]	862	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	冠動脈疾患	20[redacted]	250	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	手根管症候群	20[redacted]	212	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	パーキンソン病	20[redacted]	212	3	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	473	381	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	31	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	31	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	167	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	190	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺気腫	20[redacted]	195	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	200	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	舌苔	20[redacted]	14	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	32	68	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	32	68	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	36	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	65	11	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神寸前の状態	20[redacted]	152	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	213	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	269	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	289	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	蕁麻疹	20[redacted]	3	441	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚炎	20[redacted]	29	10	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	547	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	547	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	805	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈狭窄	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	19	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下痢	20[redacted]	22	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	しゃっくり	20[redacted]	48	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腱炎	20[redacted]	48	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	上気道感染	20[redacted]	78	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	79	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	裂傷	20[redacted]	113	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋損傷	20[redacted]	118	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下痢	20[redacted]	120	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	しゃっくり	20[redacted]	121	8	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	不安	20[redacted]	128	118	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	食道炎	20[redacted]	189	26	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭位性回転性めまい	20[redacted]	201	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	220	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	薬物過敏症	20[redacted]	221	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	薬物過敏症	20[redacted]	221	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	頭位性回転性めまい	20[redacted]	221	57	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	263	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	281	60	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	300	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腱炎	20[redacted]	307	75	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	排尿困難	20[redacted]	325	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腱炎	20[redacted]	349	8	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	痔核	20[redacted]	444	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	転倒	20[redacted]	445	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	そう痒症	20[redacted]	447	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	健忘	20[redacted]	505	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	無力症	20[redacted]	505	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下痢	20[redacted]	539	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	房室ブロック	20[redacted]	540	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	徐脈	20[redacted]	540	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	気胸	20[redacted]	567	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	心房細動	20[redacted]	575	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	687	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脱水	20[redacted]	687	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃食道逆流性疾患	20[redacted]	700	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	パーキンソン病	20[redacted]	700	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	結膜出血	20[redacted]	735	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	気管支炎	20[redacted]	793	96	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	肺炎	20[redacted]	884	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	裂傷	20[redacted]	1020	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	くも膜下出血	20[redacted]	1021	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	気管支炎	20[redacted]	1023	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	1260	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	筋痙縮	20[redacted]	28	136	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	四肢痛	20[redacted]	59	44	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	過敏性腸症候群	20[redacted]	108	401	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸炎	20[redacted]	145	4	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	上腹部痛	20[redacted]	178	3	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	食道炎	20[redacted]	179	50	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	失神	20[redacted]	179	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	筋痙縮	20[redacted]	180	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	低血圧	20[redacted]	182	118	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	185	125	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	失神	20[redacted]	210	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	悪夢	20[redacted]	231	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	失神	20[redacted]	257	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	嘔吐	20[redacted]	257	2	N	Grade 3	RELATED		DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	263	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	295	214	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	末梢性ニューロパチー	20[redacted]	314	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	消化不良	20[redacted]	319	238	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	339	70	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	嘔吐	20[redacted]	339	70	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胸部損傷	20[redacted]	364	23	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	胃腸炎	20[redacted]	366	27	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	脱水	20[redacted]	388	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	骨折	20[redacted]	406	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	嘔吐	20[redacted]	431	78	N	Grade 3	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	裂傷	20[redacted]	456	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	失神	20[redacted]	456	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	467	42	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	短腸症候群	20[redacted]	509	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	過量投与	20[redacted]	2	35	Y	Grade 3		RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	27	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	29	38	N	Grade 2			DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	44	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	50	164	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	101	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	過敏性腸症候群	20[redacted]	112	166	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	坐骨神経痛	20[redacted]	139	54	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	体重増加	20[redacted]	183	95	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不安	20[redacted]	256	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	325	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	靭帯捻挫	20[redacted]	325	116	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	425	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	認知障害	20[redacted]	954	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	25	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	36	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	56	85	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	63	133	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	痔核	20[redacted]	78	123	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腟潰瘍	20[redacted]	98	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	接触皮膚炎	20[redacted]	110	324	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	129	42	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	179	158	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	205	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性ニューロパチー	20[redacted]	208	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	爪囲炎	20[redacted]	216	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	274	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	痔出血	20[redacted]	276	158	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	289	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	322	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	387	150	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	416	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	帯状疱疹	20[redacted]	452	31	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ヘルペス後神経痛	20[redacted]	483	204	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	神経根圧迫	20[redacted]	499	524	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性結膜炎	20[redacted]	527	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯肉膿瘍	20[redacted]	782	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	783	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	嘔吐	20[redacted]	783	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸水	20[redacted]	939	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	939	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺の悪性新生物	20[redacted]	1053	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性脊椎症	20[redacted]	70	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	過量投与	20[redacted]	96	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位そう痒感	20[redacted]	154	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位そう痒感	20[redacted]	181	2	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	上気道感染	20[redacted]	243	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	結膜炎	20[redacted]	418	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	418	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	548	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	子宮脱	20[redacted]	673	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚嚢腫	20[redacted]	15	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚乳頭腫	20[redacted]	15	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂傷	20[redacted]	44	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	62	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	62	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	62	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神寸前の状態	20[redacted]	144	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位蕁麻疹	20[redacted]	148	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位発疹	20[redacted]	183	2	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	228	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	228	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位発疹	20[redacted]	248	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	277	67	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位発疹	20[redacted]	307	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位発疹	20[redacted]	337	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血腫	20[redacted]	350	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腱損傷	20[redacted]	350	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃炎	20[redacted]	358	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	REMOVED FROM STUDY	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	386	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	679	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	680	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨喪失	20[redacted]	1114	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	37	212	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	42	44	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃腸炎	20[redacted]	71	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性腎障害	20[redacted]	74	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	85	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性ニューロパチー	20[redacted]	96	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性ニューロパチー	20[redacted]	96	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	凍瘡	20[redacted]	138	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	141	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢血管障害	20[redacted]	153	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢血管障害	20[redacted]	276	166	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	302	9	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腹痛	20[redacted]	363	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	リウマチ性多発筋痛	20[redacted]	363	166	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性疾患の貧血	20[redacted]	366	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	食道炎	20[redacted]	378	8	N	Grade 3	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口内炎	20[redacted]	395	47	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	食道炎	20[redacted]	420	22	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑変性	20[redacted]	428	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腸閉塞	20[redacted]	441	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	453	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	528	56	N	Grade 3	NOT RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	528	153	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	短腸症候群	20[redacted]	528	153	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	体重減少	20[redacted]	528	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃閉塞	20[redacted]	589	92	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化性潰瘍	20[redacted]	610	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	1100	3	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	.	845	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	60	76	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	77	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	101	126	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	130	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	175	713	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	221	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腸音異常	20[redacted]	224	184	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	225	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	健忘	20[redacted]	257	631	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気管支炎	20[redacted]	285	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低血圧	20[redacted]	547	341	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格系胸痛	20[redacted]	688	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	714	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うっ血性心不全	20[redacted]	809	79	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	10	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	歯周炎	20[redacted]	29	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋痙縮	20[redacted]	135	20	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋痙縮	20[redacted]	135	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	錯感覚	20[redacted]	151	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	錯感覚	20[redacted]	152	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚炎	20[redacted]	154	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚炎	20[redacted]	154	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	154	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	158	131	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	197	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	232	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	本態性振戦	20[redacted]	294	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	331	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	339	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	局所腫脹	20[redacted]	355	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	うつ病	20[redacted]	420	275	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	458	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下気道感染	20[redacted]	727	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	本態性振戦	20[redacted]	760	14	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	うつ病	20[redacted]	871	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	胸部不快感	20[redacted]	2	50	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	動悸	20[redacted]	2	50	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	疲労	20[redacted]	6	149	N	Grade 2	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	6	.	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	6	.	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	6	117	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	6	117	N	Grade 2	RELATED		DRUG WITHDRAWN	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	下気道感染	20[redacted]	21	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	視力低下	20[redacted]	27	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	下気道感染	20[redacted]	43	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	背部痛	20[redacted]	73	81	N	Grade 2	RELATED		DRUG WITHDRAWN	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	下気道感染	20[redacted]	77	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	悪心	20[redacted]	88	36	N	Grade 3	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位内出血	20[redacted]	122	2	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位蕁麻疹	20[redacted]	122	2	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位内出血	20[redacted]	123	18	N	Grade 2	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	背部痛	20[redacted]	154	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	216	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	歯感染	20[redacted]	318	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	尿路感染	20[redacted]	341	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	345	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	気管支炎	20[redacted]	397	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	気管支炎	20[redacted]	422	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	挫傷	20[redacted]	542	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	不安定狭心症	20[redacted]	679	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	肺炎	20[redacted]	694	44	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	胃腸炎	20[redacted]	741	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	関節痛	20[redacted]	798	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	798	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	変形性関節症	20[redacted]	858	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神寸前の状態	20[redacted]	23	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭位性回転性めまい	20[redacted]	330	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	パニック発作	20[redacted]	453	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	590	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	消化不良	20[redacted]	712	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚動脈狭窄	20[redacted]	1217	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	1258	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	軟部組織損傷	20[redacted]	9	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	光視症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位疼痛	20[redacted]	120	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神	20[redacted]	120	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	回転性めまい	20[redacted]	162	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低血圧	20[redacted]	176	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位内出血	20[redacted]	337	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	343	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	410	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血便排泄	20[redacted]	.	215	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	軟部組織損傷	20[redacted]	956	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	995	3	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	1013	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	痔出血	20[redacted]	1153	97	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	皮下組織膿瘍	20[redacted]	82	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	軟部組織損傷	20[redacted]	209	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	腹部ヘルニア	20[redacted]	251	62	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	創部分泌	20[redacted]	393	174	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	腹壁膿瘍	20[redacted]	531	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	腰髄神経根障害	20[redacted]	594	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	神経根圧迫	20[redacted]	594	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	脊椎すべり症	20[redacted]	594	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	創部分泌	20[redacted]	794	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下痢	20[redacted]	13	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	104	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	投与部位そう痒感	20[redacted]	125	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位蕁麻疹	20[redacted]	159	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心拍数増加	20[redacted]	160	302	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	168	294	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位蕁麻疹	20[redacted]	188	1	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	279	106	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	蕁麻疹	20[redacted]	307	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位そう痒感	20[redacted]	342	1	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	注射部位蕁麻疹	20[redacted]	342	2	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	咽頭扁平上皮癌	20[redacted]	767	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	16	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	16	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	37	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	動悸	20[redacted]	77	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	77	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	113	28	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	憩室炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	適応障害	20[redacted]	135	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節損傷	20[redacted]	168	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	206	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	喘息	20[redacted]	211	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	動物咬傷	20[redacted]	371	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	408	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	418	130	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	歯膿瘍	20[redacted]	437	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃腸炎	20[redacted]	542	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	548	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ	20[redacted]	669	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	123	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	268	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	551	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	612	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	悪心	20[redacted]	618	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	回転性めまい	20[redacted]	618	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	890	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	抑うつ症状	20[redacted]	897	378	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	Ｂ細胞性リンパ腫	20[redacted]	1088	187	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	ホジキン病	20[redacted]	.	122	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	1168	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	手骨折	20[redacted]	1174	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	恥骨骨折	20[redacted]	1174	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎感染	20[redacted]	.	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	.	62	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	1226	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	1233	42	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	褥瘡性潰瘍	20[redacted]	.	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	帯状疱疹	20[redacted]	.	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	.	1290	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢腫脹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	274	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	334	.	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尺骨骨折	20[redacted]	334	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	.	716	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	807	484	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎不全	20[redacted]	1277	15	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	敗血症性ショック	20[redacted]	1277	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	褥瘡性潰瘍	20[redacted]	1278	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	5	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	109	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	軟部組織損傷	20[redacted]	117	84	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	186	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔炎	20[redacted]	437	73	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	743	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔炎	20[redacted]	930	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	浸潤性乳癌	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心雑音	20[redacted]	1277	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	処置後敗血症	20[redacted]	1312	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮下血腫	20[redacted]	208	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	顔面骨骨折	20[redacted]	337	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	423	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心臓弁膜疾患	20[redacted]	423	48	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	116	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	記憶障害	20[redacted]	481	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	良性髄膜腫	20[redacted]	854	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	872	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	61	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	798	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	脳梗塞	20[redacted]	741	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	741	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	742	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺動脈性肺高血圧症	20[redacted]	742	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血管石灰化	20[redacted]	742	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低酸素症	20[redacted]	745	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	帯状疱疹	20[redacted]	66	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ヘルペス後神経痛	20[redacted]	84	167	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	ほてり	20[redacted]	342	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	342	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化性潰瘍	20[redacted]	658	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	897	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	1231	54	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻漏	20[redacted]	.	755	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	.	298	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性胆嚢炎	20[redacted]	.	63	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	.	145	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胆石症	20[redacted]	637	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腸炎	20[redacted]	758	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹部膿瘍	20[redacted]	769	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	褥瘡性潰瘍	20[redacted]	769	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	穿孔性消化性潰瘍	20[redacted]	769	11	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	214	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	食物アレルギー	20[redacted]	333	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	726	69	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	870	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高コレステロール血症	20[redacted]	1059	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	足変形	20[redacted]	.	110	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼓膜穿孔	20[redacted]	.	321	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	97	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	97	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	556	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	693	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸炎	20[redacted]	1040	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腸炎	20[redacted]	1042	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	嚥下障害	20[redacted]	1042	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	1053	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胸水	20[redacted]	1057	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鉄欠乏	20[redacted]	1316	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	単純ヘルペス	20[redacted]	3	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	66	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢腫脹	20[redacted]	93	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	接触皮膚炎	20[redacted]	137	182	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	食中毒	20[redacted]	558	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋痙縮	20[redacted]	626	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	歯牙損傷	20[redacted]	953	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	1204	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1214	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ほてり	20[redacted]	2	237	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	81	921	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	177	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	213	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	単純ヘルペス	20[redacted]	441	561	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ほてり	20[redacted]	.	519	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	回転性めまい	20[redacted]	.	519	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	511	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	629	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	アレルギー性結膜炎	20[redacted]	645	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚炎	20[redacted]	645	357	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	659	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	化学物質アレルギー	20[redacted]	740	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節痛	20[redacted]	827	175	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	突然死	20[redacted]	1001	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	292	.	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	292	.	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	便秘	20[redacted]	.	180	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	169	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	低血圧	20[redacted]	169	21	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	尿路感染	20[redacted]	171	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	1174	76	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	525	.	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	526	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	526	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	褥瘡性潰瘍	20[redacted]	528	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	529	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋症	20[redacted]	532	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格不快感	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	子宮脱	20[redacted]	10	88	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋骨格痛	20[redacted]	107	147	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ウイルス性胃腸炎	20[redacted]	207	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	284	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	702	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	憩室炎	20[redacted]	741	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	耳感染	20[redacted]	1078	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	挫傷	20[redacted]	76	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	肺炎	20[redacted]	897	39	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	肺サルコイドーシス	20[redacted]	1041	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	インフルエンザ	20[redacted]	421	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	インフルエンザ	20[redacted]	470	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	口腔咽頭痛	20[redacted]	547	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	無力症	20[redacted]	575	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚感染	20[redacted]	639	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	振戦	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	.	44	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	.	44	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	倦怠感	20[redacted]	763	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	774	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	897	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	倦怠感	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	失神	20[redacted]	180	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	352	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	軟部組織損傷	20[redacted]	449	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	脊椎圧迫骨折	20[redacted]	516	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	悪心	20[redacted]	576	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	嘔吐	20[redacted]	576	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	軟部組織損傷	20[redacted]	940	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	軟部組織損傷	20[redacted]	208	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	308	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	331	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	加齢黄斑変性	20[redacted]	510	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	黄斑円孔	20[redacted]	524	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	536	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	536	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	口腔カンジダ症	20[redacted]	734	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	849	39	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎嚢胞	20[redacted]	859	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	甲状腺腫瘤	20[redacted]	859	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	口腔内潰瘍形成	20[redacted]	887	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	口腔カンジダ症	20[redacted]	887	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	888	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	65	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	65	165	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	便秘	20[redacted]	66	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	悪心	20[redacted]	161	69	Y	Grade 3	RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	嘔吐	20[redacted]	161	69	Y	Grade 3	RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		7[redacted]	F	WHITE	脳血管発作	20[redacted]	226	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	239	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頻脈	20[redacted]	356	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	不安定狭心症	20[redacted]	478	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	疲労	20[redacted]	827	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	軟部組織損傷	20[redacted]	77	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	蜂巣炎	20[redacted]	223	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚潰瘍	20[redacted]	339	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	口腔内扁平上皮癌	20[redacted]	353	99	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭蓋内動脈瘤	20[redacted]	359	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	468	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸椎骨折	20[redacted]	.	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	603	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎骨折	20[redacted]	603	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂傷	20[redacted]	804	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性浮腫	20[redacted]	812	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	蜂巣炎	20[redacted]	86	30	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	深部静脈血栓症	20[redacted]	109	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	副鼻腔炎	20[redacted]	154	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	てんかん	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	405	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	黄斑変性	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	696	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織損傷	20[redacted]	793	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	48	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	89	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	下気道感染	20[redacted]	283	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	血便排泄	20[redacted]	297	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔炎	20[redacted]	456	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	553	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	狭心症	20[redacted]	.	252	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心臓弁膜疾患	20[redacted]	.	238	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	甲状腺の良性新生物	20[redacted]	614	219	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	614	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺高血圧症	20[redacted]	614	219	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血糖	20[redacted]	818	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	多臓器機能不全症候群	20[redacted]	819	14	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	褥瘡性潰瘍	20[redacted]	826	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	消化性潰瘍	20[redacted]	17	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃閉塞	20[redacted]	.	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	子宮脱	20[redacted]	31	198	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨折痛	20[redacted]	378	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	843	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	475	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻漏	20[redacted]	609	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	629	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	695	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	体重減少	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	802	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	62	670	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腎機能障害	20[redacted]	93	274	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	痛風	20[redacted]	457	275	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	食欲減退	20[redacted]	528	204	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	540	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	死亡	20[redacted]	731	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	1	128	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	直腸出血	20[redacted]	67	243	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	77	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	狭心症	20[redacted]	186	133	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	189	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	痛風	20[redacted]	199	639	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	210	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	側腹部痛	20[redacted]	217	243	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	264	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	338	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心筋虚血	20[redacted]	450	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	458	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	不整脈	20[redacted]	512	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	528	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	554	548	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腰髄神経根障害	20[redacted]	732	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	気管支炎	20[redacted]	754	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	897	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腹部不快感	20[redacted]	1046	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道うっ血	20[redacted]	1086	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腎機能障害	20[redacted]	97	87	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	183	365	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性冠動脈症候群	20[redacted]	227	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	228	80	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	疲労	20[redacted]	358	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈狭窄	20[redacted]	359	311	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心房細動	20[redacted]	359	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	359	1	N	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	UNKNOWN	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳血管発作	20[redacted]	659	11	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	661	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	47	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	肺扁平上皮癌	20[redacted]	114	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	食欲減退	20[redacted]	120	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	血栓性静脈炎	20[redacted]	177	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	便秘	20[redacted]	221	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	22	539	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	89	241	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃腸炎	20[redacted]	377	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱水	20[redacted]	427	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	死亡	20[redacted]	560	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心房細動	20[redacted]	193	5	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	193	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	乳房の良性新生物	20[redacted]	238	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	306	151	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	動悸	20[redacted]	420	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ストレス	20[redacted]	449	197	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格痛	20[redacted]	632	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	645	225	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	痛風	20[redacted]	791	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知障害	20[redacted]	125	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	152	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	270	103	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎機能障害	20[redacted]	341	210	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	449	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	454	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脱水	20[redacted]	960	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		8[redacted]	F	WHITE	消化不良	20[redacted]	1	189	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		8[redacted]	F	WHITE	悪心	20[redacted]	1	189	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		8[redacted]	F	WHITE	ウイルス性胃腸炎	20[redacted]	87	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		8[redacted]	F	WHITE	尿路感染	20[redacted]	133	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	ALN 70 MG PO QW		8[redacted]	F	WHITE	アレルギー性そう痒症	20[redacted]	252	83	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	176	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上気道感染	20[redacted]	208	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性胃腸炎	20[redacted]	218	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位疼痛	20[redacted]	335	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	336	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃腸炎	20[redacted]	440	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	神経内分泌腫瘍	20[redacted]	482	43	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	空腹時血中ブドウ糖不良	20[redacted]	552	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咳嗽	20[redacted]	49	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚病変	20[redacted]	87	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢腫脹	20[redacted]	151	698	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	185	637	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SOUTH AFRICA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	良性髄膜腫	20[redacted]	826	23	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	ASIAN	腓骨骨折	20[redacted]	434	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	下痢	20[redacted]	189	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	悪心	20[redacted]	189	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	嘔吐	20[redacted]	189	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	急性心筋梗塞	20[redacted]	196	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	203	70	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	深部静脈血栓症	20[redacted]	203	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	359	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	浮動性めまい	20[redacted]	438	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	547	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	記憶障害	20[redacted]	743	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃腸出血	20[redacted]	781	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脳出血	20[redacted]	537	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	消化不良	20[redacted]	65	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	筋骨格痛	20[redacted]	180	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	硬膜下出血	20[redacted]	200	33	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	白内障	20[redacted]	.	272	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	完全房室ブロック	20[redacted]	365	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	咳嗽	20[redacted]	372	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	四肢痛	20[redacted]	714	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	大腿骨骨折	20[redacted]	749	.	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	消化不良	20[redacted]	2	629	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	便秘	20[redacted]	3	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	インフルエンザ様疾患	20[redacted]	4	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肋骨骨折	20[redacted]	4	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	肋骨骨折	20[redacted]	4	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	季節性アレルギー	20[redacted]	4	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	胸骨骨折	20[redacted]	4	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	227	404	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	椎間板突出	20[redacted]	508	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	心不全	20[redacted]	630	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	足部白癬	20[redacted]	183	158	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	末梢性浮腫	20[redacted]	231	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	結膜浮腫	20[redacted]	281	426	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	心不全	20[redacted]	284	67	Y	Grade 4	NOT RELATED	UNKNOWN	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	代謝性脳症	20[redacted]	285	422	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	疼痛	20[redacted]	285	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	肺炎	20[redacted]	285	56	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	電解質失調	20[redacted]	286	421	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	高血圧	20[redacted]	286	55	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	胸水	20[redacted]	286	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	貧血	20[redacted]	291	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	尿路感染	20[redacted]	309	32	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	肝炎	20[redacted]	313	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW		6[redacted]	F	ASIAN	下痢	20[redacted]	315	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	脊柱管狭窄症	20[redacted]	81	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	便秘	20[redacted]	218	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	無力症	20[redacted]	710	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	大腿骨骨折	20[redacted]	710	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	貧血	20[redacted]	711	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	貧血	20[redacted]	712	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血小板減少症	20[redacted]	712	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	貧血	20[redacted]	713	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	譫妄	20[redacted]	713	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	発熱	20[redacted]	713	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血小板減少症	20[redacted]	714	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	貧血	20[redacted]	715	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	腟感染	20[redacted]	715	23	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	血小板減少症	20[redacted]	718	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胆嚢炎	20[redacted]	737	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	小結節	20[redacted]	738	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	尿路感染	20[redacted]	739	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	十二指腸潰瘍	20[redacted]	740	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	電解質失調	20[redacted]	740	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	胃潰瘍	20[redacted]	740	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	ASIAN	心不全	20[redacted]	743	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	深部静脈血栓症	20[redacted]	51	32	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	消化不良	20[redacted]	55	152	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	四肢痛	20[redacted]	55	152	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	尿路感染	20[redacted]	55	16	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	アスパラギン酸アミノトランスフェラーゼ増加	20[redacted]	56	12	N	Grade 3	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	貧血	20[redacted]	57	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	血管偽動脈瘤	20[redacted]	60	13	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	口腔咽頭痛	20[redacted]	70	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脱毛症	20[redacted]	94	210	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	KOREA, REPUBLIC OF	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	ASIAN	脊柱後弯症	20[redacted]	499	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨折痛	20[redacted]	64	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	925	90	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	カタル	20[redacted]	1213	63	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うっ血性心不全	20[redacted]	1222	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭蓋脳損傷	20[redacted]	1400	37	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	1400	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	神経系障害	20[redacted]	1402	16	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	椎間板偏位	20[redacted]	108	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	121	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	神経過敏	20[redacted]	122	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	睡眠障害	20[redacted]	205	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚部痛	20[redacted]	.	787	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咬傷感染	20[redacted]	328	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	584	211	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	584	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	歯膿瘍	20[redacted]	819	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚嚢腫	20[redacted]	912	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	軟部組織障害	20[redacted]	1004	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	173	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	280	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	898	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	78	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	163	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	変形性関節症	20[redacted]	163	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	166	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	顔面損傷	20[redacted]	251	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腱断裂	20[redacted]	295	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	光線角化症	20[redacted]	444	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	459	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸部損傷	20[redacted]	661	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	急性肺水腫	20[redacted]	663	7	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	736	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	正色素性正球性貧血	20[redacted]	843	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	883	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	高尿酸血症	20[redacted]	883	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	光線角化症	20[redacted]	899	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性腎臓病	20[redacted]	939	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性心不全	20[redacted]	1022	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	1158	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	277	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	374	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性浮腫	20[redacted]	456	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	463	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	胸水	20[redacted]	483	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	気道感染	20[redacted]	483	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	499	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	末梢性浮腫	20[redacted]	550	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	562	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	562	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	705	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	865	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SPAIN	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	913	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	625	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	気道感染	20[redacted]	671	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SPAIN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	673	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	感覚鈍麻	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	酒さ	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	819	.	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性尿路感染	20[redacted]	829	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失語症	20[redacted]	1085	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	1281	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SWEDEN	ALN 70 MG PO QW		7[redacted]	F	WHITE	アミロイドーシス	20[redacted]	77	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SWEDEN	ALN 70 MG PO QW		8[redacted]	F	WHITE	イレウス	20[redacted]-[redacted]-[redacted]	112	10	Y	Grade 4	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]-[redacted]-[redacted]	31	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うっ血性心不全	20[redacted]-[redacted]-[redacted]	245	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]-[redacted]-[redacted]	372	.	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	苔癬様角化症		.	609	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎感染	20[redacted]-[redacted]-[redacted]	391	373	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	扁平上皮癌	20[redacted]-[redacted]-[redacted]	593	71	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低カリウム血症	20[redacted]-[redacted]-[redacted]	757	117	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭蓋内出血	20[redacted]-[redacted]-[redacted]	873	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	SWEDEN	ALN 70 MG PO QW		7[redacted]	F	WHITE	尿路感染	20[redacted]-[redacted]-[redacted]	351	5	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	ALN 70 MG PO QW		7[redacted]	F	WHITE	閉塞性気道障害	20[redacted]-[redacted]-[redacted]	398	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED		Y
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]-[redacted]-[redacted]	15	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]-[redacted]-[redacted]	156	140	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]-[redacted]-[redacted]	156	182	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	眼圧上昇	20[redacted]-[redacted]-[redacted]	156	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭位性回転性めまい	20[redacted]-[redacted]-[redacted]	461	.	Y	Grade 2	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	湿疹	20[redacted]-[redacted]-[redacted]	984	121	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	睡眠時無呼吸症候群	20[redacted]-[redacted]-[redacted]	1026	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	光線角化症	20[redacted]-[redacted]-[redacted]	1093	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]-[redacted]-[redacted]	4	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	135	49	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	343	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	複視	20[redacted]	360	75	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腸ポリープ	20[redacted]	409	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	処置後出血	20[redacted]	409	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	憩室炎	20[redacted]	493	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SWEDEN	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	骨転移	20[redacted]	13	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肝転移	20[redacted]	13	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	SWEDEN	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	肺転移	20[redacted]	13	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	SWEDEN	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	顔面痛	20[redacted]	28	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	SWEDEN	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	失神	20[redacted]	29	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	SWEDEN	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	細菌性膀胱炎	20[redacted]	882	36	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	SWEDEN	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿閉	20[redacted]	897	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	SWEDEN	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	痔核	20[redacted]	917	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	低カリウム血症	20[redacted]	93	92	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	上気道感染	20[redacted]	176	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	236	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	238	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	振戦	20[redacted]	263	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	筋骨格痛	20[redacted]	272	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	425	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	517	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	鼻漏	20[redacted]	517	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	関節痛	20[redacted]	549	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	573	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	咳嗽	20[redacted]	595	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	子宮留膿症	20[redacted]	646	50	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	貧血	20[redacted]	709	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	変形性関節症	20[redacted]	709	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	発熱	20[redacted]	709	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	創傷出血	20[redacted]	710	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	食欲減退	20[redacted]	711	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	不眠症	20[redacted]	712	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	悪心	20[redacted]	712	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TAIWAN, PROVINCE OF CHINA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	ASIAN	便秘	20[redacted]	715	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	嚥下障害	20[redacted]	11	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性脊椎症	20[redacted]	71	33	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	浮動性めまい	20[redacted]	73	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	意識消失	20[redacted]	73	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	73	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	156	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	228	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯痛	20[redacted]	666	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	インフルエンザ	20[redacted]	708	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	疲労	20[redacted]	1	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不安	20[redacted]	36	554	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	252	6	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	起立性低血圧	20[redacted]	320	270	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	TURKEY	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	589	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	29	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	29	114	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	橈骨骨折	20[redacted]	29	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	271	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	脂肪肝	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	憩室炎	20[redacted]	678	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	838	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	989	329	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	989	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腟出血	20[redacted]	1069	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咳嗽	20[redacted]	1080	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ	20[redacted]	1085	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性関節症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	白内障	20[redacted]	1317	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻炎	20[redacted]	1453	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節周囲炎	20[redacted]	.	198	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腟脱	20[redacted]	19	748	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻炎	20[redacted]	59	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節周囲炎	20[redacted]	199	753	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	241	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	289	25	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	疲労	20[redacted]	308	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻炎	20[redacted]	308	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	344	613	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コレステロール血症	20[redacted]	355	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	うつ病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸炎	20[redacted]	368	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咳嗽	20[redacted]	684	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腟脱	20[redacted]	767	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	処置による疼痛	20[redacted]	771	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	848	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	848	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	848	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	848	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	憩室炎	20[redacted]	898	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	951	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	貧血	20[redacted]	956	141	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	1079	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	足底筋膜炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	咳嗽	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	膀胱脱	20[redacted]	1167	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	1210	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	耳感染	20[redacted]	1272	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚疼痛	20[redacted]	1272	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下気道感染	20[redacted]	1287	61	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脊椎すべり症	20[redacted]	17	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	46	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	69	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	.	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	201	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎機能障害	20[redacted]	276	529	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	293	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	黄斑変性	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肩回旋筋腱板症候群	20[redacted]	484	246	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格硬直	20[redacted]	692	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	処置による疼痛	20[redacted]	729	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	耳の障害	20[redacted]	780	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚腫瘤	20[redacted]	780	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎機能障害	20[redacted]	805	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	844	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	846	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	983	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	983	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	983	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	983	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	983	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	983	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節腫脹	20[redacted]	983	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	983	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢腫脹	20[redacted]	983	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	1252	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	1269	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	頭痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	78	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	放射線関連痛	20[redacted]	296	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	316	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	336	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	343	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	360	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎機能障害	20[redacted]	370	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	心不全	20[redacted]	395	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎機能障害	20[redacted]	.	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	539	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪性貧血	20[redacted]	553	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	578	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	578	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	578	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	702	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	763	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	デュプイトラン拘縮	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	血圧上昇	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脱毛症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	448	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	725	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼓膜穿孔	20[redacted]	728	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	902	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腓骨骨折	20[redacted]	1047	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	足骨折	20[redacted]	1047	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	足骨折	20[redacted]	1047	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	脛骨骨折	20[redacted]	1047	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	外骨腫	20[redacted]	1236	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢膿瘍	20[redacted]	1243	113	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	咳嗽	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	浮動性めまい	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	420	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	絞扼性ヘルニア	20[redacted]	467	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	うつ病	20[redacted]	642	186	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	上腕骨骨折	20[redacted]	21	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢膿瘍	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	420	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	ウイルス感染	20[redacted]	464	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	角膜びらん	20[redacted]	.	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	高血圧	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	908	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢腫脹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	.	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	腎機能障害	20[redacted]	1107	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	呼吸困難	20[redacted]	1244	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	体重減少	20[redacted]	19	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	感染性皮膚潰瘍	20[redacted]	26	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	30	51	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	食道カンジダ症	20[redacted]	31	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	33	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	39	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	93	184	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	150	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	178	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	194	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	273	15	N	Grade 2			DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	313	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	342	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	366	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	381	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	高血圧	20[redacted]	422	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	458	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	537	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	614	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	652	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	681	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	770	51	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	773	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	滑液嚢腫	20[redacted]	835	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	933	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	983	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	1014	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1041	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	1044	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	下気道感染	20[redacted]	1083	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	そう痒症	20[redacted]	1145	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	ヘリコバクター感染	20[redacted]	1198	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	消化不良	20[redacted]	4	1	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	耳感染	20[redacted]	12	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	薬疹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢損傷	20[redacted]	31	96	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	蜂巣炎	20[redacted]	35	23	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下気道感染	20[redacted]	85	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頻尿	20[redacted]	106	63	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下気道感染	20[redacted]	113	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	ブドウ球菌性蜂巣炎	20[redacted]	142	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	蜂巣炎	20[redacted]	192	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節障害	20[redacted]	223	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	関節可動域低下	20[redacted]	223	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	術後貧血	20[redacted]	271	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚感染	20[redacted]	294	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	328	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	嵌頓大腿ヘルニア	20[redacted]	347	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	心筋梗塞	20[redacted]	347	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	創傷感染	20[redacted]	363	179	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	創傷	20[redacted]	386	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腕神経叢障害	20[redacted]	489	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	狭心症	20[redacted]	519	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	細菌性創感染	20[redacted]	520	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胸部損傷	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胸痛	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	540	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢損傷	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頻尿	20[redacted]	545	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿失禁	20[redacted]	545	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	梗塞後狭心症	20[redacted]	608	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	ウイルス性咽頭炎	20[redacted]	631	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	錯感覚	20[redacted]	694	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	挫傷	20[redacted]	698	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	698	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚乾燥	20[redacted]	730	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	751	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	創傷感染	20[redacted]	785	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	848	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胆石症	20[redacted]	853	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	足骨折	20[redacted]	859	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	859	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	単径ヘルニア	20[redacted]	57	298	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	210	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	蜂巣炎	20[redacted]	253	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	260	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	340	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	395	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	420	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	420	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	420	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	光線角化症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	511	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	540	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	561	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	真菌性尿路感染	20[redacted]	577	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	蜂巣炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	眼瞼嚢胞	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	蜂巣炎	20[redacted]	726	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	779	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚部痛	20[redacted]	816	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	起立性低血圧	20[redacted]	816	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	817	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	820	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大動脈瘤	20[redacted]	822	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心臓弁膜疾患	20[redacted]	822	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	861	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	下気道感染	20[redacted]	878	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯痛	20[redacted]	895	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱炎	20[redacted]	940	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	22	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	71	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	白内障	20[redacted]	.	212	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	挫傷	20[redacted]	149	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	149	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	眼挫傷	20[redacted]	263	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	不眠症	20[redacted]	276	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	280	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	552	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	554	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腎機能障害	20[redacted]	554	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	甲状腺機能低下症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	記憶障害	20[redacted]	617	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	企図振戦	20[redacted]	631	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	錯乱状態	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	738	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	低血圧	20[redacted]	739	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	転倒	20[redacted]	788	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	膀胱扁平上皮癌、病期不明	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	坐骨神経痛	20[redacted]	43	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	下痢	20[redacted]	69	17	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	鼻部不快感	20[redacted]	106	8	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	腎機能障害	20[redacted]	211	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	血圧上昇	20[redacted]	226	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	便秘	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	311	1	Y	Grade 2	RELATED	RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	脳血管発作	20[redacted]	563	24	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW		7[redacted]	F	WHITE	虹彩毛様体炎	20[redacted]	11	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW		7[redacted]	F	WHITE	貧血	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW		7[redacted]	F	WHITE	尿路感染	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW		7[redacted]	F	WHITE	脳血管発作	20[redacted]	516	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	37	49	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	全身性そう痒症	20[redacted]	42	35	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	糸球体濾過率減少	20[redacted]	185	.	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	皮膚乳頭腫	20[redacted]	195	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		8[redacted]	F	WHITE	乳腺粘液癌	20[redacted]	329	.	Y	Grade 2	RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	筋緊張	20[redacted]	26	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	脱毛症	20[redacted]	43	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	85	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	背部痛	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	筋骨格痛	20[redacted]	286	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED KINGDOM	AMG 785 210 MG SC QM		7[redacted]	F	WHITE	急性冠動脈症候群	20[redacted]	367	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	UNKNOWN	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	疼痛	20[redacted]	37	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	血小板数減少	20[redacted]	275	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	関節痛	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	尿路感染	20[redacted]	723	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	.	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	過量投与	20[redacted]	2	10	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	疲労	20[redacted]	13	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	13	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	四肢痛	20[redacted]	47	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	過量投与	20[redacted]	67	10	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	過量投与	20[redacted]	123	10	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	歯牙破折	20[redacted]	548	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED KINGDOM	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	WHITE	椎間板突出	20[redacted]	638	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	1	2	N	Grade 2	RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	関節リウマチ	20[redacted]	120	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	120	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	靱帯捻挫	20[redacted]	238	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	静脈瘤	20[redacted]	241	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	乳房分泌	20[redacted]	323	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	上腹部痛	20[redacted]	352	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	労作性呼吸困難	20[redacted]	352	5	N	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	近視	20[redacted]	475	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	ケロイド瘢痕	20[redacted]	685	.	N	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	頚部痛	20[redacted]	734	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	疼痛	20[redacted]	734	86	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	皮膚変色	20[redacted]	765	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	皮膚病変	20[redacted]	765	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	悪心	20[redacted]	870	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	細菌検査陽性	20[redacted]	873	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	大腸菌性菌血症	20[redacted]	873	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	不安障害	20[redacted]	1300	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	浮動性めまい	20[redacted]	1300	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	呼吸困難	20[redacted]	1300	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	高血糖	20[redacted]	1300	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	1300	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	聴力低下	20[redacted]	325	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	389	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	うつ病	20[redacted]	496	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	513	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	欲求不満耐性低下	20[redacted]	527	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	うっ血性心不全	20[redacted]	598	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	肺炎	20[redacted]	598	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋骨格痛	20[redacted]	613	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	インフルエンザ様疾患	20[redacted]	794	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	基底細胞癌	20[redacted]	901	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	基底細胞癌	20[redacted]	901	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	子宮頚管炎	20[redacted]	925	190	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	大腿骨骨折	20[redacted]	1263	.	Y	Grade 2	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	26	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	112	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	喘息	20[redacted]	418	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	耳感染	20[redacted]	682	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	806	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	口唇損傷	20[redacted]	806	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	806	176	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	四肢不快感	20[redacted]	29	71	N	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	全身紅斑	20[redacted]	84	.	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	非感染性歯肉炎	20[redacted]	84	44	N	Grade 1	RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	流涙増加	20[redacted]	469	142	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	霧視	20[redacted]	469	142	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	基底細胞癌	20[redacted]	524	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	急性腎障害	20[redacted]	660	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	変形性関節症	20[redacted]	660	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	尿路感染	20[redacted]	661	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うつ病	20[redacted]	1	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	斑状出血	20[redacted]	26	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨折痛	20[redacted]	27	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	老人性難聴	20[redacted]	101	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	140	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	咬傷感染	20[redacted]	1288	4	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	59	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢血管障害	20[redacted]	149	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	150	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性関節症	20[redacted]	150	443	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	斑状出血	20[redacted]	262	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	咳嗽	20[redacted]	326	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	867	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性腎障害	20[redacted]	881	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1090	4	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1134	19	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性呼吸不全	20[redacted]	1147	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	疲労	20[redacted]	5	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	斑	20[redacted]	130	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	234	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	262	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃腸炎	20[redacted]	288	8	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	293	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	血液量減少症	20[redacted]	293	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低クロール血症	20[redacted]	366	184	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	366	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	胃潰瘍	20[redacted]	401	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	副鼻腔うっ血	20[redacted]	549	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	憩室炎	20[redacted]	654	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	236	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	外陰部膿瘍	20[redacted]	554	19	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	クロストリジウム・ディフィシレ感染	20[redacted]	572	172	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	気管支炎	20[redacted]	727	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	727	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	筋痙縮	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	553	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	異常体重減少	20[redacted]	1068	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	皮膚有棘細胞癌	20[redacted]	1136	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	1186	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	心房細動	20[redacted]	.	61	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	頚動脈狭窄	20[redacted]	1260	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	不眠症	20[redacted]	250	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		8[redacted]	F	WHITE	大腿骨骨折	20[redacted]	706	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	162	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	593	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	686	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	大腿骨頚部骨折	20[redacted]	778	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	外陰腟乾燥	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	ウイルス性胃腸炎	20[redacted]	17	7	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	裂孔ヘルニア	20[redacted]	34	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	眼乾燥	20[redacted]	57	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	100	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	100	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	膀胱炎	20[redacted]	136	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位内出血	20[redacted]	154	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	椎間板変性症	20[redacted]	175	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	眼のアレルギー	20[redacted]	203	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	副鼻腔炎	20[redacted]	209	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	245	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	嘔吐	20[redacted]	247	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	浮動性めまい	20[redacted]	248	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	高コレステロール血症	20[redacted]	249	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	処置後浮腫	20[redacted]	301	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚真菌感染	20[redacted]	342	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	閉経期症状	20[redacted]	342	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頚部痛	20[redacted]	489	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	腰椎骨折	20[redacted]	548	63	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	骨折痛	20[redacted]	.	8	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	SURGICAL INTERVENTION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	食欲減退	20[redacted]	21	415	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	21	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	骨痛	20[redacted]	54	382	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	54	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸障害	20[redacted]	54	382	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性耳感染	20[redacted]	69	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	四肢痛	20[redacted]	103	333	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節腫脹	20[redacted]	111	325	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	口腔咽頭痛	20[redacted]	301	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	発熱	20[redacted]	301	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	呼吸困難	20[redacted]	404	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	435	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	1	1152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位疼痛	20[redacted]	1	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪寒	20[redacted]	30	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位疼痛	20[redacted]	30	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	93	1	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位疼痛	20[redacted]	119	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	発疹	20[redacted]	192	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位疼痛	20[redacted]	210	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹痛	20[redacted]	253	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肉離れ	20[redacted]	300	853	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不安	20[redacted]	540	613	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	633	520	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔炎	20[redacted]	643	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	死亡	20[redacted]	1152	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	62	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	87	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭部損傷	20[redacted]	90	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腹部痛	20[redacted]	98	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	98	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	113	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	77	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	食道潰瘍	20[redacted]	383	73	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	関節リウマチ	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	失神	20[redacted]	986	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	WHITE	大腿骨骨折	20[redacted]	994	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	2	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	177	2	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	207	16	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	333	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	523	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃炎	20[redacted]	527	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うっ血性心不全	20[redacted]	547	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腹膜転移	20[redacted]	922	13	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カリウム血症	20[redacted]	2	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	62	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	橈骨骨折	20[redacted]	62	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	85	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性浮腫	20[redacted]	163	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	190	58	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	211	71	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	211	45	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	うっ血性心不全	20[redacted]	211	9	Y	Grade 4	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低ナトリウム血症	20[redacted]	211	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	211	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不眠症	20[redacted]	238	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋骨格痛	20[redacted]	240	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	単径ヘルニア	20[redacted]	277	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂傷	20[redacted]	421	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低酸素症	20[redacted]	533	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	679	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膵炎	20[redacted]	679	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨粗鬆症	20[redacted]	743	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	31	27	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	裂傷	20[redacted]	177	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	213	17	N	Grade 3	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	224	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	229	10	N	Grade 2	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	細菌性胃腸炎	20[redacted]	363	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	蜂巣炎	20[redacted]	677	12	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	677	7	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	腰椎骨折	20[redacted]	744	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	便秘	20[redacted]	746	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	背部痛	20[redacted]	760	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	悪心	20[redacted]	760	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	上気道感染	20[redacted]	934	4	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	肺炎	20[redacted]	937	37	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	32	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肉離れ	20[redacted]	145	597	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	177	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	不全片麻痺	20[redacted]	263	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋肉痛	20[redacted]	314	71	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	646	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋力低下	20[redacted]	675	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔気管支炎	20[redacted]	682	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	755	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	アレルギー性鼻炎	20[redacted]	766	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	嘔吐	20[redacted]	783	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	小細胞肺癌	20[redacted]	788	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低マグネシウム血症	20[redacted]	792	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カリウム血症	20[redacted]	793	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	起立性低血圧	20[redacted]	793	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	125	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	192	84	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	咳嗽	20[redacted]	561	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂傷	20[redacted]	717	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	遠隔転移を伴う乳癌	20[redacted]	736	.	Y	Grade 1	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨盤内嚢胞	20[redacted]	798	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	唾液腺腫瘤	20[redacted]	798	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	809	86	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	中毒性脳症	20[redacted]	809	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	脱水	20[redacted]	811	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	812	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ボーエン病	20[redacted]	825	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯原性嚢胞	20[redacted]	825	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	認知症	20[redacted]	.	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	成長障害	20[redacted]	997	41	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	1035	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	1	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	歯感染	20[redacted]	.	540	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	下痢	20[redacted]	2	433	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	29	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	乳管内増殖性病変	20[redacted]	37	20	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	悪心	20[redacted]	55	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	処置による疼痛	20[redacted]	55	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	発疹	20[redacted]	56	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	61	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	92	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	119	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	153	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	183	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	211	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	246	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	261	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位紅斑	20[redacted]	271	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	271	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位腫脹	20[redacted]	271	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位紅斑	20[redacted]	302	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位疼痛	20[redacted]	302	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位腫脹	20[redacted]	302	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	処置による疼痛	20[redacted]	330	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	皮膚炎	20[redacted]	334	4	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位紅斑	20[redacted]	335	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	注射部位腫脹	20[redacted]	335	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	爪真菌症	20[redacted]	358	98	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	454	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	齲歯	20[redacted]	505	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	齲歯	20[redacted]	505	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	処置による疼痛	20[redacted]	524	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	胸痛	20[redacted]	706	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	扁平上皮癌	20[redacted]	712	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	WHITE	錯感覚	20[redacted]	713	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位疼痛	20[redacted]	1	1	N	Grade 1	RELATED		DOSE NOT CHANGED		
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位疼痛	20[redacted]	28	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位疼痛	20[redacted]	57	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	手根管症候群	20[redacted]	81	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	104	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	105	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	急性呼吸不全	20[redacted]	113	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	130	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	低血圧	20[redacted]	132	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	背部痛	20[redacted]	148	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	注射部位疼痛	20[redacted]	148	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	149	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW		7[redacted]	F	WHITE	うっ血性心不全	20[redacted]	162	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	咽頭炎	20[redacted]	17	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	17	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	傾眠	20[redacted]	23	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鼻閉	20[redacted]	176	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	感音性聴力低下	20[redacted]	228	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	斑状出血	20[redacted]	266	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	転倒	20[redacted]	266	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	266	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	末梢性浮腫	20[redacted]	266	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	睡眠時無呼吸症候群	20[redacted]	284	82	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	胃腸障害	20[redacted]	.	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	304	393	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	良性腺腫	20[redacted]	325	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	慢性胃炎	20[redacted]	325	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	直腸ポリープ	20[redacted]	325	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	精神状態変化	20[redacted]	327	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	傾眠	20[redacted]	327	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	過敏性腸症候群	20[redacted]	339	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	四肢痛	20[redacted]	386	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	緊張性頭痛	20[redacted]	469	701	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	抑うつ気分	20[redacted]	472	154	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	上気道感染	20[redacted]	508	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	鉄欠乏性貧血	20[redacted]	534	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	尿路感染	20[redacted]	535	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	疲労	20[redacted]	598	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	記憶障害	20[redacted]	598	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	大うつ病	20[redacted]	626	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋痙縮	20[redacted]	646	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	下肢静止不能症候群	20[redacted]	646	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	手根管症候群	20[redacted]	687	30	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	不眠症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	変形性脊椎症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部異常感覚	20[redacted]	752	105	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	背部痛	20[redacted]	809	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	筋膜疼痛症候群	20[redacted]	809	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	後頭神経痛	20[redacted]	809	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	外陰部炎	20[redacted]	809	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	兎の口症候群	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	振戦	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	低血糖	20[redacted]	920	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	核性白内障	20[redacted]	946	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	本態性振戦	20[redacted]	1142	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	精神状態変化	20[redacted]	1154	18	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	血中カルシウム増加	20[redacted]	1156	121	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	左室肥大	20[redacted]	1156	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	微小血管症	20[redacted]	1156	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	頭痛	20[redacted]	1170	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	WHITE	急性副鼻腔炎	20[redacted]	1278	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	眼充血	20[redacted]	1	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	23	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	一過性脳虚血発作	20[redacted]	32	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	59	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	DEVICE EXPLANTATION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	アレルギー性結膜炎	20[redacted]	96	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	涙液分泌低下	20[redacted]	96	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	結膜浮腫	20[redacted]	156	99	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	184	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	末梢性浮腫	20[redacted]	.	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	副鼻腔炎に伴う頭痛	20[redacted]	302	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	齲歯	20[redacted]	325	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	斑状出血	20[redacted]	336	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	336	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肉離れ	20[redacted]	336	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	眼瞼下垂	20[redacted]	.	11	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	456	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	術後錯乱	20[redacted]	457	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頭痛	20[redacted]	457	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	581	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失語症	20[redacted]	694	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	719	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	疲労	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	841	57	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	皮膚真菌感染	20[redacted]	873	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	網膜出血	20[redacted]	877	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿失禁	20[redacted]	906	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	良性新生物	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	984	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	転倒	20[redacted]	984	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	裂傷	20[redacted]	984	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	老人性難聴	20[redacted]	.	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	変形性脊椎症	20[redacted]	1117	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	過眠症	20[redacted]	1121	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	譫妄	20[redacted]	1124	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	発熱	20[redacted]	1124	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	会話障害	20[redacted]	1124	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性左室不全	20[redacted]	1125	43	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	1125	43	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脱水	20[redacted]	1125	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	吐血	20[redacted]	1125	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血腫	20[redacted]	1125	6	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	白血球増加症	20[redacted]	1125	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	1125	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	心嚢液貯留	20[redacted]	1125	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿閉	20[redacted]	1125	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性腎障害	20[redacted]	1127	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	顎痛	20[redacted]	1127	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	貧血	20[redacted]	1135	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	高血圧	20[redacted]	1139	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	紅斑	20[redacted]	1153	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	睡眠の質低下	20[redacted]	1153	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	そう痒症	20[redacted]	1153	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	9	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	転倒	20[redacted]	55	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	悪心	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	嘔吐	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM		6[redacted]	F	WHITE	転倒	20[redacted]	87	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	感染性皮膚潰瘍	20[redacted]	29	27	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	真菌性耳感染	20[redacted]	62	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	真菌性耳感染	20[redacted]	161	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	脱水	20[redacted]	169	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	失見当識	20[redacted]	169	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	上腕骨骨折	20[redacted]	169	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	尿路感染	20[redacted]	169	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胃食道逆流性疾患	20[redacted]	312	18	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯肉腫脹	20[redacted]	322	8	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	ブドウ球菌性創感染	20[redacted]	342	95	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	薬物過敏症	20[redacted]	349	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	悪心	20[redacted]	349	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	466	168	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	頚髄神経根障害	20[redacted]	538	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	635	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	肋骨骨折	20[redacted]	635	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	眼乾燥	20[redacted]	659	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	側腹部痛	20[redacted]	710	8	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	骨盤痛	20[redacted]	710	8	N	Grade 1	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	血尿	20[redacted]	713	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	子宮付属器嚢胞	20[redacted]	721	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	膀胱瘤	20[redacted]	721	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	椎間板変性症	20[redacted]	721	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	腎嚢胞	20[redacted]	721	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	726	3	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	783	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	真菌性耳感染	20[redacted]	801	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	挫傷	20[redacted]	898	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	UNITED STATES	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	真菌性耳感染	20[redacted]	898	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	副鼻腔炎	20[redacted]	34	18	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	56	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	196	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	238	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胸痛	20[redacted]	249	46	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	うつ病	20[redacted]	249	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	254	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	悪心	20[redacted]	301	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	301	105	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	377	127	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	細菌性咽頭炎	20[redacted]	436	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	咽頭炎	20[redacted]	870	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	嗅覚錯誤	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	帯状疱疹	20[redacted]	893	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	898	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	斜頚	20[redacted]	1084	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	嘔吐	20[redacted]	1119	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	1120	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	聴力低下	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	.	127	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	1167	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胸椎骨折	20[redacted]	1167	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1247	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	26	161	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	洞性徐脈	20[redacted]	84	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性腎臓病	20[redacted]	186	359	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	225	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血中甲状腺刺激ホルモン増加	20[redacted]	236	163	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	343	51	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	343	4	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	白内障	20[redacted]	361	891	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房拡張	20[redacted]	393	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心臓弁閉鎖不全	20[redacted]	393	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	393	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	398	147	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	副甲状腺機能亢進症	20[redacted]	401	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	559	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	588	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	789	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	936	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1014	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	1060	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1179	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	75	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	95	152	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷感染	20[redacted]	109	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性扁桃炎	20[redacted]	151	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷感染	20[redacted]	174	73	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心室性期外収縮	20[redacted]	237	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	緑内障	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	悪心	20[redacted]	356	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	嘔吐	20[redacted]	356	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈弁硬化症	20[redacted]	433	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	僧帽弁逸脱	20[redacted]	433	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	口内炎	20[redacted]	.	61	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	.	160	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	641	78	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺高血圧症	20[redacted]	643	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	692	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	867	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	888	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	888	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷感染	20[redacted]	922	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	聴力低下	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性創感染	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肋軟骨炎	20[redacted]	1166	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	1221	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	1284	44	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	19	34	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	27	3	N	Grade 3	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	消化不良	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	63	9	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	94	188	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	113	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	痔核	20[redacted]	122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ヘリコバクター感染	20[redacted]	122	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	.	158	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	151	368	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性中耳炎	20[redacted]	210	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	220	3	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	220	3	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	245	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス感染	20[redacted]	286	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	328	16	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	聴力低下	20[redacted]	349	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	椎間板変性症	20[redacted]	360	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊柱前弯症	20[redacted]	360	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	骨硬化症	20[redacted]	360	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎すべり症	20[redacted]	360	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	384	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	411	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鎖骨骨折	20[redacted]	411	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭蓋脳損傷	20[redacted]	411	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	411	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節脱臼	20[redacted]	412	118	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	427	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	478	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮膚炎	20[redacted]	500	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	508	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮下組織膿瘍	20[redacted]	712	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上気道感染	20[redacted]	750	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	単径部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻出血	20[redacted]	843	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	858	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	858	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	860	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	872	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	875	146	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈硬化症	20[redacted]	913	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	913	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	943	391	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下腹部痛	20[redacted]	1123	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	血小板減少症	20[redacted]	1196	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	1214	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	骨折痛	20[redacted]	16	78	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	16	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	感覚鈍麻	20[redacted]	64	344	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	314	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	.	314	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	全身性そう痒症	20[redacted]	131	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	137	11	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	168	14	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	205	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	233	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	284	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	耳痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	.	248	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	324	94	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	324	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	324	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈硬化症	20[redacted]	331	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	椎間板障害	20[redacted]	331	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	糖尿病性ニューロパチー	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	384	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	384	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うっ血性心不全	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	.	239	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	417	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	房室ブロック	20[redacted]	420	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	糖尿病	20[redacted]	420	485	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	426	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼刺激	20[redacted]	512	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	.	82	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	540	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	548	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咽頭炎	20[redacted]	553	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	626	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	アフタ性潰瘍	20[redacted]	685	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	756	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼瞼炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿失禁	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス感染	20[redacted]	945	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	1007	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1061	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢動脈閉塞性疾患	20[redacted]	1190	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	1225	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1239	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	1286	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼刺激	20[redacted]	1297	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胆石症	20[redacted]	74	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心臓弁閉鎖不全	20[redacted]	75	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	81	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽頭炎	20[redacted]	447	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	洞性徐脈	20[redacted]	505	18	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	電解質失調	20[redacted]	519	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	520	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	.	296	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚炎	20[redacted]	1260	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	9	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	150	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	330	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	374	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	身長減少	20[redacted]	542	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸炎	20[redacted]	662	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	681	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	回転性めまい	20[redacted]	691	337	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	椎間板突出	20[redacted]	799	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	丘疹	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	867	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸炎	20[redacted]	870	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚炎	20[redacted]	999	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	回転性めまい	20[redacted]	1028	179	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	上気道感染	20[redacted]	1052	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	1135	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血管障害	20[redacted]	1207	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	第一度房室ブロック	20[redacted]	1212	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	左室機能不全	20[redacted]	1212	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	1212	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	1266	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	1269	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	回転性めまい	20[redacted]	1292	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	限局性感染	20[redacted]	170	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	感染性皮膚潰瘍	20[redacted]	204	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性結膜炎	20[redacted]	218	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋肉痛	20[redacted]	317	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	372	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	眼精疲労	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	998	48	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳部損傷	20[redacted]	1048	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面損傷	20[redacted]	1048	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	1048	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	下痢	20[redacted]	41	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	憩室	20[redacted]	42	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	96	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	筋痙縮	20[redacted]	141	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	175	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	27	39	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	左脚ブロック	20[redacted]	86	862	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	86	62	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺水腫	20[redacted]	86	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂質異常症	20[redacted]	87	861	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性肺炎	20[redacted]	140	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	151	797	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心室性期外収縮	20[redacted]	238	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	399	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不眠症	20[redacted]	408	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	408	540	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	408	540	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	三尖弁閉鎖不全症	20[redacted]	408	540	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	471	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	569	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	587	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	587	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	代謝障害	20[redacted]	718	230	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	挫傷	20[redacted]	819	129	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭蓋脳損傷	20[redacted]	819	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻出血	20[redacted]	819	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面骨骨折	20[redacted]	819	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	手骨折	20[redacted]	819	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭部損傷	20[redacted]	819	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	827	120	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	828	120	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うっ血性心筋症	20[redacted]	828	120	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低クロール血症	20[redacted]	828	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	828	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	925	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頚部損傷	20[redacted]	925	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	947	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸部不快感	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	.	247	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	薬物不耐性	20[redacted]	.	184	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	56	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	.	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	狭心症	20[redacted]	68	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	142	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	199	17	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	258	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	265	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	265	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	270	14	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	聴力低下	20[redacted]	325	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	一過性脳虚血発作	20[redacted]	358	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	.	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	痙攣発作	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	振戦	20[redacted]	431	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻そう痒症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	496	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	603	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	605	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	828	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	871	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	871	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	871	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿失禁	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	譫妄	20[redacted]	895	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	895	99	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎損傷	20[redacted]	896	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	992	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	22	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	76	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	145	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	152	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性気管支炎	20[redacted]	154	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	269	723	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	289	703	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	298	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	.	559	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	541	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	627	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	687	15	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	収縮機能障害	20[redacted]	690	302	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	701	291	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	701	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	冠動脈疾患	20[redacted]	702	290	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	809	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	裂孔ヘルニア	20[redacted]	809	183	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	810	182	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	810	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低血圧	20[redacted]	810	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	代謝性アシドーシス	20[redacted]	810	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	813	176	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	813	179	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	三尖弁閉鎖不全症	20[redacted]	813	179	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	817	76	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸水	20[redacted]	817	175	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	817	175	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	左室拡張	20[redacted]	819	173	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	956	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	血尿	20[redacted]	988	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	989	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	25	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	74	450	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	譫妄	20[redacted]	74	2	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性肺炎	20[redacted]	74	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	74	6	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	156	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	105	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面損傷	20[redacted]	319	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	319	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	331	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	340	184	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性腎臓病	20[redacted]	340	184	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	353	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	353	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	400	124	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	徐脈	20[redacted]	403	121	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢静脈血栓症	20[redacted]	403	121	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	472	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	死亡	20[redacted]	523	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	片頭痛	20[redacted]	91	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	251	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	急性中耳炎	20[redacted]	357	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胸部損傷	20[redacted]	367	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	367	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	軟部組織損傷	20[redacted]	367	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胸椎骨折	20[redacted]	367	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節強直	20[redacted]	368	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性脊椎症	20[redacted]	368	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節損傷	20[redacted]	444	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	血尿	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	632	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	709	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	717	450	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	気管支炎	20[redacted]	751	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	829	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腎嚢胞	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	1045	135	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	喉頭炎	20[redacted]	1150	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	食欲減退	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋肉痛	20[redacted]	20	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不安	20[redacted]	27	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	.	104	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	.	319	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	体重減少	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	380	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	401	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	.	74	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	.	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不安障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	出血性胃潰瘍	20[redacted]	546	139	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	547	172	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低血糖	20[redacted]	547	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	静脈炎	20[redacted]	547	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	718	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肥満	20[redacted]	718	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	773	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	814	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心拡大	20[redacted]	822	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	822	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	824	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	824	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	827	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	980	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	1185	34	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	1185	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	浮動性めまい	20[redacted]	43	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	47	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	腹痛	20[redacted]	111	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	142	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	頭部損傷	20[redacted]	142	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	209	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	関節痛	20[redacted]	223	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	頚部痛	20[redacted]	.	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	糖尿病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	高血圧	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	肺高血圧症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	うっ血性心不全	20[redacted]	319	61	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	認知障害	20[redacted]	348	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低アルブミン血症	20[redacted]	.	262	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	口腔ヘルペス	20[redacted]	18	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻部損傷	20[redacted]	27	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	107	877	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	感染性皮膚潰瘍	20[redacted]	120	74	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	139	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	232	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	アレルギー性鼻炎	20[redacted]	246	77	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	抑うつ気分を伴う適応障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	267	717	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊柱前弯症	20[redacted]	271	713	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎すべり症	20[redacted]	271	713	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎すべり症	20[redacted]	271	713	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	305	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	311	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肋軟骨炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏症	20[redacted]	446	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	496	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	609	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	619	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	619	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	食欲減退	20[redacted]	.	244	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	763	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	763	221	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路結石	20[redacted]	773	211	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	780	204	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低アルブミン血症	20[redacted]	803	181	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	903	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	903	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	903	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部腫瘤	20[redacted]	906	78	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	910	74	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	感染性皮膚潰瘍	20[redacted]	975	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	979	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	979	5	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	979	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺高血圧症	20[redacted]	979	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性腎臓病	20[redacted]	980	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺水腫	20[redacted]	981	3	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	17	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	うつ病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	.	.	Y	Grade 3	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	5	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	アレルギー性皮膚炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚炎	20[redacted]	304	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	斑状出血	20[redacted]	355	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	355	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂漏性角化症	20[redacted]	381	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面痛	20[redacted]	436	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	処置後浮腫	20[redacted]	436	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭蓋脳損傷	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	907	57	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	955	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	956	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	956	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心拡大	20[redacted]	956	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	956	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭蓋脳損傷	20[redacted]	956	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	956	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	白質脳症	20[redacted]	956	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	骨盤痛	20[redacted]	956	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	副鼻腔炎	20[redacted]	956	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚創傷	20[redacted]	956	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	956	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	くも膜下血腫	20[redacted]	956	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	硬膜下血腫	20[redacted]	956	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	957	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	957	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	957	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	957	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	椎間孔狭窄	20[redacted]	957	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭蓋内血腫	20[redacted]	958	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性結膜炎	20[redacted]	.	82	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	88	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	過角化	20[redacted]	138	114	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	221	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	229	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	300	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性気管支炎	20[redacted]	384	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	屈折障害	20[redacted]	.	91	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	672	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	680	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	683	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	左室肥大	20[redacted]	685	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	685	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	686	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	797	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	動脈瘤	20[redacted]	821	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	874	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	930	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎嚢胞	20[redacted]	989	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	側弯症	20[redacted]	989	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	989	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	椎間孔狭窄	20[redacted]	989	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳垢分泌過多	20[redacted]	1083	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1176	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	そう痒症	20[redacted]	1179	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	心室性期外収縮	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	そう痒症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	咳嗽	20[redacted]	81	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	注射部位そう痒感	20[redacted]	118	7	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	背部痛	20[redacted]	140	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	蜂巣炎	20[redacted]	147	4	N	Grade 2	RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	一過性脳虚血発作	20[redacted]	147	1	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	アレルギー性喉頭炎	20[redacted]	178	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	転倒	20[redacted]	202	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	胃炎	20[redacted]	202	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	アレルギー性咳嗽	20[redacted]	204	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	原発性胆汁性肝硬変	20[redacted]	361	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	単径部痛	20[redacted]	.	102	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	胆石症	20[redacted]	440	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	筋痙縮	20[redacted]	.	191	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	筋骨格痛	20[redacted]	502	154	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	胸部損傷	20[redacted]	583	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	下痢	20[redacted]	583	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	転倒	20[redacted]	583	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	脊椎痛	20[redacted]	583	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	失神寸前の状態	20[redacted]	608	38	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	643	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	687	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	うつ病	20[redacted]	690	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	胃腸炎	20[redacted]	744	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	下痢	20[redacted]	930	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	転倒	20[redacted]	984	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	関節痛	20[redacted]	995	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	関節痛	20[redacted]	1175	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	転倒	20[redacted]	1175	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	疼痛	20[redacted]	.	297	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	.	100	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	265	78	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	322	21	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	406	55	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	不眠症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	口内乾燥	20[redacted]	456	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性結膜炎	20[redacted]	477	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	聴力低下	20[redacted]	522	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	眼痛	20[redacted]	575	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	761	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	932	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	962	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳痛	20[redacted]	962	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺肉芽腫	20[redacted]	979	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1015	45	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	1015	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	1018	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	1018	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	1050	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	1050	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	1050	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	体重減少	20[redacted]	1095	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1203	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	結膜炎	20[redacted]	25	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	霧視	20[redacted]	47	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	悪心	20[redacted]	59	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	96	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	緊張性頭痛	20[redacted]	256	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	徐脈	20[redacted]	269	70	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	269	126	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	297	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	304	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	318	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	悪心	20[redacted]	430	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳垢栓塞	20[redacted]	479	244	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	483	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房細動	20[redacted]	485	87	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁疾患	20[redacted]	486	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	486	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	三尖弁閉鎖不全症	20[redacted]	486	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸水	20[redacted]	491	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心拡大	20[redacted]	516	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺過膨脹	20[redacted]	516	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	徐脈	20[redacted]	542	359	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房細動	20[redacted]	571	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	617	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咽喉刺激感	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	嚥下障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	上顎炎	20[redacted]	28	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	123	233	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	240	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	240	139	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	271	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	創傷	20[redacted]	328	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	378	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下腹部痛	20[redacted]	390	313	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	口腔カンジダ症	20[redacted]	488	38	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	702	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	753	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	消化管感染	20[redacted]	860	52	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	痔核	20[redacted]	881	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胆嚢炎	20[redacted]	920	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	920	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胆石症	20[redacted]	921	26	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不眠症	20[redacted]	921	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	臍ヘルニア	20[redacted]	921	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹部癒着	20[redacted]	930	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	939	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	1002	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	1089	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋肉痛	20[redacted]	3	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	.	128	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	62	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	錯感覚	20[redacted]	.	401	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹痛	20[redacted]	142	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	傾眠	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性下痢	20[redacted]	259	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	347	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	全身性そう痒症	20[redacted]	371	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	59	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性気管支炎	20[redacted]	.	97	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	皮膚炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	皮膚炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格痛	20[redacted]	474	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	535	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	肺炎	20[redacted]	535	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	538	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	薬物過敏症	20[redacted]	920	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	皮膚真菌感染	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	1049	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1151	41	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	呼吸性アルカローシス	20[redacted]	1153	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	16	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	79	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	身長減少	20[redacted]	86	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎すべり症	20[redacted]	86	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	.	178	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	192	17	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	203	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	点状出血	20[redacted]	204	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	239	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	353	134	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	動悸	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	408	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷	20[redacted]	408	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	476	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	597	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷	20[redacted]	702	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性創感染	20[redacted]	779	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	843	71	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	843	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	顔面浮腫	20[redacted]	931	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	931	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	936	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	.	168	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	92	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	1066	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	1086	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	1118	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮膚潰瘍	20[redacted]	1131	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	譫妄	20[redacted]	1143	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	1149	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無気肺	20[redacted]	1151	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心拡大	20[redacted]	1151	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	睡眠時無呼吸症候群	20[redacted]	1154	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	19	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	78	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腓骨骨折	20[redacted]	78	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	損傷	20[redacted]	78	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節脱臼	20[redacted]	78	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脛骨骨折	20[redacted]	78	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚壊死	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	呼吸困難	20[redacted]	81	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	84	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不眠症	20[redacted]	86	116	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	薬物過敏症	20[redacted]	89	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	薬物不耐性	20[redacted]	93	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	術後創感染	20[redacted]	155	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	173	61	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	過敏症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腱付着部症	20[redacted]	253	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	外骨腫	20[redacted]	253	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	284	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚炎	20[redacted]	292	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	光線角化症	20[redacted]	.	214	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	297	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	357	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	骨髄炎	20[redacted]	357	83	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ヘリコバクター性胃炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	アメーバ赤痢	20[redacted]	488	39	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	526	576	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	566	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	憩室	20[redacted]	587	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	痔核	20[redacted]	587	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂質異常症	20[redacted]	610	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	硬化性苔癬	20[redacted]	632	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	白内障	20[redacted]	866	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎機能障害	20[redacted]	904	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	椎間板障害	20[redacted]	1085	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	側弯症	20[redacted]	1085	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	無力症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	筋痙縮	20[redacted]	26	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	高血圧	20[redacted]	29	121	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	嚥下痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	心拡大	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	浮動性めまい	20[redacted]	177	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	肺炎	20[redacted]	182	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	僧帽弁硬化症	20[redacted]	196	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	肺高血圧症	20[redacted]	199	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	嚥下障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	発声障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	頚部痛	20[redacted]	.	232	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	尿路感染	20[redacted]	.	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	背部痛	20[redacted]	239	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	パーキンソニズム	20[redacted]	273	.	N	Grade 2	NOT RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	筋肉痛	20[redacted]	382	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	筋痙縮	20[redacted]	413	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	変形性脊椎症	20[redacted]	434	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	筋痙縮	20[redacted]	519	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	レイノー現象	20[redacted]	526	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	疲労	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	心室性期外収縮	20[redacted]	701	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	肺炎	20[redacted]	1165	16	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	便秘	20[redacted]	1171	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	全身性そう痒症	20[redacted]	.	.	N	Grade 1	RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	気道感染	20[redacted]	.	.	N	Grade 1	RELATED		DRUG WITHDRAWN	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	四肢痛	20[redacted]	105	119	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	高血圧	20[redacted]	.	94	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	末梢動脈閉塞性疾患	20[redacted]	.	125	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	248	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	過少体重	20[redacted]	254	595	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	処置による疼痛	20[redacted]	260	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	術後貧血	20[redacted]	262	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	262	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	低血圧	20[redacted]	265	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	高血圧	20[redacted]	281	203	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	皮膚炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	うつ病	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	高血圧	20[redacted]	1089	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	18	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	79	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻部損傷	20[redacted]	150	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	外傷後疼痛	20[redacted]	150	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	173	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	174	2	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	230	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸痛	20[redacted]	.	664	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性消化管感染	20[redacted]	270	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	白血球増加症	20[redacted]	271	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	好中球増加症	20[redacted]	271	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	320	17	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	321	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	405	359	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	418	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	418	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	虫垂炎	20[redacted]	522	23	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低血圧	20[redacted]	522	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹膜癒着	20[redacted]	522	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	虫垂炎	20[redacted]	545	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	709	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	740	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	嘔吐	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	白内障	20[redacted]	799	65	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	919	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	938	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	1078	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1146	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	5	24	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮膚腫瘤	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	42	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	48	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	口腔ウイルス感染	20[redacted]	69	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	全身性浮腫	20[redacted]	83	81	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	口内乾燥	20[redacted]	89	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	107	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	労作性呼吸困難	20[redacted]	107	189	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	132	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	振戦	20[redacted]	.	863	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	蕁麻疹	20[redacted]	238	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸痛	20[redacted]	266	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	295	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	306	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	317	173	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	328	164	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性脊椎症	20[redacted]	387	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	569	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	574	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	好酸球増加症	20[redacted]	719	87	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	719	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	好中球減少症	20[redacted]	719	87	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	724	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸部損傷	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	786	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹部膨満	20[redacted]	801	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	804	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	823	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	823	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無気肺	20[redacted]	922	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	膀胱瘤	20[redacted]	934	2	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	パーキンソン病	20[redacted]	996	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性咽頭炎	20[redacted]	87	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	109	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	緊張性頭痛	20[redacted]	144	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	緊張性頭痛	20[redacted]	154	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	上腹部痛	20[redacted]	233	88	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	308	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	脂質異常症	20[redacted]	337	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	363	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	568	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格痛	20[redacted]	654	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	691	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	733	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	靭帯捻挫	20[redacted]	778	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	耳下腺炎	20[redacted]	802	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	脳損傷	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	眼窩周囲出血	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	挫傷	20[redacted]	822	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	挫傷	20[redacted]	822	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	てんかん	20[redacted]	822	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	822	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	脳出血	20[redacted]	829	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	てんかん	20[redacted]	829	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	視力低下	20[redacted]	.	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	933	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	988	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	うつ病	20[redacted]	1034	76	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	気管支炎	20[redacted]	1058	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	気管支炎	20[redacted]	1118	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	緊張性頭痛	20[redacted]	29	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	76	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血尿	20[redacted]	105	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肝胆道系疾患	20[redacted]	106	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	膀胱炎	20[redacted]	114	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血管腫	20[redacted]	114	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	メラノサイト性母斑	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	250	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	348	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	379	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	531	62	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	534	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	椎間板腔狭窄	20[redacted]	534	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	569	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	676	387	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	神経根圧迫	20[redacted]	701	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	神経根圧迫	20[redacted]	701	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	701	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	体重減少	20[redacted]	719	374	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	聴力低下	20[redacted]	786	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	823	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿失禁	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	視力低下	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	168	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1062	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血糖	20[redacted]	1092	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	1115	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	創傷	20[redacted]	1115	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1167	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節膿瘍	20[redacted]	1167	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	31	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	61	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	無気肺	20[redacted]	117	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	117	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	リンパ球減少症	20[redacted]	117	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	大動脈硬化症	20[redacted]	119	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺腫	20[redacted]	119	269	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	低カリウム血症	20[redacted]	119	64	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻甲介肥大	20[redacted]	119	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	副鼻腔炎	20[redacted]	119	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	外骨腫	20[redacted]	120	412	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃炎	20[redacted]	238	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	.	74	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	259	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	基底細胞癌	20[redacted]	.	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	不眠症	20[redacted]	496	433	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	便秘	20[redacted]	499	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	足骨折	20[redacted]	668	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	734	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	773	198	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	うつ病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	痛風性関節炎	20[redacted]	1025	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	31	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	62	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	109	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	177	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	263	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	315	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	322	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈硬化症	20[redacted]	418	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	側弯症	20[redacted]	418	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	血管石灰化	20[redacted]	418	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	571	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	578	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	.	480	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	783	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不全片麻痺	20[redacted]	820	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	白質脳症	20[redacted]	857	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳核磁気共鳴画像異常	20[redacted]	857	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	副鼻腔炎	20[redacted]	857	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	949	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	962	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	974	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆嚢炎	20[redacted]	.	108	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低クロール血症	20[redacted]	1086	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	1086	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆嚢炎	20[redacted]	1135	39	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心雑音	20[redacted]	1136	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心臓弁閉鎖不全	20[redacted]	1138	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	左房拡張	20[redacted]	1138	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	そう痒症	20[redacted]	1141	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	39	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	46	264	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	51	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿ヘルニア	20[redacted]	78	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	漿液腫	20[redacted]	85	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	91	6	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下腹部痛	20[redacted]	358	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	358	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	痛風性関節炎	20[redacted]	406	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	426	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	604	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	606	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	冠動脈疾患	20[redacted]	610	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	610	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	狭心症	20[redacted]	665	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不安定狭心症	20[redacted]	721	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高カルシウム血症	20[redacted]	732	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	893	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不安定狭心症	20[redacted]	894	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	894	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	894	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	991	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺水腫	20[redacted]	992	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	994	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	1054	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	冠動脈疾患	20[redacted]	1054	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性肺水腫	20[redacted]	1057	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	糖尿病	20[redacted]	1058	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	108	.	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	緑内障	20[redacted]	.	312	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	332	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腓骨骨折	20[redacted]	332	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	.	415	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	559	465	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	631	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	.	306	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	甲状腺腫	20[redacted]	721	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	884	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腹部痛	20[redacted]	937	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	1093	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	アレルギー性結膜炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	無力症	20[redacted]	169	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	慢性胃炎	20[redacted]	210	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	慢性胃炎	20[redacted]	211	30	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	腹痛	20[redacted]	241	231	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	ヘリコバクター感染	20[redacted]	242	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	裂孔ヘルニア	20[redacted]	242	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	胆管結石	20[redacted]	269	203	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	アレルギー性結膜炎	20[redacted]	405	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	関節痛	20[redacted]	595	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	白内障	20[redacted]	646	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	胸痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	細菌性膣症	20[redacted]	756	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	胃炎	20[redacted]	763	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	胃炎	20[redacted]	848	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	ウイルス感染	20[redacted]	848	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	高血圧	20[redacted]	903	3	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	下痢	20[redacted]	951	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	傾眠	20[redacted]	986	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	尿路感染	20[redacted]	1034	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	48	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	59	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	285	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	362	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	435	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	左室肥大	20[redacted]	436	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	436	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	外陰腟真菌感染	20[redacted]	18	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	腹痛	20[redacted]	136	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	錯感覚	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	転倒	20[redacted]	277	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	277	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肺炎	20[redacted]	297	45	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	褥瘡性潰瘍	20[redacted]	298	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	閉塞性気道障害	20[redacted]	298	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	17	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	嚢胞	20[redacted]	104	39	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂肪織炎	20[redacted]	143	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	感染による慢性閉塞性気道疾患の増悪	20[redacted]	163	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	213	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	265	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	眼変性障害	20[redacted]	296	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	黄斑変性	20[redacted]	296	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	342	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	342	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	342	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	355	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	377	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	622	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	挫傷	20[redacted]	633	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	633	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	限局性感染	20[redacted]	.	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	659	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	.	291	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	842	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	疼痛	20[redacted]	848	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	口腔ヘルペス	20[redacted]	975	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	6	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	.	246	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	45	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	60	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	健忘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	378	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	.	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	775	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	137	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	.	102	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	202	14	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	240	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	240	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	熱傷	20[redacted]	268	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	304	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	344	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	顔面損傷	20[redacted]	386	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	386	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	429	28	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性腎障害	20[redacted]	447	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	447	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	502	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	502	.	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	単径部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	199	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	168	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	891	102	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	呼吸困難	20[redacted]	.	463	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳垢栓塞	20[redacted]	14	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	24	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	徐脈	20[redacted]	27	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面損傷	20[redacted]	31	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	31	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻部損傷	20[redacted]	31	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	84	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	84	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	392	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	402	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ビタミンD欠乏	20[redacted]	483	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	622	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	期外収縮	20[redacted]	882	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	呼吸困難	20[redacted]	935	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈弁硬化症	20[redacted]	937	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心臓弁閉鎖不全	20[redacted]	937	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	呼吸困難	20[redacted]	957	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	咳嗽	20[redacted]	.	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性関節症	20[redacted]	.	497	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	痔核	20[redacted]	343	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	351	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	喀血	20[redacted]	351	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	無気肺	20[redacted]	354	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	低色素性貧血	20[redacted]	354	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	405	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢損傷	20[redacted]	.	259	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢損傷	20[redacted]	.	259	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	熱傷	20[redacted]	425	42	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	熱傷	20[redacted]	425	42	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	末梢性浮腫	20[redacted]	691	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	35	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性尿路感染	20[redacted]	51	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	132	53	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	.	562	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	175	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	263	82	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	337	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	甲状腺腫	20[redacted]	351	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	代謝障害	20[redacted]	362	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	391	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	575	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	630	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	630	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	649	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	口内乾燥	20[redacted]	661	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊椎障害	20[redacted]	671	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	671	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	671	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	674	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹痛	20[redacted]	680	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	718	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	719	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	聴力低下	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	悪心	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心房細動	20[redacted]	60	940	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	112	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	224	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	.	75	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟骨石灰化症	20[redacted]	721	279	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	橈骨骨折	20[redacted]	721	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尺骨骨折	20[redacted]	721	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	879	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	885	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うっ血性心不全	20[redacted]	924	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	関節痛	20[redacted]	3	7	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	四肢痛	20[redacted]	3	7	N	Grade 2	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	錯感覚	20[redacted]	3	7	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	頭蓋内動脈瘤	20[redacted]	11	37	Y	Grade 2	NOT RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	心不全	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	四肢痛	20[redacted]	.	384	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	314	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	転倒	20[redacted]	356	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	356	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	転倒	20[redacted]	384	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	創傷	20[redacted]	384	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	391	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	裂孔ヘルニア	20[redacted]	391	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	大脳萎縮	20[redacted]	392	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	頭痛	20[redacted]	428	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	尾骨痛	20[redacted]	529	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	転倒	20[redacted]	529	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	転倒	20[redacted]	581	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	挫傷	20[redacted]	619	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	挫傷	20[redacted]	619	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	転倒	20[redacted]	619	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	背部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	胸部損傷	20[redacted]	680	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	頭部損傷	20[redacted]	680	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	四肢損傷	20[redacted]	680	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	頭痛	20[redacted]	.	93	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈雑音	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈拡張	20[redacted]	147	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心臓弁膜疾患	20[redacted]	147	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	拡張機能障害	20[redacted]	147	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	左室肥大	20[redacted]	147	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腸憩室	20[redacted]	168	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胆石症	20[redacted]	170	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	水分過負荷	20[redacted]	170	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	170	70	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心嚢液貯留	20[redacted]	170	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸水	20[redacted]	170	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺水腫	20[redacted]	170	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎嚢胞	20[redacted]	170	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性脊椎症	20[redacted]	170	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊椎すべり症	20[redacted]	170	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	203	47	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	225	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	裂孔ヘルニア	20[redacted]	225	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	246	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	259	385	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	259	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下部消化管出血	20[redacted]	306	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心筋虚血	20[redacted]	306	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	冠動脈硬化症	20[redacted]	315	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	318	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁狭窄症	20[redacted]	318	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺水腫	20[redacted]	318	40	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高カリウム血症	20[redacted]	353	95	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	悪寒	20[redacted]	433	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	447	279	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下部消化管出血	20[redacted]	.	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下部消化管出血	20[redacted]	514	.	Y	Grade 3	RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	515	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	輸血反応	20[redacted]	515	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高ナトリウム血症	20[redacted]	521	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺水腫	20[redacted]	522	13	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	そう痒症	20[redacted]	543	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肝損傷	20[redacted]	582	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高カリウム血症	20[redacted]	597	48	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	644	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血液量減少症	20[redacted]	644	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	694	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腸憩室	20[redacted]	705	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性腎臓病	20[redacted]	722	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸出血	20[redacted]	724	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	譫妄	20[redacted]	727	37	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎嚢胞	20[redacted]	730	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心内膜炎	20[redacted]	731	64	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	急性肺水腫	20[redacted]	734	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳梗塞	20[redacted]	734	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸水	20[redacted]	735	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大脳萎縮	20[redacted]	738	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血管発作	20[redacted]	740	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	741	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳梗塞	20[redacted]	792	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房細動	20[redacted]	794	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高カリウム血症	20[redacted]	799	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	潜伏梅毒	20[redacted]	799	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	認知障害	20[redacted]	918	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	REMOVED FROM STUDY	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	4	89	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	メラノサイト性母斑	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮膚炎	20[redacted]	109	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	109	12	N	Grade 1	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	149	668	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	消化不良	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	.	96	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	415	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	415	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼外傷	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	544	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭部損傷	20[redacted]	544	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	638	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	669	148	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支癌	20[redacted]	.	108	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	.	108	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	754	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下部消化管出血	20[redacted]	786	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肝転移	20[redacted]	790	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸水	20[redacted]	790	27	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支癌	20[redacted]	816	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	432	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	.	340	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	乾癬	20[redacted]	299	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮膚潰瘍	20[redacted]	322	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	477	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	494	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	508	2	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	21	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房頻脈	20[redacted]	57	783	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	117	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻炎	20[redacted]	.	776	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	123	158	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	.	533	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	外傷性肺損傷	20[redacted]	311	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹痛	20[redacted]	324	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺扁平上皮癌	20[redacted]	344	496	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	352	488	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	441	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	硝子体出血	20[redacted]	441	122	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	539	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	259	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	663	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	695	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	695	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	695	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	778	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性腎臓病	20[redacted]	781	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	冠動脈硬化症	20[redacted]	782	58	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	譫妄	20[redacted]	786	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	不眠症	20[redacted]	786	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	823	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	誤嚥性肺炎	20[redacted]	823	17	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鉄欠乏性貧血	20[redacted]	825	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	15	56	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	103	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格痛	20[redacted]	170	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	255	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	大腿骨骨折	20[redacted]	255	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	低血圧	20[redacted]	261	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	酸素飽和度低下	20[redacted]	261	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺機能亢進症	20[redacted]	380	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	