Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	肺障害	20[redacted]	389	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺腫	20[redacted]	391	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	そう痒症	20[redacted]	415	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	皮膚障害	20[redacted]	415	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	567	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	21	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	21	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	.	131	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	72	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	痔核	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	206	41	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	297	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	拡張機能障害	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心房拡張	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	縦隔リンパ節腫脹	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸水	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺高血圧症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結腸直腸腺癌	20[redacted]	385	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	388	152	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺水腫	20[redacted]	392	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺石灰化	20[redacted]	393	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	394	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低マグネシウム血症	20[redacted]	394	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	395	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺の良性新生物	20[redacted]	583	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	597	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	764	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	直腸出血	20[redacted]	764	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆管過誤腫	20[redacted]	765	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	瘢痕ヘルニア	20[redacted]	765	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腎嚢胞	20[redacted]	765	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	773	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腸閉塞	20[redacted]	790	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿失禁	20[redacted]	792	29	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸部損傷	20[redacted]	857	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	857	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	筋肉痛	20[redacted]	28	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	糖尿病性ケトアシドーシス	20[redacted]	75	28	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	脱水	20[redacted]	79	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	低血糖	20[redacted]	80	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	下痢	20[redacted]	87	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	胆石症	20[redacted]	90	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	慢性膵炎	20[redacted]	90	35	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	膵新生物	20[redacted]	93	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	心拡大	20[redacted]	95	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	胃粘膜肥厚	20[redacted]	95	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	胸水	20[redacted]	95	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	無気肺	20[redacted]	97	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	低血糖	20[redacted]	107	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	腹痛	20[redacted]	109	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	21	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	40	14	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心拡大	20[redacted]	43	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	.	82	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	134	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	217	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	237	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	240	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	280	52	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	289	3	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸痛	20[redacted]	295	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	309	53	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈弁閉鎖不全症	20[redacted]	309	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	309	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腎臓痛	20[redacted]	321	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	329	449	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	416	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	呼吸窮迫	20[redacted]	416	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	435	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	435	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	439	97	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	441	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹部ヘルニア	20[redacted]	443	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肥満	20[redacted]	535	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	アレルギー性皮膚炎	20[redacted]	.	270	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	169	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性肺炎	20[redacted]	704	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	714	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	752	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	752	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸水	20[redacted]	757	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	758	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	764	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	814	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	853	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	7	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	9	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	81	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	靭帯炎	20[redacted]	144	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織感染	20[redacted]	247	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	268	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	上気道感染	20[redacted]	295	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	295	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	坐骨神経痛	20[redacted]	329	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	389	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	乾癬	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腱炎	20[redacted]	674	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	坐骨神経痛	20[redacted]	792	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	799	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	799	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	799	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	白血球増加症	20[redacted]	799	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	805	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	.	19	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢腫脹	20[redacted]	56	89	N	Grade 2	RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	丹毒	20[redacted]	78	26	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	81	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂漏性皮膚炎	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	口腔カンジダ症	20[redacted]	87	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	口角口唇炎	20[redacted]	91	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	92	176	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂肪織炎	20[redacted]	102	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	足部白癬	20[redacted]	119	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	125	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚真菌感染	20[redacted]	138	49	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	副甲状腺機能亢進症	20[redacted]	264	.	N	Grade 1	RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃炎	20[redacted]	320	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢動脈閉塞性疾患	20[redacted]	348	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	全身性エリテマトーデス	20[redacted]	358	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血管障害	20[redacted]	416	111	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	419	33	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	423	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	帯状疱疹	20[redacted]	433	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	447	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大脳動脈狭窄	20[redacted]	447	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	447	102	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	蜂巣炎	20[redacted]	448	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	IV ANTIBIOTICS TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	低クロール血症	20[redacted]	448	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頚動脈狭窄	20[redacted]	450	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	586	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	589	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	筋骨格痛	20[redacted]	25	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	背部痛	20[redacted]	69	673	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	大動脈硬化症	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	身長減少	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	椎間板変性症	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	椎間板変性症	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	骨硬化症	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	肺石灰化	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	脊柱変形	20[redacted]	84	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	四肢痛	20[redacted]	.	131	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	斑状出血	20[redacted]	.	80	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	脂漏性皮膚炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	動脈塞栓症	20[redacted]	268	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	高血圧	20[redacted]	268	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	急性腎障害	20[redacted]	269	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	大動脈弁閉鎖不全症	20[redacted]	269	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	大動脈弁硬化症	20[redacted]	269	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	軟部組織感染	20[redacted]	276	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	下痢	20[redacted]	283	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	鼠径部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	筋骨格痛	20[redacted]	359	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	関節損傷	20[redacted]	435	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	皮膚感染	20[redacted]	435	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	眼刺激	20[redacted]	443	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	変形性関節症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	上腹部痛	20[redacted]	.	97	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	高血圧	20[redacted]	693	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	食中毒	20[redacted]	756	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	12	23	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	12	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	.	528	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	食欲減退	20[redacted]	.	72	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	食欲減退	20[redacted]	.	408	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	207	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	223	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	動脈硬化症	20[redacted]	239	331	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心拡大	20[redacted]	239	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	甲状腺腫	20[redacted]	240	330	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	特発性肺線維症	20[redacted]	240	330	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	293	277	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	351	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	361	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高カリウム血症	20[redacted]	361	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺高血圧症	20[redacted]	363	207	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	475	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	565	5	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	24	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高トリグリセリド血症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	挫傷	20[redacted]	74	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋拘縮	20[redacted]	74	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	74	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	橈骨骨折	20[redacted]	74	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	.	154	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	140	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血腫	20[redacted]	181	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊柱損傷	20[redacted]	181	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	204	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	238	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭部損傷	20[redacted]	238	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	270	465	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	313	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頻尿	20[redacted]	.	122	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	464	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	629	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	735	35	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	809	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	坐骨骨折	20[redacted]	876	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	876	84	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	878	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭部損傷	20[redacted]	882	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	1005	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	1144	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性下痢	20[redacted]	1212	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	1319	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	非心臓性胸痛	20[redacted]	15	305	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	注射部位出血	20[redacted]	29	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	四肢痛	20[redacted]	29	307	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	咳嗽	20[redacted]	41	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性胃腸炎	20[redacted]	84	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	84	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	143	47	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	乳房炎症	20[redacted]	200	122	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	背部痛	20[redacted]	226	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	白内障	20[redacted]	304	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	筋痙縮	20[redacted]	321	76	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	454	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	真菌性性器感染	20[redacted]	517	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	521	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	咳嗽	20[redacted]	561	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	594	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	.	122	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	歯痛	20[redacted]	796	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	聴力低下	20[redacted]	808	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	咳嗽	20[redacted]	839	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	ウイルス性上気道感染	20[redacted]	875	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1033	39	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	おむつ皮膚炎	20[redacted]	1047	60	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	急性心筋梗塞	20[redacted]	1214	19	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	慢性閉塞性肺疾患	20[redacted]	1214	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1215	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	心房細動	20[redacted]	1220	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	低カリウム血症	20[redacted]	1222	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	肺炎	20[redacted]	1223	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	下痢	20[redacted]	1363	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋障害	20[redacted]	22	269	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	22	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	112	179	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	217	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位疼痛	20[redacted]	286	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	419	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腓骨骨折	20[redacted]	419	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	脛骨骨折	20[redacted]	419	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	902	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	1000	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	排尿困難	20[redacted]	.	83	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	23	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	40	244	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋拘縮	20[redacted]	45	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	52	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	67	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	.	410	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	150	121	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	222	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性気管支炎	20[redacted]	368	59	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	388	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈硬化症	20[redacted]	389	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性脊椎症	20[redacted]	435	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎すべり症	20[redacted]	435	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	481	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	560	54	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	711	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	夜間頻尿	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1035	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	靭帯捻挫	20[redacted]	1035	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	閉塞性気道障害	20[redacted]	6	19	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	血管穿刺部位紅斑	20[redacted]	13	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	14	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋拘縮	20[redacted]	14	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	45	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	122	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	233	57	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	234	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	264	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	269	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	405	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	501	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	閉塞性気道障害	20[redacted]	501	5	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	758	45	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	758	18	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	口腔カンジダ症	20[redacted]	769	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	938	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	972	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	1105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	3	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	44	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	85	5	Y	Grade 1	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	250	129	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	.	137	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	665	252	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	806	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	アトピー性皮膚炎	20[redacted]	828	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋拘縮	20[redacted]	47	729	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	58	718	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋力低下	20[redacted]	66	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	101	675	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	109	667	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆管拡張	20[redacted]	249	527	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肝障害	20[redacted]	249	527	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	健忘	20[redacted]	.	517	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心電図再分極異常	20[redacted]	259	517	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	289	487	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	321	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	403	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	572	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	596	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	598	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	701	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	753	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	775	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	44	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	背部痛	20[redacted]	55	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	錯感覚	20[redacted]	56	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	注射部位出血	20[redacted]	1	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼡径部痛	20[redacted]	76	225	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧性網膜症	20[redacted]	101	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	アレルギー性結膜炎	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腸憩室	20[redacted]	130	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	痔核	20[redacted]	130	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	.	120	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	169	329	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	173	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	199	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	.	321	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	軟部組織損傷	20[redacted]	210	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	293	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	304	225	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	381	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	436	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	467	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	553	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	570	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	663	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	802	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	静脈瘤	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	822	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	労作性呼吸困難	20[redacted]	938	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1081	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	1107	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	創傷	20[redacted]	1107	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	1232	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	1232	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	1247	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	全身性皮疹	20[redacted]	1283	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	1	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	1	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	13	185	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	30	169	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋肉痛	20[redacted]	30	161	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	36	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	39	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	49	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	49	152	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	89	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	153	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節リウマチ	20[redacted]	167	34	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	膀胱痙縮	20[redacted]	198	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性気管支炎	20[redacted]	222	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	235	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	237	272	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	298	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	327	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	340	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	370	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	378	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	381	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	全身性浮腫	20[redacted]	396	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	427	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	444	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	444	65	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	444	65	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎結石症	20[redacted]	508	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	508	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	557	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	側弯症	20[redacted]	574	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胆石症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	労作性呼吸困難	20[redacted]	613	316	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸部損傷	20[redacted]	708	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	708	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	708	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	812	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	.	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	1014	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	手根管症候群	20[redacted]	1040	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	1052	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳痛	20[redacted]	1084	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	1112	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無症候性細菌尿	20[redacted]	1152	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神寸前の状態	20[redacted]	1152	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性胃炎	20[redacted]	1210	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸痛	20[redacted]	1249	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭部損傷	20[redacted]	17	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	48	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	81	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼痛	20[redacted]	109	153	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	114	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	131	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	172	81	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	228	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	軟部組織損傷	20[redacted]	284	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	291	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋力低下	20[redacted]	322	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	324	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	回転性めまい	20[redacted]	429	69	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	626	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	713	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻出血	20[redacted]	736	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	797	119	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	972	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	1007	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧クリーゼ	20[redacted]	1013	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1015	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1015	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	1107	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼瞼浮腫	20[redacted]	1118	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高尿酸血症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	湿疹	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	1197	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	117	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	142	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	532	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	690	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	694	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	齲歯	20[redacted]	.	83	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	歯痛	20[redacted]	.	80	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	硬膜外血腫	20[redacted]	1037	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭蓋骨骨折	20[redacted]	1037	.	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	失神	20[redacted]	1037	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	.	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	22	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	58	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肛門周囲痛	20[redacted]	86	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	椎間板障害	20[redacted]	96	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	157	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	181	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	207	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低血糖	20[redacted]	270	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	341	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	341	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	身長減少	20[redacted]	365	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	411	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	記憶障害	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格痛	20[redacted]	628	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	691	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	691	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尾骨痛	20[redacted]	801	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	コントロール不良の糖尿病	20[redacted]	892	2	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	892	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無症候性細菌尿	20[redacted]	1059	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	1072	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂肪肝	20[redacted]	1116	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	6	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	6	1216	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	斑状出血	20[redacted]	79	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	85	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	105	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脂質異常症	20[redacted]	199	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	眼そう痒症	20[redacted]	202	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹痛	20[redacted]	324	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	370	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	430	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭部損傷	20[redacted]	430	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	430	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	478	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	間擦疹	20[redacted]	532	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	600	622	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	631	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	631	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	703	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	.	515	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血小板減少症	20[redacted]	724	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	746	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	923	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性肺炎	20[redacted]	923	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	せつ	20[redacted]	1035	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	アレルギー性皮膚炎	20[redacted]	1049	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	1170	52	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	出血性卒中	20[redacted]	1205	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	出血性卒中	20[redacted]	1213	9	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	痙攣発作	20[redacted]	1213	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	1213	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	出血性卒中	20[redacted]	1216	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	低カリウム血症	20[redacted]	1217	5	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	２型糖尿病	20[redacted]	1219	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	心肺停止	20[redacted]	1221	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	130	336	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	153	100	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	181	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	齲歯	20[redacted]	.	201	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	713	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	713	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	881	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	処置後出血	20[redacted]	902	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	凝固時間延長	20[redacted]	933	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支閉塞	20[redacted]	96	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	128	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	171	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	208	179	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	緊張性頭痛	20[redacted]	216	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	83	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	960	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	流涙増加	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1047	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭部損傷	20[redacted]	1052	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	1052	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	交通事故	20[redacted]	1061	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎骨折	20[redacted]	1061	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	1063	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊椎骨折	20[redacted]	1082	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1205	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	1205	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	1205	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	失神	20[redacted]	1205	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面麻痺	20[redacted]	25	80	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	35	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	109	967	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	114	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	238	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	321	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	573	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	抑うつ気分	20[redacted]	.	445	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	744	332	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	781	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	1073	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	28	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不安障害	20[redacted]	71	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	80	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	神経痛	20[redacted]	80	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈瘤	20[redacted]	80	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	127	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	142	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	309	168	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	382	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	そう痒症	20[redacted]	417	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	468	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	538	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	.	132	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	693	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	709	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	膀胱痙縮	20[redacted]	767	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	825	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	蜂巣炎	20[redacted]	842	29	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肩回旋筋腱板症候群	20[redacted]	843	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	子宮出血	20[redacted]	889	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路結石	20[redacted]	1034	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	.	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性下痢	20[redacted]	1084	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	機能不全性子宮出血	20[redacted]	1117	66	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	子宮内膜腺癌	20[redacted]	1128	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]	1141	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	1158	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1158	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	1182	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	深部静脈血栓症	20[redacted]	1196	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	57	393	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	多汗症	20[redacted]	58	381	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	血便排泄	20[redacted]	103	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	屈折障害	20[redacted]	103	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	115	31	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	186	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	303	102	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	354	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	咳嗽	20[redacted]	414	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	781	134	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	174	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	176	289	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	疼痛	20[redacted]	181	344	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	206	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	392	693	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	441	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性腎障害	20[redacted]	450	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	451	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	753	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	846	224	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	901	42	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	912	55	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	1057	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	1089	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1134	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状皮疹	20[redacted]	1140	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1169	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	.	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	.	63	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	乳腺線維腫	20[redacted]	18	162	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹部膨満	20[redacted]	75	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格痛	20[redacted]	84	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	耳鳴	20[redacted]	.	411	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	適応障害	20[redacted]	164	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	斑状出血	20[redacted]	173	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	266	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	290	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	295	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	上腹部痛	20[redacted]	336	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	脂質異常症	20[redacted]	343	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹痛	20[redacted]	435	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃腸炎	20[redacted]	472	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	525	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	577	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	顔面麻痺	20[redacted]	622	19	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	707	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	879	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭部損傷	20[redacted]	879	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	大腸ポリープ	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	1062	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	.	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肋軟骨炎	20[redacted]	76	70	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	78	90	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	132	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	145	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	150	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	195	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	266	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	430	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹部癒着	20[redacted]	517	28	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	687	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	690	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	819	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	898	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	1072	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1072	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	83	60	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	163	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	236	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	一過性脳虚血発作	20[redacted]	255	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下気道感染	20[redacted]	293	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	413	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	465	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷	20[redacted]	465	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	回転性めまい	20[redacted]	512	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	813	20	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	処置による疼痛	20[redacted]	813	96	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	844	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	耳痛	20[redacted]	894	95	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳血管発作	20[redacted]	1166	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	1171	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	頚部痛	20[redacted]	25	44	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	聴力低下	20[redacted]	38	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	静脈瘤	20[redacted]	46	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	インフルエンザ	20[redacted]	64	5	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	咳嗽	20[redacted]	.	121	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	54	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	73	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	112	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性関節症	20[redacted]	112	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	125	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節リウマチ	20[redacted]	208	45	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	上腹部痛	20[redacted]	213	27	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	高血圧	20[redacted]	339	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	扁桃炎	20[redacted]	427	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節リウマチ	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	節足動物咬傷	20[redacted]	440	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	.	45	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	黄斑変性	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	745	115	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	気管支炎	20[redacted]	801	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性気管支炎	20[redacted]	884	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺の良性新生物	20[redacted]	886	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節リウマチ	20[redacted]	1078	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	42	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格痛	20[redacted]	216	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	.	63	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	439	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性尿路感染	20[redacted]	475	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	コントロール不良の糖尿病	20[redacted]	481	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧性心筋症	20[redacted]	847	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺高血圧症	20[redacted]	847	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腹部痛	20[redacted]	.	59	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	960	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不安	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	深部静脈血栓症	20[redacted]	48	46	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	63	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	血腫	20[redacted]	76	22	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	過量投与	20[redacted]	76	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	血管穿刺部位血腫	20[redacted]	83	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	皮膚損傷	20[redacted]	113	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	178	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹部敗血症	20[redacted]	225	48	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房細動	20[redacted]	239	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	274	118	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	.	405	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頚部痛	20[redacted]	344	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	531	19	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	帯状疱疹	20[redacted]	545	39	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ヘルペス後神経痛	20[redacted]	583	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胆石症	20[redacted]	721	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	742	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	779	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	認知障害	20[redacted]	917	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面損傷	20[redacted]	932	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	932	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	932	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	18	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	21	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	便秘	20[redacted]	44	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	44	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	.	168	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	錯感覚	20[redacted]	.	168	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	.	51	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	不安	20[redacted]	274	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	部分発作	20[redacted]	274	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	385	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	447	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	513	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	部分発作	20[redacted]	533	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	部分発作	20[redacted]	534	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	部分発作	20[redacted]	539	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	てんかん	20[redacted]	595	4	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	665	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	757	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	891	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	935	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不快感	20[redacted]	78	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不快感	20[redacted]	85	1	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	174	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	218	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	.	104	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	402	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	450	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	450	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不安定狭心症	20[redacted]	689	74	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	754	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	冠動脈疾患	20[redacted]	755	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性心不全	20[redacted]	763	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	無力症	20[redacted]	1	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	15	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格痛	20[redacted]	58	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	不眠症	20[redacted]	.	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	便秘	20[redacted]	79	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	出血性膀胱炎	20[redacted]	79	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	108	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	抑うつ気分	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痔出血	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	不眠症	20[redacted]	201	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位紅斑	20[redacted]	222	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位紅斑	20[redacted]	222	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位紅斑	20[redacted]	222	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	注射部位紅斑	20[redacted]	272	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	化学物質アレルギー	20[redacted]	305	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	大動脈硬化症	20[redacted]	463	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	不安	20[redacted]	483	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃炎	20[redacted]	533	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	601	18	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	咳嗽	20[redacted]	850	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	回転性めまい	20[redacted]	1006	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	接触皮膚炎	20[redacted]	57	72	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	無力症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	185	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	508	547	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳痛	20[redacted]	508	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胸痛	20[redacted]	.	252	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血小板減少症	20[redacted]	905	16	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳痛	20[redacted]	933	122	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血小板減少症	20[redacted]	961	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	骨髄異形成症候群	20[redacted]	997	55	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	81	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	81	30	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	88	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	180	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	180	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	片頭痛	20[redacted]	269	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	多尿	20[redacted]	282	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	301	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	.	576	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	430	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	430	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	528	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	646	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭部損傷	20[redacted]	646	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	646	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	677	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脊柱損傷	20[redacted]	677	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	710	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	754	216	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	816	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	食中毒	20[redacted]	860	25	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性気管支炎	20[redacted]	879	91	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	静脈炎	20[redacted]	892	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	894	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	930	40	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	便秘	20[redacted]	10	73	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	慢性胃炎	20[redacted]	81	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	83	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	四肢損傷	20[redacted]	83	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	127	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	尺骨骨折	20[redacted]	127	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	譫妄	20[redacted]	133	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	異物反応	20[redacted]	150	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	177	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	頭部損傷	20[redacted]	177	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	回転性めまい	20[redacted]	192	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	橈骨骨折	20[redacted]	209	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	243	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	創傷	20[redacted]	244	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	301	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	メレナ	20[redacted]	318	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	転倒	20[redacted]	328	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	328	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW		8[redacted]	F	OTHER	記憶障害	20[redacted]	.	.	N	Grade 3	NOT RELATED			NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	44	273	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	107	49	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	209	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	251	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	269	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低血圧	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	379	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	481	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	493	53	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	543	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	561	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	645	13	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	709	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	713	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	771	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	咳嗽	20[redacted]	806	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	908	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	911	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	3	89	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]	24	43	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	OTHER	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼乾燥	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭蓋脳損傷	20[redacted]	359	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	359	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	359	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	交通事故	20[redacted]	359	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	436	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	521	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]	615	43	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]	615	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂肪肝	20[redacted]	637	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低血糖	20[redacted]	652	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	膵炎	20[redacted]	652	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	105	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節脱臼	20[redacted]	105	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢圧挫損傷	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尺骨骨折	20[redacted]	105	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	110	111	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	.	80	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	221	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸炎	20[redacted]	224	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊椎すべり症	20[redacted]	229	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	231	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	460	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不快感	20[redacted]	678	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	頭痛	20[redacted]	709	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	75	112	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	75	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	75	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	117	70	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	198	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	284	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢損傷	20[redacted]	284	19	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	304	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	.	63	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	408	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	500	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	睡眠時無呼吸症候群	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	591	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	感染による慢性閉塞性気道疾患の増悪	20[redacted]	664	20	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	無症候性細菌尿	20[redacted]	673	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	809	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	834	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	873	12	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カルシウム血症	20[redacted]	874	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧クリーゼ	20[redacted]	881	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性気管支炎	20[redacted]	909	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	19	32	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脱水	20[redacted]	57	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	片頭痛	20[redacted]	64	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	116	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	多尿	20[redacted]	201	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	喘息	20[redacted]	303	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	306	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	損傷	20[redacted]	306	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	.	97	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	アレルギー性結膜炎	20[redacted]	387	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	498	152	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	533	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	580	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	887	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	橈骨骨折	20[redacted]	17	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尺骨骨折	20[redacted]	17	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	斑状出血	20[redacted]	260	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	血小板減少症	20[redacted]	1090	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高コレステロール血症	20[redacted]	140	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	回転性めまい	20[redacted]	381	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	466	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ様疾患	20[redacted]	123	24	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	295	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	825	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	血腫	20[redacted]	413	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	消化不良	20[redacted]	646	240	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	646	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	扁平上皮癌	20[redacted]	737	149	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	扁平上皮癌	20[redacted]	737	149	Y	Grade 5	RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	50	940	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	201	106	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肋軟骨炎	20[redacted]	241	66	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腸上皮化生	20[redacted]	306	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆嚢炎	20[redacted]	337	33	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]	337	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂肪肝	20[redacted]	337	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	337	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	456	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	506	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	便秘	20[redacted]	187	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	WHITE	胸椎骨折	20[redacted]	392	73	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	血圧上昇	20[redacted]	1	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	血圧上昇	20[redacted]	126	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	243	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	256	48	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧	20[redacted]	438	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性腎臓病	20[redacted]	556	330	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心筋梗塞	20[redacted]	598	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	710	69	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	814	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	846	40	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	882	.	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺塞栓症	20[redacted]	882	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	28	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	88	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	そう痒症	20[redacted]	128	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	全身性皮疹	20[redacted]	128	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺障害	20[redacted]	181	91	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢静脈疾患	20[redacted]	187	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	212	96	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	271	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	変形性関節症	20[redacted]	307	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋肉痛	20[redacted]	485	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	538	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	769	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂質異常症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脱水	20[redacted]	18	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス感染	20[redacted]	18	2	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	40	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃食道逆流性疾患	20[redacted]	40	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	40	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼充血	20[redacted]	119	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	橈骨骨折	20[redacted]	161	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	尿路感染	20[redacted]	687	576	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	貧血	20[redacted]	734	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	WHITE	鼻咽頭炎	20[redacted]	1143	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	心筋虚血	20[redacted]	209	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	尿路感染	20[redacted]	212	64	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	心房細動	20[redacted]	234	10	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	死亡	20[redacted]	451	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ様疾患	20[redacted]	458	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	過敏症	20[redacted]	629	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ様疾患	20[redacted]	689	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	1016	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1228	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腕骨骨折	20[redacted]	1228	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	水頭症	20[redacted]	426	10	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	969	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	1216	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	1216	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	448	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	268	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	高血圧	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	脳血管発作	20[redacted]	523	8	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	蜂巣炎	20[redacted]	788	44	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	243	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	弾発指	20[redacted]	243	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	憩室炎	20[redacted]	699	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	107	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1172	16	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	肩回旋筋腱板症候群	20[redacted]	347	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	中枢神経系新生物	20[redacted]	818	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭蓋内動脈瘤	20[redacted]	171	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]	89	10	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	手骨折	20[redacted]	414	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血管発作	20[redacted]-[redacted]-[redacted]	949	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	呼吸停止	20[redacted]-[redacted]-[redacted]	949	3	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]-[redacted]-[redacted]	78	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節リウマチ	20[redacted]-[redacted]-[redacted]	78	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	うっ血性心筋症	20[redacted]-[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胆石症	20[redacted]-[redacted]-[redacted]	428	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	心房細動	20[redacted]-[redacted]-[redacted]	589	40	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	脂肪肝	20[redacted]-[redacted]-[redacted]	592	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]-[redacted]-[redacted]	618	7	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	失神	20[redacted]-[redacted]-[redacted]	126	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]-[redacted]-[redacted]	723	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	上腹部痛	20[redacted]-[redacted]-[redacted]	174	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]-[redacted]-[redacted]	186	5	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	子宮癌	20[redacted]-[redacted]-[redacted]	2	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	腹膜炎	20[redacted]-[redacted]-[redacted]	47	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	創部内臓脱出	20[redacted]-[redacted]-[redacted]	47	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		7[redacted]	F	OTHER	栄養障害	20[redacted]-[redacted]-[redacted]	50	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]-[redacted]-[redacted]	172	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	25	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	74	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	糖尿病	20[redacted]	362	11	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	581	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	581	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	582	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性虚血	20[redacted]	.	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	丹毒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	萎縮性外陰腟炎	20[redacted]	1099	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	神経皮膚炎	20[redacted]	1099	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	治癒不良	20[redacted]	1108	14	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	創傷感染	20[redacted]	1108	14	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹膜癒着	20[redacted]	90	31	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹膜炎	20[redacted]	94	27	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹膜癒着	20[redacted]	95	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	口腔カンジダ症	20[redacted]	102	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	低カリウム血症	20[redacted]	111	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	急性腎障害	20[redacted]	138	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	大腿骨骨折	20[redacted]	.	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	高血圧	20[redacted]	901	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	大動脈瘤	20[redacted]	87	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋痙縮	20[redacted]	100	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	1056	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊椎骨折	20[redacted]	1056	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊椎骨折	20[redacted]	1056	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	930	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	930	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	上腕骨骨折	20[redacted]	930	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	譫妄	20[redacted]	931	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	コントロール不良の糖尿病	20[redacted]	931	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房細動	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血腫	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	左房拡張	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁硬化症	20[redacted]	932	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	結膜炎	20[redacted]	934	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	936	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	940	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	TRANSFUSION PERFORMED	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低酸素症	20[redacted]	940	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿閉	20[redacted]	940	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	1099	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	1106	6	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	1107	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	OTHER	膵癌	20[redacted]	309	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DRUG WITHDRAWN	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	OTHER	１型糖尿病	20[redacted]	309	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	OTHER	低カリウム血症	20[redacted]	329	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	331	13	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	OTHER	術後創感染	20[redacted]	332	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	861	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	861	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	歯の脱落	20[redacted]	33	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	転倒	20[redacted]	539	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	5[redacted]	F	OTHER	大腿骨骨折	20[redacted]	539	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腱炎	20[redacted]	47	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低カリウム血症	20[redacted]	1011	9	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	1011	9	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈狭窄	20[redacted]	361	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	徐脈	20[redacted]	927	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃潰瘍	20[redacted]	533	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	カルシウム代謝障害	20[redacted]	912	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	憩室炎	20[redacted]	1057	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	374	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路性敗血症	20[redacted]	393	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	631	8	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	1050	.	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	黒内障	20[redacted]	714	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	325	3	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	高血圧	20[redacted]	325	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	高血糖	20[redacted]	922	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	115	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	リンパ腫性乳頭状嚢胞腺腫	20[redacted]	.	345	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺の良性新生物	20[redacted]	843	39	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	感染による慢性閉塞性気道疾患の増悪	20[redacted]	843	9	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	小球性貧血	20[redacted]	11	32	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	305	7	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]-[redacted]-[redacted]	242	10	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]-[redacted]-[redacted]	718	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	肺炎	20[redacted]-[redacted]-[redacted]	727	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	喘息クリーゼ	20[redacted]-[redacted]-[redacted]	838	40	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]-[redacted]-[redacted]	922	18	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	耐糖能障害	20[redacted]-[redacted]-[redacted]	923	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]-[redacted]-[redacted]	936	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上部消化管出血	20[redacted]-[redacted]-[redacted]	189	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	血小板増加症	20[redacted]-[redacted]-[redacted]	928	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	うつ病	20[redacted]-[redacted]-[redacted]	250	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		6[redacted]	F	OTHER	自殺既遂	20[redacted]-[redacted]-[redacted]	284	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	完全房室ブロック	20[redacted]-[redacted]-[redacted]	313	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	医療機器機能不良	20[redacted]-[redacted]-[redacted]	313	21	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]-[redacted]-[redacted]	333	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	死亡	20[redacted]	.	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳血管障害	20[redacted]-[redacted]-[redacted]	520	8	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	蜂巣炎	20[redacted]-[redacted]-[redacted]	524	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	起立性低血圧	20[redacted]	524	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	914	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	糖尿病	20[redacted]	91	111	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	糖尿病性ケトアシドーシス	20[redacted]	102	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	肺炎	20[redacted]	102	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	糖尿病性ケトアシドーシス	20[redacted]	261	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	糖尿病性ケトアシドーシス	20[redacted]	537	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	細菌性肺炎	20[redacted]	537	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	539	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	変形性関節症	20[redacted]	188	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	389	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	612	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	冠動脈疾患	20[redacted]	638	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸炎	20[redacted]	204	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上気道感染	20[redacted]	330	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋痙縮	20[redacted]	387	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	膀胱瘤	20[redacted]	698	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿失禁	20[redacted]	698	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	子宮脱	20[redacted]	698	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	908	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	入院	20[redacted]	1009	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	1083	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺炎	20[redacted]	1107	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	274	204	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	340	138	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	442	80	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	583	98	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	689	22	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	827	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	慢性閉塞性肺疾患	20[redacted]	1034	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	腱炎	20[redacted]	11	496	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	変形性関節症	20[redacted]	98	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	呼吸困難	20[redacted]	103	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	手根管症候群	20[redacted]	151	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	心室細動	20[redacted]	155	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	心筋虚血	20[redacted]	254	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	腱炎	20[redacted]	303	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	橈骨骨折	20[redacted]	314	.	Y	Grade 2	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	肩回旋筋腱板症候群	20[redacted]	314	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	肩回旋筋腱板症候群	20[redacted]	316	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	大動脈弁閉鎖不全症	20[redacted]	457	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	MULTIPLE	振戦	20[redacted]	590	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	MULTIPLE	耳鳴	20[redacted]	29	81	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		6[redacted]	F	MULTIPLE	突然死	20[redacted]	109	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	26	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳損傷	20[redacted]	205	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳血管発作	20[redacted]	205	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳血管発作	20[redacted]	205	12	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃腸出血	20[redacted]	205	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈硬化症	20[redacted]	206	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大動脈弁閉鎖不全症	20[redacted]	206	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心拡大	20[redacted]	206	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	206	40	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	肺高血圧症	20[redacted]	206	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	244	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳室拡張	20[redacted]	245	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳軟化	20[redacted]	245	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	心不全	20[redacted]	248	10	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	右室不全	20[redacted]	248	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	嘔吐	20[redacted]	248	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	254	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	314	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	眼瞼挫傷	20[redacted]	557	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	557	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭部損傷	20[redacted]	557	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	592	501	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	歯肉炎	20[redacted]	31	45	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	肩回旋筋腱板症候群	20[redacted]	40	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	73	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痙攣発作	20[redacted]	73	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節滲出液	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腱障害	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腱障害	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腱障害	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腱断裂	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	腱断裂	20[redacted]	256	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	熱傷	20[redacted]	268	33	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	インフルエンザ	20[redacted]	271	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	感音性聴力低下	20[redacted]	291	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	366	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	438	14	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	外陰腟真菌感染	20[redacted]	.	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部損傷	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	びらん性大腸炎	20[redacted]	970	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	痔核	20[redacted]	970	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	裂孔ヘルニア	20[redacted]	1054	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	ヘリコバクター感染	20[redacted]	1078	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	5	8	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	うつ病	20[redacted]	5	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	高血圧	20[redacted]	12	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	左室機能不全	20[redacted]	12	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	気管支炎	20[redacted]	14	12	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	尿路感染	20[redacted]	81	10	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	うっ血性心不全	20[redacted]	103	7	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW		7[redacted]	F	OTHER	眼瞼浮腫	20[redacted]	142	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	30	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	79	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	基底細胞癌	20[redacted]	.	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	DEVICE/PROCEDURE INTERVENTION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	228	41	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	319	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈硬化症	20[redacted]	332	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈延長	20[redacted]	332	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	無気肺	20[redacted]	332	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部損傷	20[redacted]	720	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	720	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	耳垢栓塞	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	143	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	167	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	204	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	323	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	323	4	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	452	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	499	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	499	71	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	細菌性気管支炎	20[redacted]	543	78	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	570	42	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	577	43	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	577	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	消化不良	20[redacted]	585	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	607	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	617	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺高血圧症	20[redacted]	617	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	617	24	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心室性期外収縮	20[redacted]	618	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	拡張機能障害	20[redacted]	619	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	619	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	僧帽弁閉鎖不全症	20[redacted]	619	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	低カリウム血症	20[redacted]	623	17	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	661	42	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	肺炎	20[redacted]	740	15	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	性器出血	20[redacted]	846	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	50	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	齲歯	20[redacted]	160	38	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	198	421	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	精神病性障害	20[redacted]	229	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	289	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	605	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭部損傷	20[redacted]	605	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節損傷	20[redacted]	605	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	619	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無気肺	20[redacted]	728	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胸部損傷	20[redacted]	728	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	転倒	20[redacted]	728	1	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腕骨骨折	20[redacted]	728	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	729	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	782	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	甲状腺機能低下症	20[redacted]	48	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部損傷	20[redacted]	103	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	103	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	257	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	視神経炎	20[redacted]	337	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性関節症	20[redacted]	363	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	インフルエンザ	20[redacted]	439	75	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	蜂巣炎	20[redacted]	445	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	消化不良	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性胃腸炎	20[redacted]	708	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸炎	20[redacted]	47	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	70	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	胃腸炎	20[redacted]	146	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	228	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	228	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	269	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧クリーゼ	20[redacted]	519	1	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	第３脳神経麻痺	20[redacted]	519	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大脳障害	20[redacted]	530	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	微小血管症	20[redacted]	530	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	副鼻腔炎	20[redacted]	530	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	754	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	腹部症状	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	インフルエンザ	20[redacted]	304	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	高血糖	20[redacted]	540	403	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	貧血	20[redacted]	754	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	憩室	20[redacted]	867	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	腸出血	20[redacted]	867	11	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	高血糖	20[redacted]	1092	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	61	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	200	362	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大動脈狭窄	20[redacted]	223	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脳虚血	20[redacted]	223	17	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	276	286	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心不全	20[redacted]	557	5	Y	Grade 4	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心筋梗塞	20[redacted]	557	5	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	305	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	518	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	死亡	20[redacted]	661	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頚部痛	20[redacted]	530	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	白血球減少症	20[redacted]	733	115	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	死亡	20[redacted]	847	1	Y	Grade 4	NOT RELATED	FATAL	DOSE NOT CHANGED	REMOVED FROM STUDY	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	395	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	540	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	735	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	182	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	擦過傷	20[redacted]	270	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	蜂巣炎	20[redacted]	273	7	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	1	372	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	痔出血	20[redacted]	20	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	251	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃潰瘍	20[redacted]	409	6	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	貧血	20[redacted]	490	246	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	完全房室ブロック	20[redacted]	552	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血糖	20[redacted]	583	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	583	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	インフルエンザ	20[redacted]	606	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	無症候性細菌尿	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	先天性嚢胞性腎疾患	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	閉塞性気道障害	20[redacted]	609	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	腎萎縮	20[redacted]	609	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	細菌性膣症	20[redacted]	.	.	N	Grade 1			DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	インフルエンザ	20[redacted]	241	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	不安障害	20[redacted]	272	296	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	胃腸管腺腫	20[redacted]	275	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	アレルギー性そう痒症	20[redacted]	.	33	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	下痢	20[redacted]	348	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	ウイルス感染	20[redacted]	422	6	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	背部痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	尿路感染	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	頚部痛	20[redacted]	702	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	膀胱炎	20[redacted]	886	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	15	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	41	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	筋骨格痛	20[redacted]	.	653	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	176	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	死亡	20[redacted]	819	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	143	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	143	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	168	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	168	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	不全単麻痺	20[redacted]	179	19	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	296	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	318	26	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	過敏性腸症候群	20[redacted]	338	18	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	341	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	422	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	脊柱損傷	20[redacted]	422	15	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節損傷	20[redacted]	425	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	483	46	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	全身性皮疹	20[redacted]	487	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	490	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	534	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	高血圧クリーゼ	20[redacted]	554	3	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	転倒	20[redacted]	557	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	上腕骨骨折	20[redacted]	557	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢損傷	20[redacted]	557	61	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	狭心症	20[redacted]	707	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	753	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性気管支炎	20[redacted]	812	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	25	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	97	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	.	74	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	回転性めまい	20[redacted]	145	451	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭位性回転性めまい	20[redacted]	253	23	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	264	20	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	313	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	385	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	417	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	627	190	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	627	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス性上気道感染	20[redacted]	627	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性気管支炎	20[redacted]	649	177	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	667	12	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	回転性めまい	20[redacted]	717	31	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	20	58	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	錯感覚	20[redacted]	77	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	結膜出血	20[redacted]	78	21	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	下痢	20[redacted]	267	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	271	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	不快感	20[redacted]	330	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	509	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	関節痛	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	687	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	顔面損傷	20[redacted]	689	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	急性骨髄性白血病	20[redacted]	719	.	Y	Grade 3	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	貧血	20[redacted]	816	.	Y	Grade 3	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	脊椎骨折		.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	幻視	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	下痢	20[redacted]	123	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	子宮頚管ポリープ	20[redacted]	182	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	側弯症	20[redacted]	230	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性脊椎症	20[redacted]	230	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	椎間板突出	20[redacted]	257	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	椎間板突出	20[redacted]	257	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	椎間板腔狭窄	20[redacted]	257	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	外陰腟そう痒症	20[redacted]	327	14	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	447	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	咽喉刺激感	20[redacted]	458	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	パニック障害	20[redacted]	620	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	734	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	大腿骨骨折	20[redacted]	734	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	734	72	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	6[redacted]	F	OTHER	転倒	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	四肢痛	20[redacted]	.	533	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	浮動性めまい	20[redacted]	.	220	N	Grade 2	RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	接触皮膚炎	20[redacted]	231	439	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	不整脈	20[redacted]	238	432	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	328	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	静脈瘤性潰瘍	20[redacted]	.	136	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	552	21	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	563	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	569	25	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	596	10	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	658	12	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋肉痛	20[redacted]	.	.	N	Grade 2	RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	12	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	左脚ブロック	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	白内障	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	皮下組織膿瘍	20[redacted]	102	13	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	高コレステロール血症	20[redacted]	120	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性胃炎	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	筋骨格痛	20[redacted]	141	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ヘリコバクター感染	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	324	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腸上皮化生	20[redacted]	414	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	498	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	医療機器関連眼合併症	20[redacted]	.	20	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腎嚢胞	20[redacted]	648	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	659	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	非心臓性胸痛	20[redacted]	697	3	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	8	7	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	10	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	錯感覚	20[redacted]	15	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	96	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	139	6	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	薬物過敏症	20[redacted]	139	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	201	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	322	390	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	348	16	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	末梢性浮腫	20[redacted]	467	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	無力症	20[redacted]	477	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	477	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	501	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	発熱	20[redacted]	680	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	698	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	712	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頚部痛	20[redacted]	713	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	.	49	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	慢性閉塞性肺疾患	20[redacted]	764	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	疲労	20[redacted]	3	316	N	Grade 2	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋肉痛	20[redacted]	3	.	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	耳垢栓塞	20[redacted]	12	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	喘息	20[redacted]	39	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	肋軟骨炎	20[redacted]	51	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	110	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	変形性脊椎症	20[redacted]	117	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	脂質異常症	20[redacted]	132	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	耳鳴	20[redacted]	173	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	耳垢栓塞	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	293	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	319	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	自己否定気分	20[redacted]	319	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃炎	20[redacted]	319	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	気管支炎	20[redacted]	329	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	うつ病	20[redacted]	.	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	尿路感染	20[redacted]	421	28	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋骨格系胸痛	20[redacted]	442	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	扁桃炎	20[redacted]	474	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	感覚鈍麻	20[redacted]	503	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	頭痛	20[redacted]	516	1	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	.	170	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	神経根圧迫	20[redacted]	606	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	710	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	742	8	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	COLOMBIA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	喉頭炎	20[redacted]	750	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	35	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	白血球増加症	20[redacted]	35	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	血小板増加症	20[redacted]	35	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	関節痛	20[redacted]	89	66	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	92	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	関節痛	20[redacted]	154	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	末梢性浮腫	20[redacted]	154	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	鼓腸	20[redacted]	274	73	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	283	89	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	転倒	20[redacted]	331	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	関節リウマチ	20[redacted]	336	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	関節腫脹	20[redacted]	407	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	白血球減少症	20[redacted]	553	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	好中球増加症	20[redacted]	553	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		8[redacted]	F	BLACK OR AFRICAN AMERICAN	血小板増加症	20[redacted]	553	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	咳嗽	20[redacted]	15	137	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	85	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	気道感染	20[redacted]	117	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	便秘	20[redacted]	175	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	185	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	筋痙縮	20[redacted]	252	43	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	胆石症	20[redacted]	323	9	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	頭痛	20[redacted]	332	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	低酸素症	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	21	147	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	100	90	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	頭痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	頭痛	20[redacted]	129	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	頭痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	嘔吐	20[redacted]	185	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	アラニンアミノトランスフェラーゼ増加	20[redacted]	191	91	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	OTHER	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	アスパラギン酸アミノトランスフェラーゼ増加	20[redacted]	191	91	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	OTHER	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	腹痛	20[redacted]	215	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	下痢	20[redacted]	215	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	尿路感染	20[redacted]	219	643	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	脂肪肝	20[redacted]	245	.	N	Grade 1	NOT RELATED		DRUG WITHDRAWN	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	筋痙縮	20[redacted]	336	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	錯感覚	20[redacted]	336	28	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	高マグネシウム血症	20[redacted]	371	185	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW		7[redacted]	F	BLACK OR AFRICAN AMERICAN	好酸球増加症	20[redacted]	553	188	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	25	67	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	低アルブミン血症	20[redacted]	261	25	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	丘疹性皮疹	20[redacted]	331	33	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	OTHER	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	天疱瘡	20[redacted]	338	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	運動低下	20[redacted]	526	108	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	突然死	20[redacted]	633	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	28	141	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	87	98	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	そう痒症	20[redacted]	96	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	背部痛	20[redacted]	189	711	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	切開部位感染	20[redacted]	259	641	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高カルシウム血症	20[redacted]	274	91	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	血小板減少症	20[redacted]	274	273	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	結膜出血	20[redacted]	445	11	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	憩室	20[redacted]	456	444	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	下部消化管出血	20[redacted]	457	6	Y	Grade 1	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	低ナトリウム血症	20[redacted]	546	188	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	死亡	20[redacted]	899	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		8[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	36	50	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		8[redacted]	F	BLACK OR AFRICAN AMERICAN	Ｃ型肝炎	20[redacted]	148	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	OTHER	N
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		8[redacted]	F	BLACK OR AFRICAN AMERICAN	腹痛	20[redacted]	181	.	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		8[redacted]	F	BLACK OR AFRICAN AMERICAN	下痢	20[redacted]	181	.	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		8[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	189	3	N	Grade 1	NOT RELATED		DOSE ALTERED OR WITHHELD	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	29	8	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	105	39	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	腟出血	20[redacted]	.	464	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	腹痛	20[redacted]	183	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	198	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	子宮頚部扁平上皮癌	20[redacted]	261	325	Y	Grade 3	NOT RELATED	RESOLVED	DOSE ALTERED OR WITHHELD	OTHER	N
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	黄疸	20[redacted]	443	143	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	うつ病	20[redacted]	545	41	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	555	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	低カルシウム血症	20[redacted]	555	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	低ナトリウム血症	20[redacted]	555	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	リンパ球減少症	20[redacted]	555	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	好中球増加症	20[redacted]	555	31	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM		7[redacted]	F	BLACK OR AFRICAN AMERICAN	子宮頚部扁平上皮癌	20[redacted]	585	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高マグネシウム血症	20[redacted]	37	155	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	脳血管発作	20[redacted]	97	6	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高マグネシウム血症	20[redacted]	283	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	骨折痛	20[redacted]	323	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	腹部膨満	20[redacted]	338	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	腹痛	20[redacted]	338	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	頭痛	20[redacted]	371	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	37	157	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高マグネシウム血症	20[redacted]	37	157	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	95	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	皮膚炎	20[redacted]	105	73	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	深部静脈血栓症	20[redacted]	135	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	関節痛	20[redacted]	.	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	233	19	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	皮膚炎	20[redacted]	280	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	皮膚炎	20[redacted]	280	24	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	283	92	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高マグネシウム血症	20[redacted]	283	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	そう痒症	20[redacted]	526	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	555	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	BLACK OR AFRICAN AMERICAN	高血糖	20[redacted]	555	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	浮動性めまい	20[redacted]	72	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	尿路感染	20[redacted]	93	17	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	貧血	20[redacted]	98	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	低血糖	20[redacted]	109	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	低血糖	20[redacted]	263	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	低血糖	20[redacted]	269	1	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	EMERGENCY ROOM VISIT	N
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	好中球減少症	20[redacted]	282	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	290	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	上気道感染	20[redacted]	.	143	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	末梢性浮腫	20[redacted]	327	354	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	末梢性浮腫	20[redacted]	327	354	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	BLACK OR AFRICAN AMERICAN	関節痛	20[redacted]	441	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	関節痛	20[redacted]	100	.	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	硝子体浮遊物	20[redacted]	106	19	N	Grade 1	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	食中毒	20[redacted]	238	2	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	DOMINICAN REPUBLIC	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	WHITE	胆石症	20[redacted]	337	.	Y	Grade 3	NOT RELATED	NOT RESOLVED	DOSE ALTERED OR WITHHELD	MULTIPLE	N
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	骨痛	20[redacted]	34	11	N	Grade 3	RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	うつ病	20[redacted]	34	21	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	末梢性浮腫	20[redacted]	34	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	88	32	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	背部痛	20[redacted]	144	653	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	尿路感染	20[redacted]	210	2	Y	Grade 4	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	DOMINICAN REPUBLIC	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	死亡	20[redacted]	796	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GUATEMALA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	脳虚血	20[redacted]	722	4	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	358	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	栄養障害	20[redacted]	488	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	37	2	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	血管浮腫	20[redacted]	85	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	127	11	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	127	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	142	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	動脈瘤	20[redacted]	220	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	220	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	坐骨神経痛	20[redacted]	220	26	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	関節痛	20[redacted]	245	36	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	245	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	脳血管障害	20[redacted]	310	55	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	胃炎	20[redacted]	336	29	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨頚部骨折	20[redacted]	389	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上室性不整脈	20[redacted]	414	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	101	119	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	気管支炎	20[redacted]	101	119	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	筋痙縮	20[redacted]	101	119	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	128	21	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腸の軸捻転	20[redacted]	150	31	Y	Grade 3	NOT RELATED	RESOLVED	DRUG WITHDRAWN	HOSPITALIZED/PROLONGED HOSPITALIZATION	N
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	皮膚炎	20[redacted]	249	34	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	貧血	20[redacted]	282	85	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	背部痛	20[redacted]	282	85	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	単径ヘルニア	20[redacted]	366	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	胃炎	20[redacted]	455	117	Y	Grade 3	RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	寄生虫感染	20[redacted]	465	5	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	ウイルス性消化管感染	20[redacted]	468	4	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	過角化	20[redacted]	730	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	SURGICAL INTERVENTION	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	関節痛	20[redacted]	926	41	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腹部ヘルニア	20[redacted]	1108	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	挫傷	20[redacted]	3	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	高血圧	20[redacted]	250	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	うつ病	20[redacted]	476	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	洞性徐脈	20[redacted]	708	36	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	EMERGENCY ROOM VISIT	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	洞性徐脈	20[redacted]	778	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	憩室	20[redacted]	889	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	痔核	20[redacted]	889	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	971	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	急性心筋梗塞	20[redacted]	27	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	UNKNOWN	Y
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	排尿困難	20[redacted]	84	3	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	CULTURE TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	口腔カンジダ症	20[redacted]	178	335	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	上腹部痛	20[redacted]	335	178	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	便秘	20[redacted]	335	178	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	結腸腺癌	20[redacted]	373	140	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	外科手術	20[redacted]	512	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	HOSPITALIZED/PROLONGED HOSPITALIZATION	Y
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	気管支炎	20[redacted]	156	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NON-IV ANTIMICROBIAL TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心房粗動	20[redacted]	270	348	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	8[redacted]	F	OTHER	心障害	20[redacted]	617	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	腹痛	20[redacted]	43	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	便秘	20[redacted]	43	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	尿路感染	20[redacted]	43	29	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	95	12	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	神経痛	20[redacted]	106	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下腹部痛	20[redacted]	113	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	127	37	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	下痢	20[redacted]	144	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	インフルエンザ	20[redacted]	211	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	細菌性関節炎	20[redacted]	540	183	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腕骨骨折	20[redacted]	689	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	7[redacted]	F	OTHER	低ナトリウム血症	20[redacted]	727	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	排尿困難	20[redacted]	167	11	N	Grade 1	RELATED		DOSE NOT CHANGED	CULTURE TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	上腹部痛	20[redacted]	236	138	N	Grade 1	RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	橈骨骨折	20[redacted]	378	.	Y	Grade 2	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	子宮頚部扁平上皮癌	20[redacted]	535	.	Y	Grade 4	NOT RELATED	NOT RESOLVED	DOSE NOT CHANGED	OTHER	N
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	デング熱	20[redacted]	62	30	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血小板増加症	20[redacted]	91	99	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	血小板増加症	20[redacted]	267	35	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	OTHER	白内障	20[redacted]	454	88	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	ALN 70 MG PO QW		8[redacted]	F	OTHER	子宮頚部癌	20[redacted]	43	101	Y	Grade 4	NOT RELATED	UNKNOWN	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	GUATEMALA	ALN 70 MG PO QW		8[redacted]	F	OTHER	白血球増加症	20[redacted]	82	62	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	UNKNOWN	
[redacted]	GUATEMALA	ALN 70 MG PO QW		8[redacted]	F	OTHER	子宮頚部癌	20[redacted]	143	1	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	NO ACTION TAKEN	Y
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	筋痙縮	20[redacted]	11	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	細菌性眼感染	20[redacted]	45	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	背部痛	20[redacted]	56	161	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	変形性関節症	20[redacted]	119	23	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	細菌性結膜炎	20[redacted]	156	10	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	鼻咽頭炎	20[redacted]	307	7	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	関節痛	20[redacted]	498	97	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	頚部痛	20[redacted]	498	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	湿疹	20[redacted]	679	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GUATEMALA	AMG 785 210 MG SC QM	ALN 70 MG PO QW	8[redacted]	F	AMERICAN INDIAN OR ALASKA NATIVE	変形性関節症	20[redacted]	701	42	Y	Grade 2	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MEDICATION TAKEN	N
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	チクングニヤウイルス感染	20[redacted]	20	15	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	不眠症	20[redacted]	125	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	神経炎	20[redacted]	154	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	湿性咳嗽	20[redacted]	175	42	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	浮動性めまい	20[redacted]	182	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	四肢痛	20[redacted]	183	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	気管支炎	20[redacted]	208	9	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	寄生虫性胃腸炎	20[redacted]	238	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	寄生虫性胃腸炎	20[redacted]	301	5	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	533	.	N	Grade 2	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	腎クレアチニン・クリアランス減少	20[redacted]	547	.	Y	Grade 3	RELATED	NOT RESOLVED	DOSE NOT CHANGED	NO ACTION TAKEN	N
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	背部痛	20[redacted]	684	.	N	Grade 3	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	そう痒症	20[redacted]	904	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	大腿骨骨折	20[redacted]	57	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	AMG 785 210 MG SC QM		8[redacted]	F	OTHER	肺炎	20[redacted]	134	28	Y	Grade 5	NOT RELATED	FATAL	DOSE NOT CHANGED	MULTIPLE	Y
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	湿性咳嗽	20[redacted]	84	9	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	浮動性めまい	20[redacted]	142	14	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	177	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	鼻咽頭炎	20[redacted]	194	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	末梢性浮腫	20[redacted]	210	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	四肢痛	20[redacted]	424	16	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	OTHER	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	腟出血	20[redacted]	455	1	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MULTIPLE	

Subject Identifier for the Study	Country	Actual Treatment for Period 01	Actual Treatment for Period 02	Age	Sex	Race	Dictionary-Derived Term	Start Date/Time of Adverse Event	Study Day of Start of Adverse Event	Duration in Days	Serious Event	Toxicity Grade	Causality	Outcome of Serious Adverse Event	Action Taken with Study Treatment	Other Action Taken	Results in Death
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	子宮頚部上皮異形成	20[redacted]	499	47	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	6[redacted]	F	OTHER	子宮内膜腺癌	20[redacted]	499	47	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	頭痛	20[redacted]	84	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	結膜炎	20[redacted]	146	6	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	咳嗽	20[redacted]	208	.	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	顔面部神経痛	20[redacted]	208	4	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	NO ACTION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	ウイルス感染	20[redacted]	345	22	N	Grade 1	NOT RELATED		DOSE NOT CHANGED	MEDICATION TAKEN	
[redacted]	GUATEMALA	ALN 70 MG PO QW	ALN 70 MG PO QW	7[redacted]	F	OTHER	大腿骨骨折	20[redacted]	505	.	Y	Grade 3	NOT RELATED	RESOLVED	DOSE NOT CHANGED	MULTIPLE	N

目次

2.7.5 参考文献 2
2.7.1 で引用した文献 2
2.7.2 で引用した文献 2
2.7.3 で引用した文献 4
2.7.4 で引用した文献 7

2.7.5 参考文献

2.7.1 で引用した文献

International CONFERENCE for Harmonisation (ICH) of Technical Requirements for Registration of Pharmaceuticals for Human Use. Guidance for Industry: Q5E Comparability of Biotechnological/Biological Products Subject to Changes in Their Manufacturing Process. November 2004.

United States Food and Drug Administration (FDA, 2001). Guidance for Industry: Statistical Approaches to Establishing Bioequivalence. http://www.fda.gov/downloads/Drugs/Guidances/ucm070244.pdf.

2.7.2 で引用した文献

Brandenburg VM, Kramann R, Koos R, et al. Relationship between sclerostin and cardiovascular calcification in hemodialysis patients: a cross-sectional study. BMC Nephrol. 2013;14:219.

Cejka D, Marculescu R, Kozakowski N, et al. Renal Elimination of Sclerostin Increases With Declining Kidney Function. J Clin Endocrinol Metab. 2014;99(1):248-255.

de Oliveira RB, Graciolli FG, dos Reis LM, et al. Disturbances of Wnt/β-catenin pathway and energy metabolism in early CKD: effect of phosphate binders. Nephrol Dial Transplant. 2013;28:2510-2517.

Deng R, Meng YG, Hoyte K, et al. Subcutaneous bioavailability of therapeutic antibodies as a function of FcRn binding affinity in mice. MAbs. 2012;4(1):101-109.

Drueke TB and Lafage-Proust M-H. Sclerostin: Just One More Player in Renal Bone Disease? Clin J Am Soc Neph. 2011;6:700-703.

Eddleston A, Marenzana M, Moore AR, et al. A short treatment with an antibody to sclerostin can inhibit bone loss in an ongoing model of colitis. J Bone Miner Res. 2009;24(10):1662-1671.

Ettinger B, San Martin J, Crans G, Pavo I. Differential effects of teriparatide on BMD after treatment with raloxifene or alendronate. J Bone Miner Res. 2004;19:745-751.

Evers R, Dallas S, Dickmann LJ, et al. Critical Review of Preclinical Approaches to Investigate Cytochrome P450-Mediated Therapeutic Protein Drug-Drug Interactions and Recommendations for Best Practices: A White Paper. Drug Metab Dispos. 2013;41:1598-1609.

Frey N, Grange S, Woodworth T. Population pharmacokinetic analysis of tocilizumab in patients with rheumatoid arthritis. J Clin Pharmacol. 2010;50(7):754-766.

Huang S-M, Zhao H, Lee J-I, et al. Therapeutic Protein-Drug Interactions and Implications for Drug Development. Clin Pharmacol Ther. 2010;87(4): 497-503.

Kagan L. Pharmacokinetic modeling of the subcutaneous absorption of therapeutic proteins. Drug Metab Dispos. 2014;42(11):1890-1905.

Kenny JR, Liu MM, Chow AT, et al. Therapeutic Protein Drug-Drug Interactions: Navigating the Knowledge Gaps – Highlights from the 2012 AAPS NBC Roundtable and IQ Consortium/FDA Workshop. The AAPS J. 2013;15(4):933-940.

Mandema JW, Zheng J, Libanati C, Perez Ruxio JJ. Time course of bone mineral density changes with denosumab compared with other drugs in postmenopausal osteoporosis: a dose-response-based meta-analysis. J Clin Endrocin Metab. 2014;99(10):3746-3755.

Miller PD, Delmas PD, Lindsay R, et al. Early responsiveness of women with osteoporosis to teriparatide after therapy with alendronate or risedronate. J Clin Endocrinol Metab. 2008;93(10):3785-3793.

Obermayer-Pietsch BM, Marin F, McCloskey EV, et al. Effects of two years of daily teriparatide treatment on BMD in postmenopausal women with severe osteoporosis with and without prior antiresorptive treatment. J Bone Miner Res. 2008;23(10):1591-600.

Pelletier S, Dubourg L, Carlier M-C, et al. The Relation between Renal Function and Serum Sclerostin in Adult Patients with CKD. Clin J Am Soc Nephrol. 2013;8:819-823.

Poole KE, van Bezooijen RL, Loveridge N, et al. Sclerostin is a delayed secreted product of osteocytes that inhibits bone formation. FASEB J. 2005;19:1842-1844.

Struemper H, Chen C, Cai W. Population pharmacokinetics of belimumab following intravenous administration in patients with systemic lupus erythematosus. J Clin Pharmacol. 2013;53(7):711-720.

van Bezooijen RL, Roelen BAJ, Visser A, et al. Sclerostin is an osteocyte-expressed negative regulator of bone formation, but not a classical BMP antagonist. J Exp Med. 2004;199:805-814.

Vargas HM, Bass AS, Breidenbach A, et al. Scientific review and recommendations on preclinical cardiovascular safety evaluation of biologics. J Pharmacol Toxicol Methods. 2008;58(2):72-76.

Winkler DG, Sutherland MK, Geoghegan JC, et al. Osteocyte control of bone formation via sclerostin, a novel BMP antagonist. EMBO Journal. 2003;22:6267-6276.

Zhou H and Mascelli MA. Mechanisms of Monoclonal Antibody-Drug Interactions. Annu Rev Pharmacol Toxicol. 2011;51:359-372.

Zhu Y, Hu C, Lu M, et al. Population pharmacokinetic modeling of ustekinumab, a human monoclonal antibody targeting IL-12/23p40, in patients with moderate to severe plaque psoriasis. J Clin Pharmacol. 2009;49(2):162-175.

2.7.3 で引用した文献

Austin M, Yang, YC, Vittinghoff E, et al. Relationship between bone mineral density changes with denosumab treatment and risk reduction for vertebral and nonvertebral fractures. J Bone Miner Res. 2012;27(3):687-693.

Balemans W, Ebeling M, Patel N, et al. Increased bone density in sclerosteosis is due to the deficiency of a novel secreted protein (SOST). Hum Mol Genet. 2001;10:537-543.

Beaupre LA, Cinats JG, Jones CA, et al. Does functional recovery in elderly hip fracture patients differ between patients admitted from long-term care and the community? J Gerontol A Biol Sci Med Sci. 2007;62:1127-1133.

Black DM, Bilezikian JP, Ensrud KE, et al. One year of alendronate after one year of parathyroid hormone (1-84) for osteoporosis. N Engl J Med. 2005;353(6):555-565.

Black DM, Schwartz AV, Ensrud KE, et al. Effects of continuing or stopping alendronate after 5 years of treatment: the Fracture Intervention Trial Long-term Extension (FLEX): a randomized trial. JAMA 2006;296:2927-2938.

Black DM, Vittinghoff E, Eastell R, et al. Hip BMD by DXA Can Reliably Estimate Reduction in Hip Risk in Osteoporosis Trials: A Meta-Regression ASMBR Abstract 2015.

Brenneman S, Barrett-Connor E, Sajjan, et al. Impact of Recent Fracture on Health-Related Quality of Life in Postmenopausal Women. J Bone Miner Res. 2006;21:809-816.

Brown JP, Dempster DW, Ding B, et al. Bone remodeling in postmenopausal women who discontinued denosumab treatment: off-treatment biopsy study. J Bone Miner Res. 2011;26:2737-2744.

Brunkow M, Gardner J, Van Ness J, Paeper B, et al. Bone Dysplasia Sclerosteosis Results from Loss of the SOST Gene Product, a Novel Cystine Knot–Containing Protein. American Journal of Human Genetics 2001;68(3):577-589.

Cooper C. The Crippling Consequences of Fractures and Their Impact on Quality of Life. The American Journal of Medicine 1997;103:12S-19S.

Crans G, Silverman S, Genant H, et al. Association of Severe Vertebral Fractures With Reduced Quality of Life. Arthritis and Rheumatism 50, No. 12, 2004;50(12):4028-4034.

Cosman F. Anabolic and antiresorptive therapy for osteoporosis: combination and sequential approaches. Current Osteoporosis Report 2014;12(4):385-395.

Ettinger B, San Martin J, Crans G, Pavo I. Differential effects of teriparatide on BMD after treatment with raloxifene or alendronate. J Bone Miner Res. 2004;19:745-751.

Fechtenbaum J, Cropet C, Kolta S, et al. The severity of vertebral fractures and health-related quality of life in osteoporotic postmenopausal women. Osteoporos Int. 2005;16:2175-2179.

Galindo-Ciocon D, Ciocon JO, Galindo D. Functional impairment among elderly women with osteoporotic vertebral fractures. Rehabil Nurs. 1995;20:79-83.

Genant H, Boonen H, Bolognese S, et al. Romosozumab Administration Is Associated With Significant Improvements In Lumbar Spine and Hip Volumetric Bone Mineral Density and Content Compared With Teriparatide 2013 Arthritis and Rheumatism 65; Abstract.

Hall SE, Criddle RA, Comito TL, Prince RL. A case-control study of quality of life and functional impairment in women with long-standing vertebral osteoporotic fracture. Osteoporos Int. 1999;9:508-515.

Hallberg I, Bachrach-Lindstrom M, Hammerby S, Toss G, Ek AC. Health-related quality of life after vertebral or hip fracture: a seven-year follow-up study. BMC Musculoskelet Disord. 2009;10:135.

Hallberg I, Rosenqvist AM, Kartous L, et al. Health-related quality of life after osteoporotic fractures. Osteoporos Int. 2004;15:834-841.

Harsløf T and Langdahl B. New horizons in osteoporosis therapies Curr Opin Pharmacol. 2016;28:38-42.

Heikkinen J, Vaheri R, Haapalahti J, Timonen U. A 10-year follow-up of the effect of continuous-combined hormone replacement therapy and its discontinuation on bone in postmenopausal women. Menopause International 2008;14:70-77.

Holick MF. Optimal vitamin D status for the prevention and treatment of osteoporosis. Drugs Aging 2007;24(12):1017-29.

Jacques R, Boonen S, Cosman F, et al. Relationship of changes in total hip bone mineral density to vertebral and nonvertebral fracture risk in women with postmenopausal osteoporosis treated with once-yearly zoledronic acid 5 mg: the HORIZON-Pivotal Fracture Trial (PFT) J Bone Miner Res. 2012;27(8):1627-1634.

Johnell O, Kanis JA. An estimate of the worldwide prevalence and disability associated with osteoporotic fractures. Osteoporos Int. 2006;17:1726-1733.

Johnell O, Kanis JA, Oden A, et al. Predictive Value of BMD for Hip and Other Fractures. J Bone Miner Res. 2005;20:1185-1194.

Japanese Society for Bone and Mineral Research (JSBMR). Diagnostic Criteria for Primary Osteoporosis. 2012. In Japanese.

Keaveny T, Crittenden D, Bolognese M, et al. Romosozumab Improves Strength at the Lumbar Spine and Hip in Postmenopausal Women With Low Bone Mass Compared With Teriparatide [abstract] ASBMR 2015. ABSTRACT NUMBER: 3175.

Langdahl B, Binkley N, Bone H, et al. Odanacatib in the treatment of postmenopausal women with low bone mineral density: five years of continued therapy in a phase 2 study. Journal of Bone and Mineral Research: the official journal of the American Society for Bone and Mineral Research 2012;27:2251-2258.

Leder BZ, Neer RM, Wyland JJ, Lee HW, Burnett-Bowie SM, Finkelstein JS. Effects of teriparatide treatment and discontinuation in postmenopausal women and eugonadal men with osteoporosis. The Journal of Clinical Endocrinology and Metabolism 2009;94:2915-2921.

Lems WF. Clinical relevance of vertebral fractures. Ann Rheum Dis. 2007; 66(1):2–4.

McClung MR, Grauer A, Boonen S, et al. Romosozumab in postmenopausal women with low bone mineral density. N Engl J Med. 2014;370(5):412-420.

Miller PD, Delmas PD, Lindsay R, et al. Early responsiveness of women with osteoporosis to teriparatide after therapy with alendronate or risedronate. J Clin Endocrinol Metab. 2008;93(10):3785-3793.

Naylor, K. and Eastell, R. Bone turnover markers: use in osteoporosis. Nat Rev Rheumatol. 2012;8:379-389.

NOF. National Osteoporosis Foundation Clinician's Guide to Prevention and Treatment of Osteoporosis. Washington, DC: National Osteoporosis Foundation. 2014;25:2359-2381.

Obermayer-Pietsch BM, Marin F, McCloskey EV, et al. Effects of two years of daily teriparatide treatment on BMD in postmenopausal women with severe osteoporosis with and without prior antiresorptive treatment. J Bone Miner Res. 2008;23(10):1591-600.

Ominsky MS, Niu Q, Li C et al. Tissue level mechanisms responsible for the increase in bone formation and bone volume by sclerostin antibody. J Bone Miner Res. 2014;29(6):1424-1430

Padhi D, Jang G, Stouch B, et al. Single-dose, placebo-controlled, randomized study of AMG 785, a sclerostin monoclonal antibody. J Bone Miner Res. 2011;26(1):19-26.

Poole KE, van Bezooijen RL, Loveridge N, et al. Sclerostin is a delayed secreted product of osteocytes that inhibits bone formation. FASEB J. 2005;19:1842-1844.

Prince R, Sipos A, Hossain A, et al. Sustained Nonvertebral Fragility Fracture Risk Reduction After Discontinuation of Teriparitide Treatment. J Bone Miner Res. 2005;20(9):1507-1513.

Prolia® (denosumab) United States Package Insert (USPI), Thousand Oaks, CA: Amgen Inc; 2015.

Roux C, Wyman A, Hooven FH, et al. Burden of non-hip, non-vertebral fractures on quality of life in postmenopausal women: the Global Longitudinal study of Osteoporosis in Women (GLOW). Osteoporos Int. 2012;23:2863-2871.

Silverman S, Viswanathan HN, Yang YC, et al. Impact of clinical fractures on health-related quality of life is dependent on time of assessment since fracture: results from the FREEDOM trial. Osteoporos Int. 2012;23:1361-1369

Taylor S, Ominsky MS, Hu R, et al. Time-dependent cellular and transcriptional changes in the osteoblast lineage associated with sclerostin antibody treatment in ovariectomized rats. Bone. 2016;84:148-59.

van Bezooijen RL, Roelen BA, Visser A, et al. Sclerostin is an osteocyte-expressed negative regulator of bone formation, but not a classical BMP antagonist. J Exp Med. 2004;199:805-814.

van Geel TA, van Helden S, Geusens PP, et al. Clinical subsequent fractures cluster in time after first fractures. Ann Rheum Dis. 2009;68:99-102.

Winkler DG, Sutherland MK, Geoghegan JC, et al. Osteocyte control of bone formation via sclerostin, a novel BMP antagonist. EMBO Journal. 2003;22:6267-6276.

2.7.4 で引用した文献

Bolotin HH. DXA in vivo BMD methodology: an erroneous and misleading research and clinical gauge of bone mineral status, bone fragility, and bone remodelling. Bone. 2007;41:138-154.

Breslin WJ, Hilbish KG, Page TJ, et al. Assessment of fetal exposure risk following seminal excretion of a therapeutic IgG4 (T-IgG4) monoclonal antibody using a rabbit model. Reprod Toxicol. 2014;48:124-131.

Chan GM. Performance of dual-energy x-ray absorptiometry in evaluating bone, lean body mass, and fat in pediatric subjects. J Bone Miner Res. 1992;7:369-374.

Chen H, Xu X, Liu M, et al. Sclerostin antibody treatment causes greater alveolar crest height and bone mass in an ovariectomized rat model of localized periodontitis. Bone. 2015;76:141-148.

Chen XX, Baum W, Dwyer D, et al. Sclerostin inhibition reverses systemic, periarticular and local bone loss in arthritis. Ann Rheum Dis. 2013;72:1732-1736.

Field SK, Fisher D, Cowie RL. Mycobacterium avium complex pulmonary disease in patients without HIV infection. Chest. 2004;126:566-581.

Flick LM, Weaver JM, Ulrich-Vinther M, et al. Effects of receptor activator of NFkappaB (RANK) signaling blockade on fracture healing. J Orthop Res. 2003;21:676-684.

Hamersma H, Gardner J, Beighton P. The natural history of sclerosteosis. Clin Genet. 2003;63:192-197.

International Conference on Harmonisation. Preclinical safety evaluation of biotechnology-derived pharmaceuticals S6(R1). International Conference on Harmonisation. 2011:1-19.

Li J, Mori S, Kaji Y, et al. Effect of bisphosphonate (incadronate) on fracture healing of long bones in rats. J Bone Miner Res. 1999;14:969-979.

Marenzana M, Vugler A, Moore A, et al. Effect of sclerostin-neutralising antibody on periarticular and systemic bone in a murine model of rheumatoid arthritis: a microCT study. Arthritis Res Ther. 2013;15:R125.

McDonald MM, Dulai S, Godfrey C, et al. Bolus or weekly zoledronic acid administration does not delay endochondral fracture repair but weekly dosing enhances delays in hard callus remodeling. Bone. 2008;43:653-662.

Moffat GJ, Davies R, Kwon G, et al. Investigation of maternal and fetal exposure to an IgG2 monoclonal antibody following biweekly intravaginal administration to cynomolgus monkeys throughout pregnancy. Reprod Toxicol. 2014;48;132-137.

Olsen KM. Pharmacologic agents associated with QT interval prolongation. J Fam Pract. 2005;Suppl:S8-S14.

Prince DS, Peterson DD, Steiner RM, et al. Infection with Mycobacterium avium complex in patients without predisposing conditions. N Engl J Med. 1989;321:863-868.

Roudier M, Li X, Niu QT, et al. Sclerostin is expressed in articular cartilage but loss or inhibition does not affect cartilage remodeling during aging or following mechanical injury. Arthritis Rheum. 2013;65:721-731.

Simons F, Ardusso L, Bilo M, et al. 2012 Update: World Allergy Organization Guidelines for the assessment and management of anaphylaxis. Curr Opin AllergyClin Immunol. 2012;12:389-399.

Sohn W, Lee E, Kankam MK, et al. An open-label study in healthy men to evaluate the risk of seminal fluid transmission of denosumab to pregnant partners. Br J Clin Pharmacol. 2015;81:362-369.

Suen PK, He YX, Chow DH, et al. Sclerostin monoclonal antibody enhanced bone fracture healing in an open osteotomy model in rats. J Orthop Res. 2014;32:997-1005.

Ulrich-Vinther M, Andreassen TT. Osteoprotegerin treatment impairs remodeling and apparent material properties of callus tissue without influencing structural fracture strength. Calcif Tissue Int. 2005;76:280-286.

Vargas HM, Bass AS, Breidenbach A, et al. Scientific review and recommendations on preclinical cardiovascular safety evaluation of biologics. J Pharmacol Toxicol Methods. 2008;58:72-76.

Wehmeyer C, Frank S, Beckmann D, et al. Sclerostin inhibition promotes TNF-dependent inflammatory joint destruction. Sci Transl Med. 2016;8:330ra35.