Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted]-[redacted] 4[redacted]/Female/Asian	20[redacted]-[redacted]-[redacted]	ongoing	155L	腸閉塞 Intestinal obstruction	DOSE NOT CHANGED	UNRELATED	3	NOT RECOVERED/ NOT RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	79/80	貧血 Anaemia	DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	113/114	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	23/30	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	260/267	肺炎 Pneumonia	DOSE NOT CHANGED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	20/20	血小板減少症 Thrombocytopenia	NOT APPLICABLE	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 4[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	460/476	過量投与 Overdose	DOSE NOT CHANGED	UNRELATED		RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	20/22	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	434/+20	甲状腺癌 Thyroid cancer	DOSE NOT CHANGED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	20L/+21	血小板減少症 Thrombocytopenia	DRUG WITHDRAWN	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	+6/+21	好中球数減少 Neutrophil count decreased	NOT APPLICABLE	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/37	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	24/28	貧血 Anaemia	DOSE NOT CHANGED	POSSIBLY RELATED	2	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	65L/+77	全身健康状態低下 General physical health deterioration	DOSE NOT CHANGED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	30/43	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 4[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	83/114	貧血 Anaemia	DOSE NOT CHANGED	POSSIBLY RELATED	2	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	110/125	肺感染 Lung infection	DRUG INTERRUPTED	POSSIBLY RELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/35	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/Not Reported	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	112/119	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/Not Reported	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	19/20	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	28/31	好中球減少症 Neutropenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/Not Reported	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	28/34	好中球減少症 Neutropenia	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	28/34	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	85/88	下痢 Diarrhoea	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/Not Reported	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	85L/+4	貧血 Anaemia	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/Not Reported	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	17/21	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/Unknown	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	+7/+7	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/Unknown	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/22	血小板数減少 Platelet count decreased	NOT APPLICABLE	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	65/73	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
	20[redacted]	20[redacted]	+1/+15	中枢神経系転移 Metastases to central nervous system	NOT APPLICABLE	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted] 3[redacted]/Female/White	20[redacted]	20[redacted]	137/138	尿管狭窄 Ureteric stenosis	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	147/148	医療機器閉塞 Device occlusion	DOSE NOT CHANGED	UNRELATED	2	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	197/204	貧血 Anaemia	DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	240/241	尿道狭窄 Urethral stenosis	DOSE NOT CHANGED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	336/338	尿路感染 Urinary tract infection	DOSE NOT CHANGED	UNLIKELY RELATED	2	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	350L/+2	尿管狭窄 Ureteric stenosis	NOT APPLICABLE	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	18/21	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	25/29	血小板数減少 Platelet count decreased	DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
[redacted] 8[redacted]/Female/White	20[redacted]	20[redacted]	+9/+11	腹痛 Abdominal pain	NOT APPLICABLE	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	90L/+2	貧血 Anaemia	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	85/87	貧血 Anaemia	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	297/356	大腿骨頚部骨折 Femoral neck fracture	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	58/67	肺炎 Pneumonia	NOT APPLICABLE	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	408/410	インフルエンザ Influenza	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	81/82	貧血 Anaemia	DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	204/209	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	1/15	肝酵素上昇 Hepatic enzyme increased	DRUG INTERRUPTED	UNRELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	83L/+14	貧血 Anaemia	DRUG INTERRUPTED, DRUG WITHDRAWN	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	+7/+20	術後ヘルニア Postoperative hernia	NOT APPLICABLE	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/Unknown	20[redacted]	20[redacted]	57/71	過量投与 Overdose	DOSE NOT CHANGED	UNRELATED	1	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	71/72	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	141/175	過量投与 Overdose	DOSE NOT CHANGED	UNRELATED	1	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	176/205	過量投与 Overdose	DOSE NOT CHANGED	UNRELATED	1	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	20/21	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	209/214	網膜剥離 Retinal detachment	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	311/320	うつ病 Depression	DRUG INTERRUPTED	UNRELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/24	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	22/23	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	20/21	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	ongoing	124	尿閉 Urinary retention	DOSE NOT CHANGED	UNRELATED	2	NOT RECOVERED/ NOT RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	65/66	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	1/14	過量投与 Overdose	DOSE REDUCED	UNRELATED	1	RECOVERED/ RESOLVED

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
	20[redacted]	20[redacted]	21/28	好中球減少症 Neutropenia	NOT APPLICABLE	RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	+1/+30	小腸閉塞 Small Intestinal obstruction	DRUG WITHDRAWN	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	133/+8	肺臓炎 Pneumonitis	DOSE NOT CHANGED	POSSIBLY RELATED	1	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	+7/+22	血小板減少症 Thrombocytopenia	DRUG WITHDRAWN	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	1/31	過量投与 Overdose	DOSE REDUCED	RELATED	1	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	114/120	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/Asian	20[redacted]	20[redacted]	+3/+16	小腸閉塞 Small Intestinal obstruction	NOT APPLICABLE	UNRELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/29	好中球減少症 Neutropenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	22/26	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	72/78	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	+1/+5	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED, DRUG WITHDRAWN	RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	+6/+15	血小板減少症 Thrombocytopenia	DRUG WITHDRAWN	RELATED	4	RECOVERED/ RESOLVED
[redacted] 8[redacted]/Female/White	20[redacted]	20[redacted]	27/28	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	56/69	真菌性肺炎 Pneumonia fungal	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	52/54	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	21/22	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED

*
a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted] 7[redacted]/Female/White	20[redacted]	Ongoing	+1	錯乱状態 Confusional state	NOT APPLICABLE	UNRELATED	3	NOT RECOVERED/ NOT RESOLVED
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	14/14	高血圧 Hypertension	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	15/17	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE
	20[redacted]	20[redacted]	22/29	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/F/White	20[redacted]	20[redacted]	-14/-7	上気道感染 Upper respiratory	NOT APPLICABLE	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/28	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	131/133	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	502/510	歩行障害 Gait disturbance	DRUG INTERRUPTED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	27/+9	リンパ嚢腫 Lymphocele	DRUG INTERRUPTED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	23/25	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	21/23	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE
	20[redacted]	20[redacted]	196/204	リンパ嚢腫 Lymphocele	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED

*
a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
	20[redacted]	20[redacted]	211/253	感染性リンパ嚢腫 Infected lymphocele	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	177/185	腸閉塞 Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	207L/+114	腸閉塞 Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	5/8	創合併症 Wound complication	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	176/190	腸閉塞 Intestinal obstruction	DOSE NOT CHANGED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	317/326	腸閉塞 Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	156/163	腸閉塞 Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	22/28	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	22/23	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	23/43	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/F/White	20[redacted]	20[redacted]	-25/-19	仙骨骨折 Fractured sacrum	NOT APPLICABLE	UNRELATED	2	RECOVERED/ RESOLVED
[redacted] 4[redacted]/F/White	20[redacted]	Ongoing	+93	乳癌 Breast cancer	NOT APPLICABLE	UNRELATED	2	UNKNOWN
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/29	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	204/211	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	68/70	貧血 Anaemia	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED

*

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted] 4[redacted]/Female/White	20[redacted]	20[redacted]	105/117	胸水 Pleural effusion	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	126/137	胸水 Pleural effusion	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	+21/+37	胸水 Pleural effusion	NOT APPLICABLE	UNRELATED	5	FATAL
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	90/100	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	40/43	好中球減少性敗血症 Neutropenic sepsis	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/22	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE
	20[redacted]	20[redacted]	23/28	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	+17/+27	大腸閉塞 Large intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	92L/+14	蜂巣炎 Cellulitis	DRUG WITHDRAWN	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/American Indian or Alaska Native	20[redacted]	20[redacted]	30/30	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 3[redacted]/Female/White	20[redacted]	20[redacted]	10/11	下腹部痛 Abdominal pain lower	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted] 5[redacted]/F/White	20[redacted]	20[redacted]	-12/-11	小腸閉塞 Small intestinal	NOT APPLICABLE	UNRELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/22	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	27/28	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED WITH SEQUELAE

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	20/21	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 4[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	247/250	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	243/245	皮膚細菌感染 Skin bacterial infection	DOSE NOT CHANGED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted]-[redacted] 5[redacted]/Female/Asian	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/29	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 8[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	15/17	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	35/+37	疲労 Fatigue	NOT APPLICABLE	POSSIBLY RELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 8[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	67/80	虫垂炎 Appendicitis	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	313/349	虫垂炎 Appendicitis	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 8[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	-14/15	塞栓症 Embolism	NOT APPLICABLE	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	15/+29	洞性頻脈 Sinus tachycardia	DOSE NOT CHANGED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	151/153	小腸閉塞 Small Intestinal obstruction	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	247/253	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	295/299	小腸閉塞 Small Intestinal obstruction	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/44	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	85/93	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	224/234	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED

*

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	765/766	肺感染 Lung infection	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	ongoing	554	中枢神経系転移 Metastases to central nervous system	DRUG INTERRUPTED	UNRELATED	3	NOT RECOVERED/ NOT RESOLVED
	20[redacted]-[redacted]-[redacted]	ongoing	554	失語症 Aphasia	DRUG INTERRUPTED	UNLIKELY RELATED	3	NOT RECOVERED/ NOT RESOLVED
[redacted]-[redacted] 5[redacted]/Female/Black	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	99/135	肺臓炎 Pneumonitis	DOSE REDUCED, DRUG INTERRUPTED	RELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	30L/+16	血小板減少症 Thrombocytopenia	DRUG WITHDRAWN	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/29	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/26	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	27/28	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	107/108	貧血 Anaemia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/23	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	20/20	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	25/26	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	31/36	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	61/66	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	125/128	嘔吐 Vomiting	DRUG INTERRUPTED	UNLIKELY RELATED	2	RECOVERED/ RESOLVED

a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
	20[redacted]	20[redacted]	150/152	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	180/184	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	309/309	過量投与 Overdose	DOSE NOT CHANGED	RELATED	1	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	72/74	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	137/152	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	22L/+1	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED, DRUG WITHDRAWN	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	+7/+7	血小板減少症 Thrombocytopenia	NOT APPLICABLE	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	+11/+12	血小板減少症 Thrombocytopenia	NOT APPLICABLE	RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	+7/+8	血小板減少症 Thrombocytopenia	NOT APPLICABLE	RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	78/85	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	57/75	貧血 Anaemia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	21/22	血小板数減少 Platelet count decreased	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	22/23	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	71L/+8	貧血 Anaemia	DRUG WITHDRAWN	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/36	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	234/237	胆嚢炎 Cholecystitis	DRUG INTERRUPTED	UNLIKELY RELATED	2	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	22/24	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED

* a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted] 5[redacted]/Female/Not Reported	20[redacted]	20[redacted]	22/36	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	27/29	小腸炎 Enteritis	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	71/97	貧血 Anaemia	DRUG INTERRUPTED	POSSIBLY RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE
[redacted] 7[redacted]/Female/Black	20[redacted]	20[redacted]	21/22	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	224/226	腎盂腎炎 Pyelonephritis	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	-18/-16	蜂巣炎 Cellulitis	NOT APPLICABLE	INRELATED	3	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	22/29	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	22/29	血小板数減少 Platelet count decreased	DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	ongoing	50	不安 Anxiety	DOSE NOT CHANGED	UNLIKELY RELATED	1	NOT RECOVERED/ NOT RESOLVED
	20[redacted]	20[redacted]	50/55	不眠症 Insomnia	DOSE NOT CHANGED	UNLIKELY RELATED	2	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	52/54	躁病 Mania	DOSE NOT CHANGED	RELATED	1	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	52/53	精神病性障害 Psychotic disorder	DOSE NOT CHANGED	UNLIKELY RELATED	2	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	75/81	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	75/77	国際標準比増加 International normalised ratio increased	DRUG INTERRUPTED	POSSIBLY RELATED	2	RECOVERED/ RESOLVED
[redacted] 7[redacted]/Female/White	20[redacted]	20[redacted]	15L/+5	血小板減少症 Thrombocytopenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED

* a' ・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
[redacted]-[redacted] 8[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	ongoing	+21	浸潤性乳管癌 Invasive ductal breast carcinoma	DRUG WITHDRAWN	UNLIKELY RELATED	3	NOT RECOVERED/ NOT RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	202/204	関節痛 Arthralgia	DOSE NOT CHANGED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	18/29	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 4[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	29/36	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/Black	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	22/25	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	27/29	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	35/36	発熱性好中球減少症 Febrile Neutropenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	+2/+5	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNRELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 6[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	20/29	血小板数減少 Platelet count decreased	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	363/368	感染性小腸結腸炎 Enterocolitis infectious	DRUG INTERRUPTED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	88/91	小腸閉塞 Small Intestinal obstruction	DRUG INTERRUPTED	UNLIKELY RELATED	3	RECOVERED/ RESOLVED
[redacted]-[redacted] 5[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	16/16	過量投与 Overdose	DOSE NOT CHANGED	UNRELATED	1	RECOVERED/ RESOLVED
	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	16/19	精神状態変化 Mental status changes	DRUG INTERRUPTED	UNRELATED	2	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/Not Reported	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	+6/+16	血小板減少症 Thrombocytopenia	DRUG WITHDRAWN	POSSIBLY RELATED	4	RECOVERED/ RESOLVED
[redacted]-[redacted] 7[redacted]/Female/White	20[redacted]-[redacted]-[redacted]	20[redacted]-[redacted]-[redacted]	1/14	過量投与 Overdose	DRUG INTERRUPTED	RELATED	3	RECOVERED/ RESOLVED WITH SEQUELAE

* a'・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記

Subject ID Age/Sex/Race	AE Start Date	AE End Date	Rel day[a]	MedDRA Preferred Term	Action Taken	Treatment Related	Intensity	Outcome
	20[redacted]	20[redacted]	19/28	血小板減少症 Thrombocytopenia	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	22/28	好中球減少症 Neutropenia	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	15/33	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	15/39	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
	20[redacted]	20[redacted]	+1/+1	血小板数減少 Platelet count decreased	DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	16/46	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED
[redacted] 5[redacted]/Female/White	20[redacted]	20[redacted]	15/16	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	2	RECOVERED/ RESOLVED
[redacted] 6[redacted]/Female/White	20[redacted]	20[redacted]	22/31	血小板数減少 Platelet count decreased	DOSE REDUCED, DRUG INTERRUPTED	RELATED	4	RECOVERED/ RESOLVED

出典：PR-30-5017-C 試験　総括報告書　Table 14.3.2.3、Table 14.3.2.4、Table 14.3.2.5、Listing 16.2.4.1、Listing 16.2.5.2 及び Listing 16.2.7.1

a. Pre-treatment and on-treatment study days are numbered relative to the day of the first dose of study drug, which is designated as Day 1. Events occurring on the last day of study drug are designated with an "L". Post-treatment study days are numbered relative to the last dose and are signed positive.

MedDRA 第 20.0 版を使用した

* a'・事象の発現日又は消失日が初回投与前の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「-」（マイナス）符号を付けて表示した。
・事象の発現日又は消失日が投与期間中（初回投与後から最終投与の間）の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし符号なしとした。
・事象の発現日又は消失日が最終投与日の場合、そのRel Dayは初回投与日を起点として事象の発現日又は消失日までの日数をカウントし「L」を付けて表示した。
・事象の発現日又は消失日が最終投与後の場合、そのRel Dayは最終投与日を起点として事象の発現日又は消失日までの日数をカウントし「+」（プラス）符号を付けて表示した。

*情報公開時に追記