

Cyproheptadine Hydrochloride Hydrate




Cytarabine

1560




A solution in 0.1 mol/L hydrochloric acid TS (1 in 100,000)


Dantrolene Sodium Hydrate



Daunorubicin Hydrochloride




Demethylchlortetracycline Hydrochloride




A solution prepared as follows: Dissolve 40 mg in 250 mL of water. To 10 mL of this solution add 85 mL of water and 5 mL of a solution of sodium hydroxide (1 in 5).

Dexamethasone




A solution prepared as follows: Dissolve 1 mg in 10 mL of ethanol (95). To 2 mL of this solution add 10 mL of phenylhydrazine hydrochloride TS, shake, warm in a water bath at 60°C for 20 minutes, and allow to cool. Blank: A solution obtained by proceeding in the same manner with 2.0 mL of ethanol (95).

Dextromethorphan Hydrobromide Hydrate




Diazepam




A solution prepared as follows: Dissolve 2 mg in 200 mL of a solution of sulfuric acid in ethanol (99.5) (3 in 1000).

Dibucaine Hydrochloride




Diclofenamide




A solution prepared as follows: Dissolve 0.01 g in 100 mL of 0.01 mol/L sodium hydroxide TS. To 10 mL of this solution add 0.1 mL of hydrochloric acid.


Dicloxacillin Sodium Hydrate




Dihydrocodeine Phosphate




Dihydroergotamine Mesilate




Dilazep Hydrochloride Hydrate




Diltiazem Hydrochloride




Dimemorfan Phosphate



Dimorpholamine




Dinoprost




A solution prepared as follows: Dissolve 1 mg in 50 mL of diluted sulfuric acid (7 in 10). Warm this solution in a water bath at 50°C for 40 minutes, and allow to cool.

Diphenhydramine Hydrochloride

1566




Dipyridamole




A solution in a mixture of methanol and hydrochloric acid (99:1) (1 in 100,000)


Disopyramide




Distigmine Bromide




Disulfiram



Dopamine Hydrochloride




Doxapram Hydrochloride Hydrate




Doxifluridine

1568




A solution in 0.1 mol/L hydrochloric acid TS (1 in 50,000)

Doxorubicin Hydrochloride




A solution in methanol (1 in 100,000)

Droperidol




A solution prepared as follows: Dissolve 0.03 g in 10 mL of 0.1 mol/L hydrochloric acid TS and ethanol (95) to make 100 mL (in a brown volumetric flask). To 5 mL of this solution add 10 mL of 0.1 mol/L hydrochloric acid TS and ethanol (95) to make 100 mL (in a brown volumetric flask).

Dydrogesterone




Edrophonium Chloride




Elcatonin

1570




A solution prepared as follows: Dissolve 5 mg in 5 mL of water.

Enoxacin Hydrate




A solution prepared as follows: To 1 mL of a solution in dilute sodium hydroxide TS (1 in 2000) add water to make $100 \ mL$.

Enviomycin Sulfate




An aqueous solution (1 in 100,000)


Eperisone Hydrochloride




Ephedrine Hydrochloride




Epirizole




Epirubicin Hydrochloride



Estazolam









A solution prepared as follows: Dissolve 0.01 mg in 100 mL of ethanol (95) (warming)

Etacrynic Acid




Ethionamide




A solution in methanol (3 in 160,000)

Ethosuximide




Ethyl Icosapentate




To 20 mg add 3 mL of a solution of potassium hydroxide in ethylene glycol (21 in 100), stopper tightly after passing of Nitrogen, heat at 180° C for 15 minutes, and add methanol to make 100 mL after cooling. To 4 mL of this solution add methanol to make 100 mL.

Blank: A solution obtained by proceeding in the same manner with 3 mL of the solution of potassium hydroxide in ethylene glycol (21 in 100).

Ethylmorphine Hydrochloride Hydrate




Etilefrine Hydrochloride




A solution prepared as follows: Dissolve 5 mg in 100 mL of diluted hydrochloric acid (1 in 1000)






Etodolac



A solution in ethanol (99.5) (3 in 200,000)


Etoposide




A solution in methanol (1 in 10,000)

Famotidine


1576



Fenbufen




Fentanyl Citrate




A solution prepared as follows: Dissolve $0.05\,\mathrm{g}$ in $10\,\mathrm{mL}$ of $0.1\,\mathrm{mol/L}$ hydrochloric acid TS and ethanol (95) to make $100\,\mathrm{mL}$.


Flavoxate Hydrochloride



Flomoxef Sodium




Flopropione




Flucytosine


1578




Fludiazepam 1




Fludiazepam 2




Flunitrazepam



Fluocinonide




Fluorometholone




Fluorouracil


1580



Fluoxymesterone




Fluphenazine Enanthate




A solution prepared as follows: Dissolve 2 mg in 200 mL of a solution of hydrochloric acid in methanol (17 in 2000).


Flurazepam 1



Flurazepam 2




Flurazepam Hydrochloride




Flurbiprofen


1582




Folic Acid



Formoterol Fumarate Hydrate




Furosemide




A solution in dilute sodium hydroxide TS (1 in 125,000)

Gabexate Mesilate




β -Galactosidase (Aspergillus)




A solution prepared as follows: Dissolve 0.1 mg in 100 mL of water (Filter if necessary.).

Glibenclamide


1584




Gonadorelin Acetate




Gramicidin



Griseofulvin



Guaifenesin



Guanabenz Acetate

