



Report on Investigation Results

March 7, 2018

Pharmaceuticals and Medical Devices Agency

I. Overview of drug

[Non-proprietary name]	See Appendix 1
[Brand name]	See Appendix 1
[Approval holder]	See Appendix 1
[Indications]	See Appendix 1
[Dosage and administration]	See Appendix 1
[Investigating office]	Office of Safety I

II. Background of this investigation

The National Action Plan on Antimicrobial Resistance (AMR) 2016-2020¹ (hereinafter, the “Action Plan”) was decided in April 2016 at the 4th Ministerial Meeting on Measures on Emerging Infectious Disease. The Action Plan specifies various priorities to be implemented over the next five years in Japan to promote measures against AMR including resistance to natural and synthetic antibiotics.

The Action Plan specifies the following six areas of action: Public Awareness and Education, Surveillance and Monitoring, Infection Prevention and Control, Appropriate Use of Antimicrobials, Research and Development, and International Cooperation. The primary objective of the “Appropriate Use of Antimicrobials” area is the “Promotion of Appropriate Use of Antimicrobials in the Fields of Healthcare, Livestock Production and Aquaculture”. One strategy to realize this objective is through “Promotion of Antimicrobial Stewardship at Medical Institutions”, and “Publication of guidelines/manuals for Antimicrobial Stewardship” is listed as one specific initiative towards implementing this strategy.

Under these circumstances, to promote the appropriate use of antimicrobials by defining guidelines pertaining to the appropriate treatment of infectious diseases, the Tuberculosis and Infectious Diseases Control Division of the Health Bureau at the Ministry of Health, Labour and Welfare (MHLW) prepared the “Guidance for Appropriate Use of Antimicrobials: Version 1” (hereinafter, the “Guidance”) (Appendix 2, Japanese language only). The Guidance was designed to aid healthcare professionals in the identification of situations arising in outpatient care where the use of antimicrobials becomes necessary. The content of the Guidance focuses on patients with acute respiratory tract infections and patients with acute diarrhea. These two patient groups are believed to be subjected to frequent and unnecessary antimicrobial use as an overall conclusion based on data from other countries and types of antimicrobials that have been linked with overprescribing in Japan.

Here, in addition to the development of the Guidance, “Review of the information included in package inserts (e.g. Precautions) for antimicrobials based on scientific evidence” is also included among the specific actions for the promotion of the appropriate use of antimicrobials at medical institutions. On February 6, 2018, the Pharmaceutical Safety Division of the Pharmaceutical Safety and Environmental Health Bureau at MHLW requested that the Pharmaceuticals and Medical Devices Agency (PMDA) conduct an investigation of the antimicrobials believed to be prescribed to patients with acute respiratory tract infections or

¹Ministerial Meeting on Measures on Emerging Infectious Disease, National Action Plan on Antimicrobial Resistance (AMR) 2016-2020, Tokyo: Cabinet Secretariat; 2016.

with acute diarrhea (antimicrobials indicated for any of pharyngitis/laryngitis, tonsillitis, acute bronchitis, sinusitis, or infectious enteritis). The investigation was requested to be aimed at a Revision of Precautions contained in the package insert to promote appropriate use of antimicrobials in accordance with the Guidance. In response to MHLW's request, PMDA discussed its proposal for the revision of Precautions in the relevant package inserts. PMDA also held an Expert Discussion as part of its investigation, and the expert advisors for this Expert Discussion were nominated based on their declarations concerning the antimicrobials subject to the investigation, submitted in accordance with the "Rules for Convening Expert Discussions etc. by the Pharmaceuticals and Medical Devices Agency" (PMDA Administrative Rule No. 8/2008, dated December 25, 2008).

III. Summary of the PMDA Investigation

PMDA believed that a revision to the Precautions Concerning Indications section to urge, in accordance with the Guidance, careful consideration of the necessity for prescribing antimicrobials was appropriate to promote the appropriate use of antimicrobials based on the Guidance. PMDA examined the current package inserts of the antimicrobials subject to the investigation, and as a result, found that none contained such precautions. As such, PMDA concluded that a revision of Precautions was necessary for all the antimicrobials products targeted in its investigation.

This PMDA's conclusion was supported by the expert advisors.

IV. Overall evaluation

PMDA concluded that the revisions of package inserts as in Appendix 3 (Japanese language only, see the Detailed information on revisions of PRECAUTIONS) were appropriate.



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Appendix 1

Non-proprietary name	Brand name	Marketing authorization holder	Indications	Pharyngitis/laryngitis	Tonsillitis	Acute bronchitis	Sinusitis	Infectious enteritis
Azithromycin hydrate	Zithromac Tablets 250 mg, Zithromac SR Dry Syrup 2g, Zithromac Capsules for Pediatric Use 100 mg and Zithromac Fine Granules for Pediatric Use 10% and the others	Pfizer Japan Inc. and the others	<p>Tablets 250 mg Deep-seated skin infections, lymphangitis/lymphadenitis, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, urethritis, cervicitis, pelvic inflammatory disease, sinusitis, periodontal inflammation, pericoronitis, and jaw inflammation</p> <p>Dry Syrup Deep-seated skin infections, lymphangitis/lymphadenitis, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic</p>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Tablets 250 mg, Dry Syrup)	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			respiratory lesions, urethritis, cervicitis, sinusitis, periodontal inflammation, pericoronitis, and jaw inflammation For Pediatric Use Pharyngitis/laryngitis, tonsillitis (including peritonsillitis, peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, and otitis media					
Aztreonam	Azactam for injection 0.5g, Azactam for injection 1g	Eisai Co., Ltd.	Sepsis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), urethritis, cervicitis, peritonitis, intra-abdominal abscess, cholecystitis, cholangitis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis, keratitis (including corneal ulcer), otitis media, sinusitis				<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Amoxicillin hydrate	Sawacillin Capsules 125 and 250, Sawacillin Fine Granules 10%, Sawacillin Tablets 250 Pasetocin Capsules 125 and 250, Pasetocin Fine Granules 10%, Pasetocin Tablets 250, and others	Astellas Pharma Inc. Aspen Japan K.K., and others	Capsules/ Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, secondary infections of erosions/ulcers, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, Neisseria gonorrhoeae infection, syphilis, intrauterine infection, uterine adnexitis, parametritis, dacryocystitis, hordeolum, otitis media, periodontal inflammation, pericoronitis, jaw inflammation, scarlet fever, gastric or duodenal ulcer, mucosa-associated lymphoid tissue (MALT) lymphoma of the stomach, idiopathic thrombocytopenic purpura, Helicobacter pylori infection of the stomach after endoscopic treatment for early stage of gastric cancer, and Helicobacter gastritis	☑	☑	☑		
---------------------	--	---	---	---	---	---	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>Fine Granules</p> <p>Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, secondary infections of erosions/ulcers, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, Neisseria gonorrhoeae infection, syphilis, intrauterine infection, uterine adnexitis, parametritis, dacryocystitis, hordeolum, otitis media, periodontal inflammation, pericoronitis, jaw inflammation, scarlet fever, and Helicobacter pylori infection of the stomach/duodenal ulcer</p>					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Amoxicillin Hydrate/potassium clavulanate</p>	<p>Augmentin Combination Tablets 125SS, 250RS, Clavamox Combination Dry Syrup For Pediatric Use</p>	<p>GlaxoSmithKline K.K.</p>	<p>Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, intrauterine infection, uterine adnexitis, and otitis media</p> <p>Dry Syrup Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, cystitis, pyelonephritis, otitis media and sinusitis</p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/> (Dry Syrup)</p>	
--	---	-----------------------------	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Ampicillin Hydrate</p>	<p>Vicillin Capsules 250mg, Vicillin Dry Syrup10%</p>	<p>Meiji Seika Pharma Co., Ltd.</p>	<p>Capsules Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, syphilis, peritonitis, liver abscess, infectious enteritis, intrauterine infection, abscess of eyelid, hordeolum, keratitis (including corneal ulcer), otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation, secondary infections following tooth extraction wound and oral surgery wound, scarlet fever, anthrax, actinomycosis</p> <p>Dry Syrup Superficial skin infections, deep-seated skin</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>
---------------------------	---	-------------------------------------	---	----------	----------	----------	----------	----------



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, peritonitis, liver abscess, infectious enteritis, intrauterine infection, abscess of eyelid, hordeolum, keratitis (including corneal ulcer), otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation, secondary infections following tooth extraction wound and oral surgery wound, scarlet fever, anthrax, actinomycosis					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Ampicillin Sodium	Viccillin for injection 0.25g, Viccillin for injection 0.5g, Viccillin for injection 1g, Viccillin for injection 2g	Meiji Seika Pharma Co., Ltd.	Sepsis, infective endocarditis, superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, peritonitis, liver abscess, infectious enteritis, intrauterine infection, pyogenic meningitis, abscess of eyelid, keratitis (including corneal ulcer), otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation, secondary infections following tooth extraction wound and oral surgery wound, scarlet fever, anthrax, actinomycosis	☑	☑	☑	☑	☑
-------------------	--	------------------------------	--	---	---	---	---	---



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Ampicillin Sodium/ Cloxacillin Sodium Hydrate</p>	<p>Vicillin-S100 for injection</p>	<p>Meiji Seika Pharma Co., Ltd.</p>	<p>1. Prevention of bacterial infection for newborns 2. Others Chronic pyoderma, pharyngitis/laryngitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, otitis externa</p>	<p><input checked="" type="checkbox"/></p>		<p><input checked="" type="checkbox"/></p>		
<p>Imipenem Hydrate/ Cilastatin Sodium</p>	<p>Tienam for intramuscular injection 0.5g, Tienam for intravenous drip infusion 0.25g, Tienam for intravenous drip infusion 0.5g, Tienam for intravenous drip infusion kit 0.5g and the others</p>	<p>MSD K.K. and the others</p>	<p>For intramuscular injection Secondary infections following trauma, thermal burn, and surgical wound, osteomyelitis, arthritis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), peritonitis, cholecystitis, cholangitis, liver abscess, bartholinitis, intrauterine infection, uterine adnexitis, parametritis For intravenous infusion Sepsis, infective endocarditis, secondary infections following trauma, thermal burn, and surgical wound, osteomyelitis, arthritis, acute</p>			<p><input checked="" type="checkbox"/></p>		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), peritonitis, cholecystitis, cholangitis, liver abscess, Bartholinitis, intrauterine infection, uterine adnexitis, parametritis, keratitis (including corneal ulcer), endophthalmitis (including panophthalmitis)					
Erythromycin	Erythromycin Tablets "Sawai" 200mg	Sawai Pharmaceutical Co., Ltd.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis (including peritonsillitis), acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, chancroid, syphilis, lymphogranuloma venereum, infectious enteritis, intrauterine infection, uterine adnexitis,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			dacryocystitis, hordeolum, otitis externa, otitis media, sinusitis, pericoronitis, scarlet fever, diphtheria, pertussis, tetanus, gas gangrene, amebic dysentery					
Erythromycin Ethylsuccinate	Erythrocin granules W 20%, Erythrocin Dry Syrup 10%, Erythrocin Dry Syrup W 20%	Mylan EPD G.K.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, syphilis, intrauterine infection, otitis media, scarlet fever, diphtheria, pertussis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Erythromycin Stearate	Erythrocin Tablets 100mg, Erythrocin Tablets 200mg	Mylan EPD G.K.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, mastitis, osteomyelitis, tonsillitis, pneumonia, lung abscess, pyothorax, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, chancroid, syphilis, intrauterine infection, otitis media, pericoronitis, scarlet fever, diphtheria, pertussis,		<input checked="" type="checkbox"/>			



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			tetanus					
Ofloxacin	Tarivid Tablets 100mg, and the others	Daiichi Sankyo Co., Ltd. and the others	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, urethritis, cervicitis, cholecystitis, cholangitis, infectious enteritis, typhoid, paratyphoid, Bartholinitis, intrauterine infection, uterine adnexitis, dacryocystitis, hordeolum, meibomianitis, keratitis (including corneal ulcer), otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation, leprosy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Kanamycin Monosulfate	Kanamycin Capsules 250mg 「Meiji」, Kanamycin Syrup 5%	Meiji Seika Pharma Co., Ltd.	Infectious enteritis					<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	「Meiji」							
Kanamycin Sulfate	Kanamycin Sulfate Injection 1000mg 「Meiji」	Meiji Seika Pharma Co., Ltd.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, uterine adnexitis, otitis media, pertussis, pulmonary tuberculosis and other tuberculosis		☑	☑		
Clarithromycin	Klaricid Tablets 200mg, Klaricid Dry Syrup 10% for pediatric use, Klaricid Tablets 50mg for pediatric use	Mylan EPD G.K Taisho Pharmaceutical Co., Ltd. and the others	Tablets 1. Common infection ·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma ·secondary infections following trauma, thermal burn, and surgical wound	☑	☑	☑	☑	☑



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	<p>Clarith Tablets 200, Clarith Tablets 50 for pediatric, Clarith Dry Syrup 10% for pediatric, and the others</p>		<ul style="list-style-type: none">·perianal abscess·pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions·urethritis·cervicitis·infectious enteritis·otitis media, sinusitis·periodontal inflammation, pericoronitis, jaw inflammation <p>2. Nontuberculous mycobacteriosis Nontuberculous mycobacteriosis including mycobacterium avium complex (MAC)</p> <p>3. Helicobacter pylori infection Gastric or duodenal ulcer, mucosa-associated lymphoid tissue (MALT) lymphoma of the stomach, idiopathic thrombocytopenic purpura, Helicobacter pylori infection of the stomach after endoscopic treatment for early stage of gastric cancer, Helicobacter gastritis</p>					
--	---	--	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>For Pediatric Use</p> <p>1. Common infection</p> <ul style="list-style-type: none">·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma·secondary infections following trauma, thermal burn, and surgical wound·pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions·infectious enteritis·otitis media, sinusitis·scarlet fever·pertussis <p>2. Disseminated mycobacterium avium complex (MAC) associated with acquired immunodeficiency syndrome (AIDS)</p> <p>Disseminated mycobacterium avium complex (MAC) associated with acquired immunodeficiency syndrome (AIDS)</p>					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Clindamycin Hydrochloride	Dalacin Capsules 75mg, Dalacin Capsules 150mg	Pfizer Japan Inc.	Superficial skin infections, Deep-seated skin infections, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, dacryocystitis, hordeolum, otitis externa, otitis media, sinusitis, cellulitis around jawbone, jaw inflammation, scarlet fever	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Clindamycin Phosphate	Dalacin S injection 300mg, Dalacin S injection 600mg and the others	Pfizer Japan Inc. and the others	Sepsis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, otitis media, sinusitis, cellulitis around jawbone, jaw inflammation	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Chloramphenicol	Chloromycetin Tablets 50, Chloromycetin Tablets 250, Chloromycetin topical solution 5%	Daiichi Sankyo Co., Ltd.	Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of	<input checked="" type="checkbox"/> (Tablets)	<input checked="" type="checkbox"/> (Tablets)	<input checked="" type="checkbox"/> (Tablets)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Tablets)



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>chronic respiratory lesions, cystitis, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, chancroid, lymphogranuloma venereum, peritonitis, infectious enteritis, typhoid, paratyphoid, intrauterine infection, uterine adnexitis, dacryocystitis, keratitis, otitis media, sinusitis, periodontal inflammation, pericoronitis, scarlet fever, pertussis, tularaemia, gas gangrene, exanthematic typhus, murine typhus, scrub typhus</p> <p>Topical solution</p> <p>Superficial skin infections, deep-seated skin infections, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, secondary infections of erosions/ulcers, otitis externa, otitis media, sinusitis, secondary infections following tooth extraction wound and oral surgery wound</p>					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Chloramphenicol Sodium Succinate	Chloromycetin succinate for intravenous injection 1g	Daiichi Sankyo Co., Ltd.	Sepsis, superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, chancroid, lymphogranuloma venereum, peritonitis, cholecystitis, cholangitis, infectious enteritis, typhoid, paratyphoid, intrauterine infection, uterine adnexitis, pyogenic meningitis, dacryocystitis, keratitis, otitis media, sinusitis, periodontal inflammation, pericoronitis, scarlet fever, pertussis, tularaemia, gas gangrene, exanthematic typhus, murine typhus, scrub typhus	☑	☑	☑	☑	☑
--	---	-----------------------------	---	---	---	---	---	---



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Colistin Sodium Methanesulfonate</p>	<p>Methacolicimycin Capsules 3,000,000 units, Methacolicimycin granules 2,000,000 units/g, Colimycin sulfate powder 2,000,000 units/g</p>	<p>Pola Pharma Inc.</p>	<p>Infectious enteritis</p>					<p><input checked="" type="checkbox"/></p>
<p>Sitafloxacin Hydrate</p>	<p>Gracevit Tablets 50mg, Gracevit Fine Granules 10%, and the others</p>	<p>Daiichi Sankyo Co., Ltd.</p>	<ul style="list-style-type: none"> ·pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, urethritis ·cervicitis ·otitis media, sinusitis ·periodontal inflammation, pericoronitis, jaw inflammation 	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Ciprofloxacin Hydrochloride Hydrate	Ciproxan Tablets 100mg, Ciproxan Tablets 200mg, and the others	Bayer Yakuhin, Ltd and the others	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, urethritis, cholecystitis, cholangitis, infectious enteritis, bartholinitis, intrauterine infection, uterine adnexitis, dacryocystitis, hordeolum, meibomianitis, otitis media, sinusitis, anthrax	☑	☑	☑	☑	☑
Dibekacin Sulfate	Panimycin injection 50mg, Panimycin injection 100mg, Panimycin 100mg for injection	Meiji Seika Pharma Co., Ltd.	Sepsis, deep-seated skin infections, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, otitis media		☑	☑		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Josamycin	Josamycin Tablets 50mg, Josamycin Tablets 200mg	Astellas Pharma Inc.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, epididymitis, infectious enteritis, dacryocystitis, hordeolum, otitis media, sinusitis, purulent sialoadenitis, periodontal inflammation, pericoronitis, maxillary sinusitis, jaw inflammation, scarlet fever	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Josamycin Propionate	Josamy syrup 3%, Josamy Dry Syrup10%	Astellas Pharma Inc.	Superficial skin infections, deep-seated skin infections, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, dacryocystitis, otitis externa, otitis media, sinusitis, periodontal inflammation, pericoronitis, maxillary sinusitis, jaw inflammation, scarlet fever	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Spiramycin Acetate	Acetylspiramycin Tablets 100, Acetylspiramycin Tablets 200	Aspen Japan K.K.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, syphilis, uterine adnexitis, dacryocystitis, hordeolum, otitis media, scarlet fever	☑	☑	☑		
Sultamicillin Tosilate Hydrate	Unasyn Tablets 375mg, Unasyn Fine Granules for pediatric use 10%	Pfizer Japan Inc.	Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, intrauterine infection, dacryocystitis, keratitis (including corneal ulcer), otitis media, sinusitis Fine Granules	☑	☑	☑	☑	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, otitis media, sinusitis					
Sulfamethoxazole/Trimethoprim	Baktar combination tablets, Baktar combination granules Bactramin combination tablets, Bactramin combination granules, and the others	Shionogi & Co., Ltd. Chugai Pharmaceutical Co., Ltd. and the others	1. Common infection ·pneumonia, secondary infection of chronic respiratory lesions, ·complicated cystitis, pyelonephritis, ·infectious enteritis, typhoid, paratyphoid 2. Treatment and prophylaxis of pneumocystis pneumonia ·prophylaxis of pneumocystis pneumonia, pneumocystis pneumonia					<input checked="" type="checkbox"/>

This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Cefaclor	Kefral Capsules 250mg, Kefral Fine Granules for pediatric use 100mg, L-Kefral granules, and the others	Shionogi & Co., Ltd. and the others	<p>Capsules · Fine Granules</p> <ul style="list-style-type: none"> ·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma ·secondary infections following trauma, thermal burn, and surgical wound, mastitis ·pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis ·hordeolum ·otitis media ·periodontal inflammation, pericoronitis, jaw inflammation ·scarlet fever <p>Granules</p> <ul style="list-style-type: none"> ·deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma ·pharyngitis/laryngitis, tonsillitis, acute bronchitis, secondary infection of chronic respiratory lesions 	☑	☑	☑		
----------	--	-------------------------------------	---	---	---	---	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			·otitis media					
Cefazolin Sodium Hydrate	Cefamexin α 0.25g for intramuscular injection, Cefamexin α 0.5g for intramuscular injection, Cefamexin α 0.25g for injection, Cefamexin α 0.5g for injection, Cefamexin α 1g	Astellas Pharma Inc. and the others	Sepsis, infective endocarditis, superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, secondary infections of erosions/ulcers, mastitis, osteomyelitis, arthritis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, cholecystitis, cholangitis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, endophthalmitis (including panophthalmitis) , otitis media, sinusitis, purulent sialoadenitis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	for injection, Cefamexin α 2g for injection, Cefamexin α 1g for infusion kit, Cefamexin α 2g for infusion kit, and the others							
Cefalexin	Keflex Capsules 250mg, Keflex Fine Granules for syrup 100, Keflex Fine Granules for syrup 200, L- Keflex granules, L-Keflex granules for pediatric use, and the others	Shionogi & Co., Ltd. and the others	<p>Capsules</p> <ul style="list-style-type: none"> ·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma ·secondary infections following trauma, thermal burn, and surgical wound, mastitis ·osteomyelitis, myositis ·pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis ·Neisseria gonorrhoeae infection, cervicitis 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (without L-Keflex granules for pediatric use)	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<ul style="list-style-type: none">·bartholinitis, intrauterine infection·dacryocystitis, hordeolum, keratitis (including corneal ulcer)·otitis externa, otitis media, sinusitis, purulent sialoadenitis·periodontal inflammation, pericoronitis, maxillary sinusitis, jaw inflammation, secondary infections following tooth extraction wound and oral surgery wound <p>Fine Granules for syrup</p> <ul style="list-style-type: none">·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma·secondary infections following trauma, thermal burn, and surgical wound·pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions·cystitis, pyelonephritis·dacryocystitis, hordeolum					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<ul style="list-style-type: none">·otitis externa, otitis media, sinusitis·periodontal inflammation, jaw inflammation, secondary infections following tooth extraction wound and oral surgery wound·scarlet fever <p>Granules</p> <ul style="list-style-type: none">·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma·secondary infections following trauma, thermal burn, and surgical wound, mastitis·pharyngitis/laryngitis, tonsillitis(including peritonsillitis), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions·cystitis, pyelonephritis, prostatitis (acute/chronic)·bartholinitis·dacryocystitis, hordeolum·otitis externa, otitis media, sinusitis·periodontal inflammation, pericoronitis, jaw inflammation, secondary infections following					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			tooth extraction wound and oral surgery wound					
			Granules for pediatric use					
			·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma					
			·secondary infections following trauma, thermal burn, and surgical wound					
			·pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions					
			·cystitis, pyelonephritis					
			·dacryocystitis, hordeolum					
			·otitis externa					
			·periodontal inflammation, jaw inflammation, secondary infections following tooth extraction wound and oral surgery wound					
			·scarlet fever					



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Cefalotin Sodium	Coaxin injection 1g, Coaxin injection 2g	CHEMIX INC.	Sepsis, superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, secondary infections following trauma, thermal burn, and surgical wound, osteomyelitis, pharyngitis/laryngitis, tonsillitis(including peritonsillitis), acute bronchitis, pneumonia, lung abscess, pyothorax, cystitis, pyelonephritis, epididymitis, Neisseria gonorrhoeae infection, peritonitis, intrauterine infection, uterine adnexitis, parametritis, otitis media, scarlet fever	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Cefixime Hydrate	Cefspan Capsules 50mg, Cefspan Capsules 100mg, Cefspan Fine Granules 50mg, and the others	Choseido Pharmaceutical Co., Ltd. and the others	Acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, cholecystitis, cholangitis, otitis media, sinusitis, scarlet fever			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Cefepime Dihydrochloride Hydrate	Maxipime for injection 0.5g, Maxipime for	Bristol-Myers K.K. and the others	1. Common infection Sepsis, deep-seated skin infections, secondary infections following trauma, thermal burn, and		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	injection 1g, and the others		<p>surgical wound, perianal abscess, tonsillitis (including peritonsillar abscess), pneumonia, lung abscess, secondary infection of chronic respiratory lesions, complicated cystitis, pyelonephritis, prostatitis (acute/chronic), peritonitis, intra-abdominal abscess, cholecystitis, cholangitis, intrauterine infection, parametritis, otitis media, sinusitis</p> <p>2. Febrile neutropenia</p>					
Cefozopran Hydrochloride	<p>Firstcin intravenous 0.5g, Firstcin intravenous 1g, Firstcin intravenous 1g Bag S, Firstcin intravenous 1g Bag G</p>	Teva Takeda Yakuhin Ltd.	<p>sepsis</p> <p>secondary infections following trauma, thermal burn, and surgical wound</p> <p>pharyngitis/laryngitis, tonsillitis (including peritonsillar abscess), pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions</p> <p>complicated cystitis, pyelonephritis, prostatitis (acute/chronic)</p> <p>peritonitis, intra-abdominal abscess</p> <p>cholecystitis, cholangitis, liver abscess</p> <p>intrauterine infection, uterine adnexitis,</p>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			parametritis pyogenic meningitis orbital infection, keratitis (including corneal ulcer), endophthalmitis (including panophthalmitis) otitis media, sinusitis, purulent sialoadenitis					
Cefotaxime Sodium	Claforan for injection 0.5g, Claforan for injection 1g, and the others	Sanofi K. K. and the others	Sepsis, infective endocarditis, secondary infections following trauma, thermal burn, and surgical wound, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, cholecystitis, cholangitis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis			<input checked="" type="checkbox"/>		
Cefotiam Hydrochloride	Pansporin intramuscular 0.25g, Pansporin intravenous 0.25g, Pansporin	Teva Takeda Yakuhin Ltd. and the others	sepsis deep-seated skin infections, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound osteomyelitis, arthritis tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	intravenous 0.5g, Pansporin intravenous 1g, Pansporin intravenous 1g Bag S, Pansporin intravenous 1g Bag G, and the others		abscess, pyothorax, secondary infection of chronic respiratory lesions cystitis, pyelonephritis, prostatitis (acute/chronic) peritonitis cholecystitis, cholangitis bartholinitis, intrauterine infection, uterine adnexitis, parametritis pyogenic meningitis otitis media, sinusitis					
Cefotiam Hexetil Hydrochloride	Pansporin T Tablets 100, Pansporin T Tablets 200	Takeda Pharmaceutical Co.,	superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound mastitis, perianal abscess pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions cystitis, pyelonephritis, urethritis dacryocystitis, hordeolum, meibomianitis, keratitis (including corneal ulcer)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			otitis media, sinusitis					
Cefoperazone Sodium	Cefoperazin for injection 1g, and the others	Toyama Chemical Co., Ltd. and the others	<ul style="list-style-type: none"> ·sepsis ·deep-seated skin infections, lymphangitis/lymphadenitis ·secondary infections following trauma, thermal burn, and surgical wound, mastitis ·acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, prostatitis (acute/chronic) ·peritonitis ·cholecystitis, cholangitis, liver abscess ·bartholinitis, intrauterine infection, uterine adnexitis, parametritis ·pyogenic meningitis 			☑		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Cefoperazone Sodium/ Sulbactam Sodium</p>	<p>Sulperazon for intravenous use 0.5g, Sulperazon for intravenous use 1g, Sulperazon Kit for intravenous use 1g, and the others</p>	<p>Pfizer Japan Inc. and the others</p>	<p>Sepsis, infective endocarditis, secondary infections following trauma, thermal burn, and surgical wound, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, intra-abdominal abscess, cholecystitis, cholangitis, liver abscess, bartholinitis, intrauterine infection, uterine adnexitis, parametritis</p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>		
<p>Cefcapene Pivoxil Hydrochloride Hydrate</p>	<p>Flomox Tablets 75mg, Flomox Tablets 100mg, Flomox Fine Granules for pediatric use 100mg, and the others</p>	<p>Shionogi & Co., Ltd. and the others</p>	<p>Tablets ·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma ·secondary infections following trauma, thermal burn, and surgical wound ,mastitis, perianal abscess ·pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions</p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<ul style="list-style-type: none">·cystitis, pyelonephritis·urethritis, cervicitis·cholecystitis, cholangitis·bartholinitis, intrauterine infection, uterine adnexitis·dacryocystitis, hordeolum, meibomianitis·otitis externa, otitis media, sinusitis·periodontal inflammation, pericoronitis, jaw inflammation <p>Fine Granules for pediatric use</p> <p>1. Pediatric</p> <ul style="list-style-type: none">·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma·pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia·cystitis, pyelonephritis·otitis media, sinusitis·scarlet fever					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>2. Adult (in case when it is difficult to take tablets because of such as dysphagia)</p> <ul style="list-style-type: none">·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma·secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess·pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions·cystitis, pyelonephritis·urethritis, cervicitis·cholecystitis, cholangitis·bartholinitis, intrauterine infection, uterine adnexitis·dacryocystitis, hordeolum, meibomianitis·otitis externa, otitis media, sinusitis·periodontal inflammation, pericoronitis, jaw inflammation					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Cefditoren Pivoxil</p>	<p>Meiact MS Tablets 100mg, Meiact MS Fine Granules 10% for pediatric use, and the others</p>	<p>Meiji Seika Pharma Co., Ltd. and the others</p>	<p>Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, cholecystitis, cholangitis, bartholinitis, intrauterine infection, uterine adnexitis, abscess of eyelid, dacryocystitis, hordeolum, meibomianitis, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation</p> <p>Fine Granules for pediatric use (1) Pediatric Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	
-------------------------------	---	--	---	----------	----------	----------	----------	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>trauma, thermal burn, and surgical wound, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, otitis media, sinusitis, periodontal inflammation, jaw inflammation, scarlet fever, pertussis</p> <p>(2) Adult (in case when it is difficult to take tablets because of such as dysphagia)</p> <p>Superficial skin infections, Deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, cholecystitis, cholangitis, Bartholin's gland infection, intrauterine infection, uterine adnexitis, abscess of eyelid,</p>					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			dacryocystitis, hordeolum, meibomianitis, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation					
Cefdinir	Cefzon Capsules 50mg, Cefzon Capsules 100mg, Cefzon Fine Granules 10% for pediatric, and the others	Astellas Pharma Inc. and the others	Capsules Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, cystitis, pyelonephritis, urethritis, Bartholinitis, intrauterine infection, uterine adnexitis, hordeolum, meibomianitis, otitis externa, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation Fine Granules for pediatric use	☑	☑	☑	☑	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, cystitis, pyelonephritis, otitis media, sinusitis, scarlet fever					
Ceftazidime Hydrate	Modacin for injection 0.5g, Modacin for injection 1g, and the others	GlaxoSmithKline K.K. and the others	Sepsis, infective endocarditis, secondary infections following trauma, thermal burn, and surgical wound, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), peritonitis, cholecystitis, cholangitis, liver abscess, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis, otitis media, sinusitis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Ceftizoxime Sodium	Epocelin Suppositories 125, Epocelin Suppositories 250	Choseido Pharmaceutical Co.,Ltd.	Acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis			<input checked="" type="checkbox"/>		
Ceftibuten Hydrate	Seftem Capsules 100mg, Seftem Capsules 200mg	Shionogi & Co., Ltd.	<ul style="list-style-type: none"> ·acute bronchitis, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, prostatitis (acute only) ·urethritis 			<input checked="" type="checkbox"/>		
Cefteram Pivoxil	Tomiron Tablets 50, Tomiron Tablets 100, Tomiron Fine Granules 10% for pediatric use, Tomiron Fine Granules 20% for pediatric use,	Toyama Chemical Co., Ltd. and the others	<p>Tablets</p> <ul style="list-style-type: none"> ·pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, urethritis ·bartholinitis, intrauterine infection, uterine adnexitis ·otitis media, sinusitis 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	and the others		<p>·periodontal inflammation, pericoronitis, jaw inflammation</p> <p>Fine Granules for pediatric use</p> <p>·Pediatric pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, cystitis,pyelonephritis, otitis media, sinusitis, scarlet fever</p> <p>·Adult (in case when it is difficult to take tablets because of such as dysphagia) pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, bartholinitis, intrauterine infection, uterine adnexitis, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation</p>					
--	----------------	--	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Ceftriaxone Sodium Hydrate</p>	<p>Rocephin for intravenous injection 0.5g, Rocephin for intravenous injection 1g, Rocephin for intravenous drip infusion 1g Bag, and the others</p>	<p>Chugai Pharmaceutical Co., Ltd. and the others</p>	<p>Sepsis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, epididymitis, urethritis, cervicitis, pelvic inflammatory disease, proctitis, peritonitis, intra-abdominal abscess, cholecystitis, cholangitis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis, keratitis (including corneal ulcer), otitis media, sinusitis, cellulitis around jawbone, jaw inflammation</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	
<p>Cefpirome Sulfate</p>	<p>Cefpirome sulfate 「CMX」 0.5g for intravenous injection, Cefpirome sulfate 「CMX」 1g for intravenous injection, and</p>	<p>CHEMIX INC. and the others</p>	<p>Sepsis, infective endocarditis, deep-seated skin infections, lymphangitis/lymphadenitis, secondary infections following trauma, thermal burn, and surgical wound, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), peritonitis, intra-abdominal abscess, cholecystitis,</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	the others		cholangitis, liver abscess, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis					
Cefpodoxime Proxetil	Banan Tablets 100mg, Banan Dry Syrup 5%, and the others	Daiichi Sankyo Co., Ltd. and the others	<p>Tablets</p> <p>Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, bartholinitis, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation</p> <p>Dry Syrup</p> <p>Superficial skin infections, deep-seated skin</p>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, cystitis, pyelonephritis, otitis media, sinusitis, scarlet fever					
Cefminox Sodium Hydrate	Meicelin for injection 1g	Meiji Seika Pharma Co., Ltd.	Sepsis, tonsillitis (including peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, cholecystitis, cholangitis, intrauterine infection, uterine adnexitis, parametritis		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
Cefmetazole Sodium	Cefmetazon for intramuscular injection 0.5g, Cefmetazon for intravenous injection 0.25g, Cefmetazon for intravenous injection 0.5g, Cefmetazon for	Daiichi Sankyo Co., Ltd. and the others	Sepsis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, cholecystitis, cholangitis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, cellulitis around jawbone, jaw inflammation			<input checked="" type="checkbox"/>		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	intravenous injection 1g, Cefmetazon for intravenous injection 2g, Cefmetazon Kit for intravenous drip injection 1g, and the others							
--	---	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Cefmenoxime Hydrochloride</p>	<p>Bestcall Intramuscular 0.5g, Bestcall Intravenous 0.5g, Bestcall Intravenous 1g, Bestron for ear and nose 1%</p>	<p>Teva Takeda Yakuhin Ltd. Senju Pharmaceutical Co.,Ltd.</p>	<p>For intramuscular sepsis secondary infections following trauma, thermal burn, and surgical wound acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions cystitis, pyelonephritis peritonitis cholecystitis, cholangitis, liver abscess bartholinitis, intrauterine infection, uterine adnexitis, parametritis</p> <p>For intravenous sepsis secondary infections following trauma, thermal burn, and surgical wound acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions cystitis, pyelonephritis</p>			<p><input checked="" type="checkbox"/> (For intramuscular and intravenous)</p>	<p><input checked="" type="checkbox"/> (For ear and nose)</p>	
----------------------------------	---	---	--	--	--	--	---	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>peritonitis cholecystitis, cholangitis, liver abscess bartholinitis, intrauterine infection, uterine adnexitis, parametritis pyogenic meningitis</p> <p>For ear and nose Otitis externa, otitis media, sinusitis (cases of severe obstruction of the middle meatus should be excluded for spray inhalation with a nebulizer)</p>					
Cefroxadine Hydrate	Oraspor Dry Syrup 10% for pediatric	Alfresa Pharma Corporation	Superficial skin infections, deep-seated skin infections, pharyngitis/laryngitis, tonsillitis, acute bronchitis, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, hordeolum, otitis media, scarlet fever	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Cefuroxime Axetil</p>	<p>Oracef Tablets 250mg</p>	<p>GlaxoSmithKline K.K.</p>	<p>Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, acne (with suppurative inflammation), mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, secondary infection of chronic respiratory lesions, cystitis (simple only), prostatitis (acute/chronic), epididymitis, urethritis, hordeolum, meibomianitis, otitis externa, otitis media, sinusitis, purulent sialoadenitis, periodontal inflammation, pericoronitis, jaw inflammation</p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	
<p>Tetracycline Hydrochloride</p>	<p>Achromycin Powder, Achromycin V Capsules 50mg, Achromycin V Capsules 250mg</p>	<p>Pola Pharma Inc.</p>	<p>Powder Route of Administration Oral Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, Neisseria gonorrhoeae</p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>infection, chancroid, lymphogranuloma venereum, intrauterine infection, brain abscess, dacryocystitis, otitis externa, otitis media, sinusitis, periodontal inflammation, scarlet fever, anthrax, brucellosis, pertussis, tularaemia, gas gangrene, relapsing fever, Weil's disease, exanthematic typhus, murine typhus, scrub typhus</p> <p>Capsules</p> <p>Superficial skin infections, Deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, chancroid, lymphogranuloma venereum, intrauterine infection, brain abscess, dacryocystitis, otitis externa, otitis media, sinusitis, periodontal inflammation, scarlet fever,</p>					
--	--	--	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			anthrax, brucellosis, pertussis, tularaemia, gas gangrene, relapsing fever, Weil's disease, exanthematic typhus, murine typhus, scrub typhus					
Tebipenem Pivoxil	Orapenem Fine Granules 10% for pediatric	Meiji Seika Pharma Co., Ltd.	Pneumonia, otitis media, sinusitis				<input checked="" type="checkbox"/>	
Demethylchlortetracycline Hydrochloride	Ledermycin Capsules 150mg	Pola Pharma Inc.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, urethritis, Neisseria gonorrhoeae infection, chancroid, lymphogranuloma venereum, intrauterine infection, dacryocystitis,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			otitis externa, otitis media, sinusitis, scarlet fever, anthrax, pertussis, tularaemia, gas gangrene, Weil's disease, exanthematic typhus, murine typhus, scrub typhus					
Doxycycline Hydrochloride Hydrate	Vibramycin Tablets 50mg, Vibramycin Tablets 100mg	Pfizer Japan Inc.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), urethritis, Neisseria gonorrhoeae infection, infectious enteritis, cholera, intrauterine infection, uterine adnexitis, abscess of eyelid, dacryocystitis, hordeolum, keratitis (including corneal ulcer), otitis media, sinusitis, pericoronitis, purulent sialoadenitis, scarlet fever,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			anthrax, brucellosis, plague, Q fever, psittacosis					
Tosufloxacin Tosilate Hydrate	Ozex Tablets 75, Ozex Tablets 150 Tosuxacin Tablets 75mg, Tosuxacin Tablets 150mg and the others	Toyama Chemical Co., Ltd. Mylan EPD G.K and the others	<ul style="list-style-type: none"> ·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, acne (with suppurative inflammation) ·secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess ·osteomyelitis, arthritis ·pharyngitis/laryngitis, tonsillitis (including peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, urethritis 	☑	☑	☑	☑	☑



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<ul style="list-style-type: none"> ·cholecystitis, cholangitis ·infectious enteritis, typhoid, paratyphoid, cholera ·bartholinitis, intrauterine infection, uterine adnexitis ·dacryocystitis, hordeolum, meibomianitis ·otitis externa, otitis media, sinusitis, purulent sialoadenitis ·periodontal inflammation, pericoronitis, jaw inflammation ·anthrax 					
Tobramycin	<p>Tobracin injection 60mg, Tobracin injection 90mg, Tobracin injection for pediatric use 10mg</p>	Towa Pharmaceutical Co., Ltd.	<p>Sepsis, deep-seated skin infections, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis</p>			☑		
Doripenem Hydrate	<p>Finibax for intravenous drip infusion 0.25g,</p>	Shionogi & Co., Ltd.	<ul style="list-style-type: none"> ·sepsis, infective endocarditis ·deep-seated skin infections, lymphangitis/lymphadenitis 	☑	☑			



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

	Finibax for intravenous drip infusion 0.5g, Finibax Kit for intravenous drip infusion 0.25g		<ul style="list-style-type: none">·secondary infections following trauma, thermal burn, and surgical wound·osteomyelitis, arthritis·pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess)·pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions·complicated cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis·peritonitis, intra-abdominal abscess·cholecystitis, cholangitis, liver abscess·intrauterine infection, uterine adnexitis, parametritis·pyogenic meningitis·orbital infection, keratitis (including corneal ulcer), endophthalmitis (including panophthalmitis)·otitis media·cellulitis around jawbone, jaw inflammation					
--	---	--	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Nalidixic acid	Wintomylon Tablets 250, Wintomylon Tablets500 and the others	Daiichi Sankyo Co., Ltd. and the others	Cystitis, pyelonephritis, prostatitis (acute/chronic), Neisseria gonorrhoeae infection, infectious enteritis					<input checked="" type="checkbox"/>
Norfloxacin	Baccidal Tablets 100mg, Baccidal Tablets 200mg, Baccidal Tablets for pediatric use 50mg, and the others	KYORIN Pharmaceutical Co.,Ltd. and the others	100mg / 200mgTablets Superficial skin infections, deep-seated skin infections, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, cystitis, pyelonephritis, prostatitis (acute/chronic), urethritis, cholecystitis, cholangitis, infectious enteritis, typhoid, paratyphoid, cholera, otitis media, sinusitis, anthrax, tularaemia Tablets for pediatric use Superficial skin infections, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, cystitis, pyelonephritis, infectious enteritis, typhoid, paratyphoid, anthrax, tularaemia	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (100m, 200mg Tablets)	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Bacampicillin Hydrochloride	Pengood Tablets 250mg	Nichi-Iko Pharmaceutical Co., Ltd.	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, Neisseria gonorrhoeae infection, peritonitis, intrauterine infection, uterine adnexitis, abscess of eyelid, hordeolum, keratitis (including corneal ulcer), otitis media, sinusitis, periodontal inflammation, pericoronitis, secondary infections following tooth extraction wound and oral surgery wound, scarlet fever	☑	☑	☑	☑	
Panipenem/ Betamipron	Carbenin for intravenous drip infusion 0.25g, Carbenin for intravenous drip infusion 0.5g	Daiichi Sankyo Co., Ltd. and the others	Sepsis, infective endocarditis, deep-seated skin infections, lymphangitis/lymphadenitis, secondary infections following trauma, thermal burn, and surgical wound, perianal abscess, osteomyelitis, arthritis, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, lung abscess, pyothorax,	☑	☑	☑	☑	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, peritonitis, intra-abdominal abscess, cholecystitis, cholangitis, liver abscess, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis, orbital infection, endophthalmitis (including panophthalmitis) , otitis media, sinusitis, purulent sialoadenitis, cellulitis around jawbone, jaw inflammation					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Vancomycin Hydrochloride	Vancomycin sulfate powder 0.5g, and the others	Shionogi & Co., Ltd. and the others	1. Infectious enteritis Infectious enteritis (including pseudomembranous colitis) 2. Intestinal decontamination in bone marrow transplantation					<input checked="" type="checkbox"/>
-----------------------------	---	---	--	--	--	--	--	-------------------------------------



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Pipemidic Acid Hydrate	Dolcol Tablets 250mg and the others	Nichi-Iko Pharmaceutical Co., Ltd. and the others	Cystitis, pyelonephritis, prostatitis (acute/chronic), infectious enteritis, otitis media, sinusitis				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Piperacillin Sodium	Pentacillin for injection 1g, Pentacillin for injection 2g, Pentacillin for intravenous injection 1g Bag, Pentacillin for intravenous injection 2g Bag, and the others	Toyama Chemical Co., Ltd. and the others	<ul style="list-style-type: none"> ·sepsis ·acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis ·cholecystitis, cholangitis ·bartholinitis, intrauterine infection, uterine adnexitis, parametritis ·pyogenic meningitis 			<input checked="" type="checkbox"/>		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Faropenem Sodium Hydrate</p>	<p>Farom Tablets 150mg, Farom Tablets 200mg, Farom Dry Syrup 10% for pediatric</p>	<p>Maruho Co.,Ltd.</p>	<p>Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, acne (with suppurative inflammation), secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, Bartholinitis, intrauterine infection, uterine adnexitis, dacryocystitis, hordeolum, Meibomianitis, keratitis (including corneal ulcer), otitis externa, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation</p> <p>Dry Syrup Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, cystitis, pyelonephritis, otitis media, sinusitis, periodontal inflammation,</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	<p>☑</p>	
---------------------------------	--	------------------------	--	----------	----------	----------	----------	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			scarlet fever, pertussis					
Prulifloxacin	Sword Tablets 100	Meiji Seika Pharma Co., Ltd.	Superficial skin infections, deep-seated skin infections, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, perianal abscess, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), cholecystitis, cholangitis, infectious enteritis, cholera, intrauterine infection, uterine adnexitis, hordeolum, otitis media, sinusitis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Flomoxef Sodium</p>	<p>Flumarin for intravenous 0.5g, Flumarin for intravenous 1g, Flumarin for intravenous kit 1g</p>	<p>Shionogi & Co., Ltd.</p>	<ul style="list-style-type: none"> ·sepsis, infective endocarditis ·secondary infections following trauma, thermal burn, and surgical wound ·pharyngitis/laryngitis, tonsillitis, acute bronchitis, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis, prostatitis (acute/chronic) ·urethritis ·peritonitis, intra-abdominal abscess ·cholecystitis, cholangitis ·bartholinitis, intrauterine infection, uterine adnexitis, parametritis ·otitis media, sinusitis 	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<p>Benzylpenicillin Potassium</p>	<p>Penicillin G potassium 200,000 units for injection, Penicillin G potassium 1,000,000 units for injection</p>	<p>Meiji Seika Pharma Co., Ltd.</p>	<p>Sepsis, infective endocarditis, superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, mastitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, Neisseria gonorrhoeae infection, pyogenic meningitis, otitis media, sinusitis, scarlet fever, anthrax, diphtheria (combination with antitoxin), rat-bite fever,</p>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			tetanus (combination with antitoxin), gas gangrene (combination with antitoxin), actinomycosis, relapsing fever, Weil's disease, syphilis					
Benzylpenicillin Benzathine Hydrate	Bicillin G granules 400,000 units	MSD K.K.	Lymphangitis/lymphadenitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, syphilis, otitis media, sinusitis, scarlet fever, prevention of rheumatic fever	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Fosfomicin Calcium Hydrate	Fosmicin Tablets 250, Fosmicin Tablets 500, Fosmicin Dry Syrup 200, Fosmicin Dry Syrup 400, and the others	Meiji Seika Pharma Co., Ltd. and the others	Deep-seated skin infections, cystitis, pyelonephritis, infectious enteritis, dacryocystitis, hordeolum, meibomianitis, otitis media, sinusitis				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Fosfomycin Sodium	Fosmicin-S 0.5g for injection, Fosmicin-S 1g for injection, Fosmicin-S 2g for injection, Fosmicin-S Bag 1g for intravenous drip infusion, Fosmicin-S Bag 2g for intravenous drip infusion, and the others	Meiji Seika Pharma Co., Ltd. and the others	Sepsis, acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis			<input checked="" type="checkbox"/>		
Polymixin B Sulfate	Polymyxin B sulfate powder 0.5MU Pfizer, Polymyxin B sulfate powder 3MU Pfizer	Pfizer Japan Inc.	(Topical application) Secondary infections following trauma, thermal burn, and surgical wound, osteomyelitis, arthritis, cystitis, conjunctivitis, keratitis (including corneal ulcer), otitis media, sinusitis (Oral administration)				<input checked="" type="checkbox"/>	



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			Intestinal decontamination in leukaemia treatment					
Minocycline Hydrochloride	Minomycin Capsules 50mg, Minomycin Capsules 100mg, Minomycin Tablets 50mg, Minomycin Tablets 100mg, Minomycin granules 2%, Minomycin intravenous 100mg, and the others	Pfizer Japan Inc. and the others	Capsules · Tablets Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, secondary infections following trauma, thermal burn, and surgical wound, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis(including peritonsillitis), acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, urethritis, Neisseria gonorrhoeae infection, syphilis, peritonitis, infectious enteritis, vulvitis, vaginitis bacterial, intrauterine infection, dacryocystitis, hordeolum, otitis externa, otitis media, sinusitis, purulent sialoadenitis,	<input checked="" type="checkbox"/> (Capsules, Tablets, Granules)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (Capsules, Tablets, Granules)	<input checked="" type="checkbox"/> (Capsules, Tablets)



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<p>periodontal inflammation, pericoronitis, maxillary sinusitis, jaw inflammation, anthrax, scrub typhus, psittacosis</p> <p>Granules</p> <p>Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, dacryocystitis, hordeolum, otitis media, sinusitis, purulent sialoadenitis, periodontal inflammation, infectious stomatitis, scarlet fever, anthrax, scrub typhus, psittacosis</p> <p>Intravenous</p> <p>Sepsis, deep-seated skin infections, chronic pyoderma, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, peritonitis, anthrax, scrub typhus, psittacosis</p>					
--	--	--	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Garenoxacin Mesilate Hydrate	Geninax Tablets 200mg	Toyama Chemical Co., Ltd.	pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, otitis media, sinusitis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
---------------------------------	--------------------------	---------------------------------	--	-------------------------------------	-------------------------------------	-------------------------------------	-------------------------------------	--

This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Metronidazole	Flagyl internal Tablets 250mg, and the others Anaemetro intravenous infusion 500mg	Shionogi & Co., Ltd. and the others Pfizer Japan Inc.	<p>Internal tablets</p> <p>1. Trichomoniasis (infection from trichomonas vaginalis)</p> <p>2. Infection due to anaerobes</p> <ul style="list-style-type: none"> ·deep-seated skin infections ·secondary infections following trauma, thermal burn, and surgical wound ·osteomyelitis ·pneumonia, lung abscess ·pelvic inflammatory disease ·peritonitis, intra-abdominal abscess ·liver abscess ·brain abscess <p>3. Infectious enteritis</p> <p>Infectious enteritis (including Pseudomembranous colitis)</p> <p>4. Bacterial vaginosis</p> <p>Bacterial vaginosis</p> <p>5. Helicobacter pylori infection</p> <p>gastric or duodenal ulcer, mucosa-associated lymphoid tissue (MALT) lymphoma of the</p>					☑
---------------	---	--	--	--	--	--	--	---



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			stomach, idiopathic thrombocytopenic purpura, Helicobacter pylori infection of the stomach after endoscopic treatment for early stage of gastric cancer, Helicobacter gastritis 6. Amebic dysentery 7. Giardia lamblia infection Intravenous infusion 1. Infection due to anaerobes ·sepsis ·deep-seated skin infections ·secondary infections following trauma, thermal burn, and surgical wound ·osteomyelitis ·pneumonia, lung abscess, pyothorax ·pelvic inflammatory disease ·peritonitis, intra-abdominal abscess ·cholecystitis, liver abscess ·pyogenic meningitis ·brain abscess 2. Infectious enteritis					
--	--	--	--	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			Infectious enteritis (including Pseudomembranous colitis) 3. Amebic dysentery					
--	--	--	---	--	--	--	--	--

This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Meropenem Hydrate</p>	<p>Meropen for intravenous drip infusion Vial 0.25g, Meropen for intravenous drip infusion Vial 0.5g, Meropen Kit for intravenous drip infusion 0.5g, and the others</p>	<p>Sumitomo Dainippon Pharma Co., Ltd. and the others</p>	<p>1. Common infection Sepsis, deep-seated skin infections, lymphangitis/lymphadenitis, secondary infections following trauma, thermal burn, and surgical wound, perianal abscess,osteomyelitis, arthritis, tonsillitis (including peritonsillar abscess), pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions, complicated cystitis, pyelonephritis, peritonitis, cholecystitis, cholangitis, liver abscess, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis, endophthalmitis (including panophthalmitis) , otitis media, sinusitis, cellulitis around jawbone, jaw inflammation</p> <p>2. Febrile neutropenia</p>		<p style="text-align: center;"><input checked="" type="checkbox"/></p>		<p style="text-align: center;"><input checked="" type="checkbox"/></p>	
--------------------------	--	---	---	--	--	--	--	--



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Moxifloxacin hydrochloride	Avelox Tablets 400mg	Bayer Yakuhin, Ltd	Superficial skin infections, deep-seated skin infections, secondary infections following trauma, thermal burn, and surgical wound, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, sinusitis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Latamoxef Sodium	Shiomarin for intravenous 1g	Shionogi & Co., Ltd.	<ul style="list-style-type: none"> ·sepsis ·acute bronchitis, pneumonia, lung abscess, pyothorax, secondary infection of chronic respiratory lesions ·cystitis, pyelonephritis ·peritonitis ·cholecystitis, cholangitis, liver abscess ·intrauterine infection, uterine adnexitis, parametritis ·pyogenic meningitis 			<input checked="" type="checkbox"/>		



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

<p>Lincomycin Hydrochloride Hydrate</p>	<p>Lincocin Capsules 250mg, Lincocin injection 300mg, Lincocin injection 600mg, Lincocin injection 1g, Lincocin injection 1.5g, and the others</p>	<p>Pfizer Japan Inc. and the others</p>	<p>Capsules Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, mastitis, osteomyelitis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, infectious enteritis, keratitis (including corneal ulcer), otitis media, sinusitis, scarlet fever</p> <p>Injection Sepsis, infective endocarditis, Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, mastitis, osteomyelitis, arthritis, pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, bartholinitis, intrauterine infection, uterine adnexitis, parametritis, pyogenic meningitis, keratitis (including corneal ulcer), otitis media,</p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/></p>	<p><input checked="" type="checkbox"/> (Capsules)</p>
---	--	---	---	--	--	--	--	---



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			sinusitis, scarlet fever					
Levofloxacin Hydrate	Cravit Tablets 250mg, Cravit Tablets 500mg, Cravit Fine Granules 10%, and the others	Daiichi Sankyo Co., Ltd. and the others	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, acne (with suppurative inflammation), secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess, pharyngitis/laryngitis, tonsillitis (including peritonsillitis and peritonsillar abscess), acute bronchitis, pneumonia, secondary infection of chronic respiratory lesions, cystitis, pyelonephritis, prostatitis (acute/chronic), epididymitis, urethritis, cervicitis, cholecystitis, cholangitis, infectious enteritis, typhoid, paratyphoid, cholera, Bartholin's gland infection, intrauterine infection, uterine adnexitis, dacryocystitis, hordeolum, meibomianitis, otitis externa, otitis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			media, sinusitis, purulent sialoadenitis, periodontal inflammation, pericoronitis, jaw inflammation, anthrax, brucellosis, plague, tularaemia, pulmonary tuberculosis and other tuberculosis, Q fever					
Roxithromycin	Rulid Tablets 150, and the others	Sanofi K. K. and the others	Superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma, acne (with suppurative inflammation), pharyngitis/laryngitis, tonsillitis, acute bronchitis, pneumonia, otitis media, sinusitis, periodontal inflammation, pericoronitis, jaw inflammation	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Lomefloxacin hydrochloride	Bareon Capsules 100mg, Bareon Tablets 200mg	Mylan EPD G.K.	·superficial skin infections, deep-seated skin infections, lymphangitis/lymphadenitis, chronic pyoderma ·Secondary infections following trauma, thermal burn, and surgical wound, mastitis, perianal abscess			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>



This English version is intended to be a reference material for the convenience of users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

			<ul style="list-style-type: none">·osteomyelitis, arthritis·acute bronchitis, pneumonia, lung abscess, secondary infection of chronic respiratory lesions·cystitis, pyelonephritis, prostatitis (acute/chronic), urethritis·infectious enteritis·bartholinitis, intrauterine infection, uterine adnexitis·abscess of eyelid, dacryocystitis, hordeolum, meibomianitis, keratitis (including corneal ulcer)·otitis media, sinusitis·periodontal inflammation, pericoronitis, jaw inflammation					
--	--	--	---	--	--	--	--	--