### PHARMACOPOEIAL DISCUSSION GROUP

## E-10 CELLULOSE, MICROCRYSTALLINE

### **REVISION 3**

### - Harmonised Attributes

| Attribute                    | EP       | JP       | USP      |
|------------------------------|----------|----------|----------|
| Definition                   | +        | +        | +        |
| Identification               |          |          |          |
| A (IR)                       | +        | +        | +        |
| B (wet chemistry)            | +        | +        | +        |
| C (degree of polymerization) | +        | +        | +        |
| Conductivity                 | +        | +        | +        |
| рН                           | +        | +        | +        |
| Loss on drying               | +        | +(1)     | +(1)     |
| Residue on ignition          | +        | +        | +        |
| Bulk density                 | -        | +        | +        |
| Water-soluble substances     | +        | +        | +        |
| Ether-soluble substances     | +        | +        | +        |
| Microbial limits             | <u>+</u> | <u>+</u> | <u>±</u> |

(1) JP and USP will retain, as local requirement, that the value can be within a percentage range, as specified within the labelling

### Legend

- +: will adopt and implement
- -: will not stipulate

## - Non-harmonised attributes

Characters/Description, Microbial limits, Labelling, Containers and storage/Packaging and storage

## - Local requirements

| EP         | JP   | USP   |
|------------|--|---|
| Solubility | Definition (reference to labelling), Identification (2) dispersion test, Heavy metals. | Particle-size distribution estimation by analytical sieving |

M.0 (0)

# Reagents and reference materials

Each pharmacopoeia will adapt the text to take account of local reference materials and reagent specifications.

Date: 3110118

Signatures:

European Pharmacopoeia

Pharmacopeia

Japanese Pharmacopoeia

A. otula

United States