

Published by  
Ministry of Health, Labour and Welfare



Translated by  
Pharmaceuticals and Medical Devices Agency



---

*This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.*

# Revision of Precautions

## Betamethasone/d-chlorpheniramine maleate, betamethasone sodium phosphate (injections)

May 13, 2022

### **Therapeutic category**

Adrenal hormone preparations

### **Non-proprietary name**

Betamethasone/d-chlorpheniramine maleate, betamethasone sodium phosphate

### **Safety measure**

Precautions should be revised in the package insert.

**Pharmaceuticals and Medical Devices Agency**

3-3-2 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013 Japan  
E-mail: [safety.info@pmda.go.jp](mailto:safety.info@pmda.go.jp)

Revision in line with the Instructions for Package Inserts of Prescription Drugs, PAB Notification No. 606 by the Director General of Pharmaceutical Affairs Bureau, MHW, dated April 25, 1997 (Old instructions): Revised language is underlined.

Current	Revision
Careful Administration (N/A)	Careful Administration <u>Patients with phaeochromocytoma or paraganglioma and those with suspected phaeochromocytoma or paraganglioma</u> <u>[Phaeochromocytoma crisis may occur.]</u>
Important Precautions (N/A)	Important Precautions <u>Cases of phaeochromocytoma crisis have been reported after betamethasone preparations (injections) were administered without recognizing concurrent phaeochromocytoma. If a marked elevation in blood pressure, headache, palpitation, etc. are observed after administration of this drug, appropriate measures should be taken with consideration given to the possible occurrence of phaeochromocytoma crisis.</u>

N/A: Not Applicable. No corresponding language is included in the current package insert.

Revision in line with the Instructions for Electronic Package Inserts of Prescription Drugs, etc. PSEHB Notification No. 0611-1 by the Director of Pharmaceutical Safety and Environmental Health Bureau, MHLW, dated June 11, 2021 (New instructions): Revised language is underlined.

Current	Revision
8. IMPORTANT PRECAUTIONS (N/A)	8. IMPORTANT PRECAUTIONS <u>Cases of phaeochromocytoma crisis have been reported after betamethasone preparations (injections) were administered without</u>

**Pharmaceuticals and Medical Devices Agency**

3-3-2 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013 Japan  
 E-mail: [safety.info@pmda.go.jp](mailto:safety.info@pmda.go.jp)

<p>9. PRECAUTIONS CONCERNING PATIENTS WITH SPECIFIC BACKGROUNDS</p> <p>9.1 Patients with Complication or History of Diseases, etc.</p> <p>(N/A)</p>	<p><u>recognizing concurrent pheochromocytoma. If a marked elevation in blood pressure, headache, palpitation, etc. are observed after administration of this drug, appropriate measures should be taken with consideration given to the possible occurrence of pheochromocytoma crisis.</u></p> <p>9. PRECAUTIONS CONCERNING PATIENTS WITH SPECIFIC BACKGROUNDS</p> <p>9.1 Patients with Complication or History of Diseases, etc.</p> <p><u>Patients with pheochromocytoma or paraganglioma and those with suspected pheochromocytoma or paraganglioma</u></p> <p><u>Pheochromocytoma crisis may occur.</u></p>
---	---

N/A: Not Applicable. No corresponding language is included in the current package insert.

**Pharmaceuticals and Medical Devices Agency**

3-3-2 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013 Japan  
E-mail: [safety.info@pmda.go.jp](mailto:safety.info@pmda.go.jp)