Published by Ministry of Health, Labour and Welfare Translated by Pharmaceuticals and Medical Devices Agency





This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

# **Revision of PRECAUTIONS**

## **Finasteride**

August 29, 2023

#### Therapeutic category

Other hormone preparations (including antihormone preparations)

#### Non-proprietary name

Finasteride

#### Safety measure

PRECAUTIONS should be revised.

Revision in line with the Instructions for Package Inserts of Prescription Drugs, PAB Notification No. 606 by the Director-General of Pharmaceutical Affairs Bureau, MHW, dated April 25, 1997 (Old instructions):

Revised language is underlined.

Current	Revision
Careful Administration	Careful Administration
(N/A)	Patients with depression, depressed state, or a history of those
	diseases or patients with a history of suicidal ideation or a suicide
	attempt [Suicidal ideation, suicide attempt, and completed suicide
	have been reported, although the causal relationship with this drug
	is unclear.]
Important Precautions	Important Precautions
(N/A)	Suicidal ideation, suicide attempt, and completed suicide have
	been reported, although the causal relationship with this drug is
	unclear. Patients should be carefully monitored. In addition, if
	suicidal ideation or a suicide attempt is observed, patients should
	be instructed to discontinue taking this drug and contact a
	physician immediately.

Note: Designated as a drug requiring preparation of a Drug Guide for Patients

N/A: Not Applicable. No corresponding language is included in the current PRECAUTIONS.

Revision in line with the Instructions for Electronic Package Inserts of Prescription Drugs, PSEHB Notification No. 0611-1 by the Director-General of Pharmaceutical Safety and Environmental Health Bureau, MHLW, dated June 11, 2021 (New instructions):

Revised language is underlined.

Current	Revision
---------	----------

### 8. IMPORTANT PRECAUTIONS 8. IMPORTANT PRECAUTIONS Suicidal ideation, suicide attempt, and completed suicide have (N/A)been reported, although the causal relationship with this drug is unclear. Patients should be carefully monitored. In addition, if suicidal ideation or a suicide attempt is observed, patients should be instructed to discontinue taking this drug and contact a physician immediately. 9. PRECAUTIONS CONCERNING PATIENTS WITH SPECIFIC 9. PRECAUTIONS CONCERNING PATIENTS WITH SPECIFIC **BACKGROUNDS BACKGROUNDS** 9.1 Patients with Complication or History of Diseases, etc. (N/A)Patients with depression, depressed state, or a history of those diseases or patients with a history of suicidal ideation or a suicide attempt Suicidal ideation, suicide attempt, and completed suicide have been reported, although the causal relationship with this drug is unclear.

Note: Designated as a drug requiring preparation of a Drug Guide for Patients

N/A: Not Applicable. No corresponding language is included in the current PRECAUTIONS.