Published by Ministry of Health, Labour and Welfare Translated by Pharmaceuticals and Medical Devices Agency





This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

Revision of PRECAUTIONS

Apixaban Edoxaban tosilate hydrate Dabigatran etexilate methanesulfonate Rivaroxaban

November 21, 2023

Therapeutic category

Anticoagulants

Non-proprietary name

Apixaban

Edoxaban tosilate hydrate

Dabigatran etexilate methanesulfonate

Rivaroxaban

Pharmaceuticals and Medical Devices Agency

3-3-2 Kasumigaseki, Chiyoda-ku, Tokyo 100-0013 Japan E-mail: safety.info@pmda.go.jp

Safety measure PRECAUTIONS should be revised.			

Revision in line with the Instructions for Electronic Package Inserts of Prescription Drugs, PSEHB Notification No. 0611-1 by the Director-General of Pharmaceutical Safety and Environmental Health Bureau, MHLW, dated June 11, 2021 (New instructions):

Revised language is underlined.

Current	Revision		
11. ADVERSE REACTIONS	11. ADVERSE REACTIONS		
11.1 Clinically Significant Adverse Reactions	11.1 Clinically Significant Adverse Reactions		
(N/A)	Acute kidney injury		
	Acute kidney injury may occur after administration of oral		
	anticoagulants. Among cases of acute kidney injury after		
	administration of oral anticoagulants, cases in which haematuria		
	was noted or a renal biopsy showed numerous red cell casts in the		
	renal tubules have been reported.		

[References] Brodsky, S., et al.: J. Am. Soc. Nephrol. 2018; 29: 2787-2793

Zakrocka, I., et al.: Adv. Clin. Exp. Med. 2022; 31: 165-173

(N/A) Not Applicable. No corresponding language is included in the current PRECAUTIONS.