Published by Ministry of Health, Labour and Welfare

62

Translated by Pharmaceuticals and Medical Devices Agency



This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail. The PMDA shall not be responsible for any consequences resulting from the use of this English version.

Revision of PRECAUTIONS

Pembrolizumab (genetical recombination)

May 17, 2024

Therapeutic category

Other antitumor agents

Non-proprietary name

Pembrolizumab (genetical recombination)

Safety measure PRECAUTIONS should be revised.

Pharmaceuticals and Medical Devices Agency

Revised language is underlined.

Current	Revision
7. PRECAUTIONS CONCERNING DOSAGE AND	7. PRECAUTIONS CONCERNING DOSAGE AND
ADMINISTRATION	ADMINISTRATION
<unresectable, advanced="" cancer="" cell="" lung="" non-small="" or="" recurrent=""></unresectable,>	<unresectable, advanced="" cancer="" cell="" lung="" non-small="" or="" recurrent=""></unresectable,>
When this drug is co-administered with other antineoplastic drugs,	When this drug is co-administered with other antineoplastic drugs,
the other antineoplastic drugs to be administered should be	the other antineoplastic drugs to be administered should be
selected with a thorough understanding of the contents of the 17.	selected with a thorough understanding of the contents of the
CLINICAL STUDIES section.	17.CLINICAL STUDIES section and with reference to the latest
	Japanese and overseas guidelines or other relevant sources.
<recurrent and="" cancer="" head="" metastatic="" neck="" or=""></recurrent>	<recurrent and="" cancer="" head="" metastatic="" neck="" or=""></recurrent>
Dosage and administration of this drug should be selected with a	Dosage and administration of this drug should be selected with a
thorough understanding of the contents of the 17. CLINICAL	thorough understanding of the contents of the 17. CLINICAL
STUDIES section and with full understanding of efficacy and safety	STUDIES section and with full understanding of efficacy and safety
of this drug.	of this drug.
	In addition, when this drug is co-administered with other
	antineoplastic drugs, the other antineoplastic drugs to be
	administered should be selected with a thorough understanding of
	the contents of the 17. CLINICAL STUDIES section and with
	reference to the latest Japanese and overseas guidelines or other
	relevant sources.

Pharmaceuticals and Medical Devices Agency

<Radically unresectable or metastatic renal cell carcinoma> <Radically unresectable or metastatic renal cell carcinoma> Other antineoplastic drugs to be co-administered should be Other antineoplastic drugs to be co-administered should be selected with a thorough understanding of the contents of the 17. selected with a thorough understanding of the contents of the 17. CLINICAL STUDIES section. CLINICAL STUDIES section and with reference to the latest Japanese and overseas guidelines or other relevant sources. <PD-L1-positive, hormone receptor-negative and HER2-negative <PD-L1-positive, hormone receptor-negative and HER2-negative inoperable or recurrent breast cancer> inoperable or recurrent breast cancer> Other antineoplastic drugs to be co-administered should be Other antineoplastic drugs to be co-administered should be selected with a thorough understanding of the contents of the 17. selected with a thorough understanding of the contents of the 17. CLINICAL STUDIES section and with reference to the latest **CLINICAL STUDIES section.** Japanese and overseas guidelines or other relevant sources. <Pre- and postoperative adjuvant therapy for hormone receptor-<Pre- and postoperative adjuvant therapy for hormone receptornegative and HER2-negative breast cancer at high risk of negative and HER2-negative breast cancer at high risk of recurrence> recurrence> Dosage and administration of this drug should be selected with a Dosage and administration of this drug, as well as other antineoplastic drugs to be co-administered, should be selected with thorough understanding of the contents of the 17. CLINICAL a thorough understanding of the contents of the 17. CLINICAL STUDIES section. STUDIES section. In addition, other antineoplastic drugs to be co-administered should be selected with a thorough understanding of the contents of the 17.CLINICAL STUDIES section and with reference to the latest Japanese and overseas guidelines or other relevant sources.

Pharmaceuticals and Medical Devices Agency

<unresectable, advanced="" cancer="" gastric="" or="" recurrent=""></unresectable,>	<unresectable, advanced="" cancer="" gastric="" or="" recurrent=""></unresectable,>
Other antineoplastic drugs to be co-administered should be selected	Other antineoplastic drugs to be co-administered should be selected
with a thorough understanding of the contents of the 17. CLINICAL	with a thorough understanding of the contents of the 17. CLINICAL
STUDIES section.	STUDIES section and with reference to the latest Japanese and
	overseas guidelines or other relevant sources.

Pharmaceuticals and Medical Devices Agency