

【Therapeutic category】 Cold medicines (excluding preparations consisting of crude drugs only)

【Non-proprietary name】 Preparations containing Kakkonto (OTC drugs)

【Safety measure】 PRECAUTIONS should be revised.

A revised description is underlined.

Current		Revision	
CONSULTATION If the following symptoms are observed after taking this drug, they may be adverse reactions. In such cases, immediately discontinue the use of this drug and consult a physician, pharmacist, or registered salesclerk, presenting them with this document. The following serious symptoms may rarely occur. In such cases, immediately seek medical attention.		CONSULTATION If the following symptoms are observed after taking this drug, they may be adverse reactions. In such cases, immediately discontinue the use of this drug and consult a physician, pharmacist, or registered salesclerk, presenting them with this document. The following serious symptoms may rarely occur. In such cases, immediately seek medical attention.	
Name of symptom	Symptom	Name of symptom	Symptom
Oculomucocutaneous syndrome (Stevens-Johnson syndrome), toxic epidermal necrolysis, acute generalised exanthematous pustulosis *	Symptoms such as high fever, red eyes, eye mucus, inflamed lips, sore throat, rash and redness affecting an extensive area of the skin, small rash (small pustule) appearing on reddened skin *, general malaise *, and loss of appetite * may persist or worsen suddenly.	Oculomucocutaneous syndrome (Stevens-Johnson syndrome), toxic epidermal necrolysis, <u>erythema multiforme</u> , acute generalised exanthematous pustulosis *	Symptoms such as high fever, red eyes, eye mucus, inflamed lips, sore throat, rash and redness affecting an extensive area of the skin, <u>blisters appearing on the reddened skin</u> , small rash (small pustule) appearing on reddened skin *, general

	<table border="1"> <tr> <td data-bbox="1131 228 1509 327"></td><td data-bbox="1509 228 2000 327">malaise *, and loss of appetite * may persist or worsen suddenly.</td></tr> <tr> <td colspan="2" data-bbox="1131 327 2000 422"></td></tr> </table>		malaise *, and loss of appetite * may persist or worsen suddenly.		
	malaise *, and loss of appetite * may persist or worsen suddenly.				

*Only preparations containing acetaminophen

This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

【Therapeutic category】

【Non-proprietary name】 Preparations containing Kakkonto (preparations containing earthworm extract or vitamins combined with Kakkonto extract) (OTC drugs)

【Safety measure】 PRECAUTIONS should be revised.

A revised description is underlined.

Current	Revision				
CONSULTATION If the following symptoms are observed after taking this drug, they may be adverse reactions. In such cases, immediately discontinue the use of this drug and consult a physician, pharmacist, or registered salesclerk, presenting them with this document. The following serious symptoms may rarely occur. In such cases, immediately seek medical attention. N/A	CONSULTATION If the following symptoms are observed after taking this drug, they may be adverse reactions. In such cases, immediately discontinue the use of this drug and consult a physician, pharmacist, or registered salesclerk, presenting them with this document. The following serious symptoms may rarely occur. In such cases, immediately seek medical attention. <table border="1"> <tr> <th>Name of symptom</th><th>Symptom</th></tr> <tr> <td><u>Erythema multiforme</u></td><td><u>Symptoms such as extensive reddening of the skin, blisters appearing on reddened skin, high fever, and sore throat may persist or suddenly worsen.</u></td></tr> </table>	Name of symptom	Symptom	<u>Erythema multiforme</u>	<u>Symptoms such as extensive reddening of the skin, blisters appearing on reddened skin, high fever, and sore throat may persist or suddenly worsen.</u>
Name of symptom	Symptom				
<u>Erythema multiforme</u>	<u>Symptoms such as extensive reddening of the skin, blisters appearing on reddened skin, high fever, and sore throat may persist or suddenly worsen.</u>				

N/A: Not Applicable. No corresponding description is included in the current PRECAUTIONS.

This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.

【Therapeutic category】 Chinese medicines

【Non-proprietary name】 Kakkonto (OTC Chinese medicines)

【Safety measure】 PRECAUTIONS should be revised.

A revised description is underlined.

Current	Revision				
CONSULTATION If the following symptoms are observed after taking this drug, they may be adverse reactions. In such cases, immediately discontinue the use of this drug and consult a physician, pharmacist, or registered salesclerk, presenting them with this document. The following serious symptoms may rarely occur. In such cases, immediately seek medical attention. N/A	CONSULTATION If the following symptoms are observed after taking this drug, they may be adverse reactions. In such cases, immediately discontinue the use of this drug and consult a physician, pharmacist, or registered salesclerk, presenting them with this document. The following serious symptoms may rarely occur. In such cases, immediately seek medical attention. <table> <tr> <th>Name of symptom</th><th>Symptom</th></tr> <tr> <td><u>Erythema multiforme</u></td><td><u>Symptoms such as extensive reddening of the skin, blisters appearing on reddened skin, high fever, and sore throat may persist or suddenly worsen.</u></td></tr> </table>	Name of symptom	Symptom	<u>Erythema multiforme</u>	<u>Symptoms such as extensive reddening of the skin, blisters appearing on reddened skin, high fever, and sore throat may persist or suddenly worsen.</u>
Name of symptom	Symptom				
<u>Erythema multiforme</u>	<u>Symptoms such as extensive reddening of the skin, blisters appearing on reddened skin, high fever, and sore throat may persist or suddenly worsen.</u>				

N/A: Not Applicable. No corresponding description is included in the current PRECAUTIONS.

This English version is intended to be a reference material to provide convenience for users. In the event of inconsistency between the Japanese original and this English translation, the former shall prevail.